


Republic of the Philippines DEPARTMENT OF PUBLIC WORKS & HIGHWAYS

REGIONAL OFFICE X





BIDDING DOCUMENTS

FOR

CONTRACT NAME : 25GK00018

INSTALLATION OF CABINETS, FURNITURES AND FIXTURES IN ALL RESPECTIVE DIVISIONS, DEPARTMENT OF AGRICULTURE REGIONAL FIELD OFFICE 10 (DA-RFO 10) MAIN BUILDING, POBLACION, EL SALVADOR CITY, MISAMIS ORIENTAL

DATE OF OPENING OF BIDS : July 8, 2025 at 10:00 a.m.

START DATE FOR ISSUANCE OF

BIDDING DOCUMENTS : June 19, 2025

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ry of Acronyms, Terms, and Abbreviations	4
Section	n I. Invitation to Bid	7
Section	n II. Instructions to Bidders	10
1.	Scope of Bid	11
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	13
9.	Clarification and Amendment of Bidding Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	13
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Sealing and Marking of Bids	14
16.	Deadline for Submission of Bids	15
17.	Opening and Preliminary Examination of Bids	15
18.	Domestic Preference	15
19.	Detailed Evaluation and Comparison of Bids	15
20.	Post-Qualification	16
21.	Signing of the Contract	16
Section	n III. Bid Data Sheet	17
Section	n IV. General Conditions of Contract	20
1.	Scope of Contract	21
2.	Advance Payment and Terms of Payment	21
3.	Performance Security	21
4.	Inspection and Tests	21
5.	Warranty	21
6.	Liability of the Supplier	22
Section	n V. Special Conditions of Contract	23
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

 $\mathbf{EXW} - \mathbf{Ex}$ works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS REGIONAL OFFICE X



Engineers' Hill, Bulua, Cagayan de Oro City

INVITATION TO BID FOR CONTRACT ID NO. 25GK00018 – INSTALLATION OF CABINETS, FURNITURES AND FIXTURES IN ALL RESPECTIVE DIVISIONS, DEPARTMENT OF AGRICULTURE REGIONAL FIELD OFFICE 10 (DA-RFO 10) MAIN BUILDING, POBLACION, EL SALVADOR CITY, MISAMIS ORIENTAL

- The Department of Public Works and Highways-X through TRUST FUND DA (PHASE II)
 June 18, 2025 intends to apply the sum of Twenty Five Million Five Hundred Fifty
 Seven Thousand Three Hundred Two Pesos & 83/100 (P25,557,302.83) being
 the Approved Budget for the Contract (ABC) to payments under the contract for Purchase
 Request No. X7-25-06-260. Bids received in excess of the ABC shall be automatically
 rejected at bid opening.
- 2. The Department of Public Works and Highways-X now invites bids for 25GK00018 Installation of Cabinets, Furnitures and Fixtures in all Respective Divisions, Department of Agriculture Regional Field Office 10 (DA-RFO 10) Main Building, Poblacion, El Salvador City, Misamis Oriental.¹ Delivery of the Goods is required as specified in the Schedule of Requirement. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *Department of Public Works and Highways-X* and inspect the Bidding Documents at the address given below during *weekdays from 8:00AM-5:00PM*.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *June 19, 2025 until before 10:00am of July 8, 2025* from the given address and website(s) below *and upon payment for the Bidding Documents in the amount of Twenty Five Thousand Pesos (P25,000.00).*

[NOTE: For lot procurement, the maximum fee for the Bidding Documents for each lot shall be based on its ABC, in accordance with the Guidelines issued by the GPPB; provided that the total fees for the Bidding Documents of all lots shall not exceed the maximum fee prescribed in the Guidelines for the sum of the ABC of all lots.]

⁻

¹ A brief description of the type(s) of Goods should be provided, including quantities, location of project, and other information necessary to enable potential bidders to decide whether or not to respond to the invitation.

- 6. The *Department of Public Works and Highways-X* will hold a Pre-Bid Conference on *June 26, 2025, 2:00 p.m.* at *DPWH-10 Bidding Room, 2nd Floor Old Administration & Office of the Regional Director Building, Engineers' Hill, Bulua, Cagayan de Oro City,* which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *July 8, 2025, 10:00am*. Late bids shall not be accepted.

Bidding Documents may be purchased and Bid Proposals may be submitted through an authorized representative together with the original Special Power of Attorney (SPA) for Sole Proprietorship; or Board/Partnership/Joint Venture Resolution with Secretary's Certificate for Corporation/Partnership/Joint Venture/Cooperative) which is Contract Specific and presentation of Company ID or any government issued ID.

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *July 8, 2025, 10:00am* at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *Department of Public Works and Highways-X* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

JOSELITO A. ROA, MSc Chief, Quality Assurance & Hydrology Division BAC Chairperson Victorio T. Sajelan Engineer IV Head, Procurement Unit

Department of Public Works and Highways-Region X Engineer's Hill, Bulua, Cagayan de Oro City Telephone No.: 72301 Email address: dpwhprocurementro10@gmail.com

12. You may visit the following websites:

For downloading of Bidding Documents: **DPWH and PhilGEPS websites**

June 19, 2025

Approved by:

JOSELITO A. ROA, MSc Chief, Quality Assurance & Hydrology Division BAC Chairperson

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, the *Department of Public Works and Highways thru the Bids and Awards Committee (BAC)* wishes to receive Bids for the *Installation of Cabinets, Furnitures and Fixtures in all Respective Divisions, Department of Agriculture Regional Field Office 10 (DA-RFO 10) Main Building, Poblacion, El Salvador City, Misamis Oriental:* with identification number *25GK00018*.

The Procurement Project (referred to herein as "Project") is composed of a **single contract,** the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for TRUST FUND DA (PHASE II) in the amount of Twenty Five Million Five Hundred Fifty Seven Thousand Three Hundred Two Pesos & 83/100 (P25,557,302.83).
- 2.2. The source of funding is: NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
 - a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;

- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- iii. When the Goods sought to be procured are not available from local suppliers; or
- iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements: [Select either failure or monopoly of bidding based on market research conducted]
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on *June 26, 2025, 2:00 p.m. at DPWH-10 Bidding Room, 2nd Floor Old Administration and Office of the Regional Director Building, Engineers' Hill, Bulua, Cagayan de Oro City and/or through videoconferencing/webcasting}* as indicated in paragraph 6 of the **IB.**

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *five* (5) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:

- i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS.**

b. For Goods offered from abroad:

- i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in the **Section VII (Technical Specification).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **the period specified in the BDS**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disgualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

Option 1 – One Project having several items that shall be awarded as one contract.

- Option 2 One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- Option 3 One Project having several items, which shall be awarded as separate contracts per item.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. PURCHASE & INSTALLATION OF FURNITURES AND FIXTURES.
	 completed within 5 (five) years prior to the deadline for the submission and receipt of bids.
7.1	Subcontracting is not allowed.
12	The price of the Goods shall be quoted DDP (Department of Public Works and Highways-X, Engineer's Hill, Bulua, Cagayan de Oro City).
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than two percent (2%) of ABC = Twenty - Five Million Five Hundred Fifty - Seven Thousand Three Hundred Two Pesos & 83/100 (P25,557,302.83), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	 b. The amount of not less than five percent (5%) of ABC= Twenty – Five Million Five Hundred Fifty – Seven Thousand Three Hundred Two Pesos & 83/100 (P25,557,302.83), if bid security is in Surety Bond.
15	Each Bidder shall submit one original copy of the first and second components of its Bid.
	Section 25.8 of 2016 revised IRR of RA 9184.
	Note: The Bidders are encouraged to submit bid proposals with computerized or typewritten bid amount and/ or discounts.
19.3	[The Project will be awarded by lot, list the grouping of lots by specifying the group title, items, and the quantity for every identified lot, and the corresponding ABC for each lot.]
20.2	a. Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
	b. Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
	c. Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR); and
	d. The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding

	calendar year which should not be earlier than two (2) years from the date of bid submission.
21.2	No additional requirements.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	Delivery and Documents - For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered DPWH Regional Office X, Engineer's Hill, Bulua, Cagayan de Oro City . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	f. [Specify additional incidental service requirements, as needed.]
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Spare Parts —

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- 2. in the event of termination of production of the spare parts:
 - advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity Name of the Supplier Contract Description

Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. Transportation -Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Supplier's risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. 2 The terms of payment shall be as follows: Payment shall be made after the delivery and conduct of the training. 4 The inspections and tests that will be conducted are: [Indicate the applicable inspections and tests]

Section VI. Delivery Schedule Requirements

Unit of Issue	Description	Qty.	Total	PERIOD
	se and installation of the following:		P25,557,302.83	Within Thirty (30)
Unit	Customized Executive Table for Regional Executive Director	1		calendar days upon the receipt of the Notice to
	 Design: Free Standing main desk; board table top in high Pressure authentic engineered wood bamboo veneer finish. Main Desk: W1800xD800xH750 mm with side cabinet and side drawer 3 layer Worktop: 50 mm thick authentic engineered wood bamboo veneer panels Leg Support: Melamine board supporting frame Modesty Panel: Melamine board with white automotive finish Color Finishes: Excellent quality pressed surface authentic engineered wood bamboo veneer finish Panel Combination: White and 			Proceed
	Authentic Engineered Wood Bamboo			
Units	Customized Executive Table for Division Chiefs & Assistant Division Chiefs • Design: Main desk L-shaped with side desk; board table top in High Density Melamine Board finish with veneer lining. • Main Desk: W1600xD750xH750 mm • Worktop: 50 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With extra movable drawer & ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine Board of excellent quality,	14		

	with color to the code specified	
	Panel Combination: Light Oak	
Units	Customized Executive Table for	25
	Section Chiefs	
	Design: Main desk L-shaped with	
	side desk; board table top in High	
	Density Melamine Board finish with	
	veneer lining.• Main Desk:	
	W1400xD700xH750 mm • Worktop:	
	50 mm thick High Density Melamine	
	Board with PVC edging, scratch and moisture resistant. • Leg Support: High	
	Density melamine board with PVC	
	edging • Modesty Panel: High Density	
	melamine board with PVC edging•	
	Side Desk Dimension: With extra	
	movable drawer & ELEC Security Lock,	
	Drawer size 45x35cm and 15-25mm	
	thickness siding panel with 9mm	
	thickness bottom part engineering	
	plywood • Color Finishes: High Density	
	Melamine Board of excellent quality,	
	with color to the code specified• Panel	
Units	Combination: Light Oak Executive Table for Staff	273
UTILS	Executive Table for Staff	2/3
	Design: Two workstation with	
	attached side and center drawer;	
	board table top in high Pressure	
	Laminate (HPL) finish.	
	• Main Desk: W1200xD1200xH750	
	mm	
	Worktop: 25 mm thick High Density	
	Melamine Board with PVC edging,	
	scratch and moisture resistant.	
	Leg Support: High Density melamine Leg Support: High Density melamine	
	board with PVC edging	
	Modesty Panel: High Density melamine board with PVC edging	
	Side Desk Dimension: With ELEC	
	Security Lock, Drawer size 45x35cm	
	and 15-25mm thickness siding panel	
	with 9mm thickness bottom part	
	engineering plywood.	
	Color Finishes: High Density	
	Melamine Board of excellent quality,	
	with color to the code specified	
11. "	Panel Combination: Light Oak	-
Units	Executive Table for Staff	5
	• Decign: Single workstation with	
	Design: Single workstation with attached side and center drawer:	
	attached side and center drawer; board table top in high Pressure	

	T		
	Laminate (HPL) finish. • Main Desk:		
	W1200xD600xH750 mm • Worktop:		
	25 mm thick High Density Melamine		
	Board with PVC edging, scratch and		
	moisture resistant. • Leg Support: High		
	Density melamine board with PVC		
	1		
	edging • Modesty Panel: High Density		
	melamine board with PVC edging•		
	Side Desk Dimension: With ELEC		
	Security Lock, Drawer size 45x35cm		
	and 15-25mm thickness siding panel		
	with 9mm thickness bottom part		
	engineering plywood • Color Finishes:		
	High Density Melamine Board of		
	excellent quality, with color to the		
	code specified• Panel Combination:		
	Light Oak		
l loito	Conference Foldable Table	112	
Units	Conference roldable Table	112	
	a Folding Table Deals With What		
	Folding Table Desk With Wheels		
	Wood board: Made of national		
	environmental protection grade 25mm		
	thick wood particle board		
	Upper support: Made of high-quality		
	cold-rolled steel plate with a wall		
	thickness of 3.0mm and processed		
	through stamping and bending		
	process		
	• Connecting rod: adopted φ 45MM		
	high-quality circular cold-rolled steel		
	pipe (wall thickness 1.2mm)		
	• Castors: Adopting φ 50mm high-		
	quality nylon material, universal band		
	brake wheel		
	• Size: 1200*400*750 mm		
	Panel Combination: Light Wood		
set	16 – Seater Conference Table	1	
	Material: Authentic engineered wood		
	bamboo veneer finish		
	50mm wood thickness		
	Hybrid bamboo and metal legs		
	• Dimensions: L2000xW1000XH760		
	mm (5 units)		
	Panel Combination: Light Authentic		
	Engineered Wood Bamboo		
Units	Square Table	50	
20			
	Material: Square Top Melamine		
	Board Color: White Painted Base and		
	Legs• Dimension(cm):		
	L600XW600XH750 mm• Lightweight		
	and portable		

Units	Coffee Table	9	
	•Ergodynamic Round 80cm Tulip Table		
	Material: Metal leg, Round Wooden Painted Top		
	Painted Top • Dimensions:80cm 17.70mm table		
	top thickness		
Units	Executive Chair for Directors	3	
	Type: Executive/High-back office		
	chairMaterial: Leatherette or synthetic		
	leather upholstery, possibly with a		
	chrome steel base		
	Adjustability:		
	Adjustable seat height (pneumatic gas		
	lift)		
	Tilt lock mechanism, possibly with multi-position locking		
	Swivel function (360 degrees)		
	• Dimensions (Approximate):		
	Seat width: 18-20 inches (45-50 cm)		
	Seat depth: 17-20 inches (43-50 cm)		
	Back height: Could be around (125		
	cm) • Weight Capacity: Up to 250 lbs (113		
	kg) or more		
	• Features:		
	Padded armrests with 3mm chrome		
	thickness		
	Lumbar support Waterfall seat design (to reduce leg		
	Waterfall seat design (to reduce leg stress)		
	Five-star base with heavy duty		
	casters wheels for mobility		
	Footrest		
Units	Junior Executive Chair for	39	
	Division Chiefs & Assistant		
	Division Chiefs		
	High back ergonomic office chair		
	with headrest		
	Mesh back + fabric seat with high		
	density foam inside		
	Black armrest and black base		
	• Color: Black	222	
Units	Conference Chair	220	
	Ergonomic office chair • Premium		
	polyester fiber 3D nylon mesh + fabric		
	seat with high density foam inside •		
	multi-functional mechanism with back		
	reclining & any position locking		
	function • Color: Black with black		

	armrest, chrome finish heavy duty	
	legs.	
Units	Staff Chair	551
UIIIG		551
	Ergonomic office chair	
	Mesh back + fabric seat with high-	
	density foam inside	
	multi-functional mechanism with	
	back reclining & any position locking	
	function	
	Color: Black	
Units	Coffee Table Chair	27
	Padded Chair with Beech Wood Legs	
	Material: Wood Polypropylene	
	Faux Leather	
	• Dimensions:	
	W480xD530xSH460xH810 mm	4.60
Units	Guest Chair	168
	- Mid book augumania affice abaix	
	Mid back ergonomic office chair Mosh back + fabric coat with high-	
	 Mesh back + fabric seat with high- density foam inside 	
	multi-functional mechanism with	
	back reclining & any position locking	
	function	
	Color: Black	
Units	5-Seater Gang Chair	22
	_	
	Material: Cold Rolled Steel Plate	
	Seat 1.2mm Beam 1.6mm Thick •	
	Dimensions:	
	W2900xD630xSH380xH760 mm •	
	Rust-resistant Color: Metal Steel	
11. 22	Powder Coated Capacity: 150kg/Seat	
Units	4-seater Gang Chair	2
	- Matarial, Cold Ballad Charl Blata	
	Material: Cold Rolled Steel Plate Soat 1.2mm Roam 1.6mm Thick	
	Seat 1.2mm Beam 1.6mm Thick • Dimensions: 2300*660*750 mm	
	Rust-resistant	
	Color: Metal Steel Powder Coated	
	Color: Metal Steel Powder Coated Capacity: 150kg/Seat	
Units	3-seater Gang Chair	2
511165	b seater earny entain	_
	Material: Cold Rolled Steel Plate	
	Seat 1.2mm Beam 1.6mm Thick	
	• Dimensions: 1750*660*750 mm	
	Rust-resistant	
	Color: Metal Steel Powder Coated	
	Capacity: 150kg/Seat	
Units	Canteen Chair	100

	Material: Melamine board supporting	
	frame • Premium Steel Framed •	
	Premium Polyethylene Chair• With	
	Backrest• Color: light brown	
Sets	Sofa for Division Chiefs	8
	3+1+1 SEATER SOFA SET & 1	
	CENTER TABLE	
	Material: Premium Synthetic Leather	
	• 3S Dimension: 2020x830x860 mm	
	1S Dimension: 1020x830x860 mmColor: Light brown/Khaki	
	Center Table dimension:	
	1200x600x450 mm	
	Center table color: Light brown	
Sets	Sofa for Regional Directors	3
	3	
	3+1+1 SEATER SOFA SET & 1	
	CENTER TABLE	
	Material: Premium Synthetic Leather	
	• 3S Dimension: 1950x800x800 mm	
	• 1S Dimension: 950x800x800 mm	
	Color: Light brown/Khaki Center Table dimension:	
	1200x600x450 mm	
	Center table color: Light brown	
Sets	Filing Cabinet for Staff	238
	Premium Steel Cabinet	
	Material: Steel Anti-rust paint	
	Glass	
	0.8mm Steel Thickness Name Page 14050	
	Dimensions: W900xD400xH1850 mm	
	 Comes with a lock for safety and coated with anti-rust paint. 	
	Tempered Glass 6-8mm	
	Color: light brown	
Units	Locker	4
		•
	• 12 DOORS LOCKER	
	Premium Steel Locker	
	0.8mm Steel Thickness	
	• Dimensions: W900xD350xH1850 mm	
	Material: Steel Anti-rust paint	
	Anti-Theft - Lock Feature Daggar Aig Youth	
	Door Air-VentPanel Combination: Gray	
Unit	File Cabinet for Regional	1
Offic	Executive Director	1
	Material: Authentic Engineered	
	Wood Bamboo Finish. Ideal for storing	

	and displaying items in your office.	
	Panel Combination: Light Oak•	
	Dimension: 2800Wx450Dx700H mm	
	customized • 8 Cabinet Doors	
Units	Filing Cabinet for Division Chiefs	14
	Material: Bamboo Inspired and	
	Melamine board. Ideal for storing and	
	displaying items in your office	
	Panel Combination: Light OakDimension: 1600Wx400Dx800H mm	
	customized, 15-25mm High Density	
	Melamine Board	
	• 4 Cabinet Doors	
Units	Single Bed	12
	Steel Single Bed with Mattress Materials Cold rolled Steel Plate 0.4	
	Material: Cold-rolled Steel Plate 0.4- 1.0mm E1 Solid Wood Board	
	Dimensions: H850xW2000xD900 mm	
	• Color: White	
Units	Customized Executive Table for	2
	Regional Technical Directors	
	- Design, Eroe Standing was a design	
	Design: Free Standing main desk; board table top in high Pressure	
	Laminate (HPL) finish with veneer	
	lining.• Main Desk:	
	W1600xD800xH750 mm with side	
	cabinet and side drawer 3 layer•	
	Worktop: 50 mm thick E1 grade	
	melamine board desktop with PVC	
	edging Bamboo Inspired Finish• Side Desk Dimension: With ELEC Security	
	Lock, Drawer size 45x35cm and 15-	
	25mm thickness siding panel with	
	9mm thickness bottom part	
	engineering plywood• Leg Support:	
L La C	Melamine board supporting frame	_
Units	File Cabinet for Regional Technical Director	2
	Technical Director	
	Material: Authentic Bamboo and	
	Melamine board. Ideal for storing and	
	displaying items in your office.	
	Panel Combination: Light Oak Discourse 2400W 400D 200H 200H	
	Dimension: 2400Wx400Dx800H mm	
	customized6 Cabinet Doors	
Units	Round Table	3
	Melamine Round Conference Table	
	Material: 25mm High Density	
	Melamine Board	

	1	
	Metal supporting leg	
	• Dimension: 1200x750x25 mm	
	Color: All White	
Units	Room Chair	6
	Material: Faux Leather Metal Frame	
	& Legs	
	Depth leatherette dining chairs for	
	your room, wide and cushioned seats	
	are lined with a combination of dense	
	soft padding.Finished with leatherette cover, easy	
	care.	
	Legs are made of high-quality metal	
	made, fixed with X-shape legs is	
	stronger support for whole	
	Color: light brown/khaki	
Units	Plastic Chair for assembly	600
•	, , , , , , , , , , , , , , , , , , , ,	
	Material: Plastic Polypropylene	
	• Dimensions:	
	W380xD420xSH460xH760 mm	
	Color: Black	
Units	Bunk Bed	20
	Double Decker Bed with Mattresses	
	Material: 0.7mm Cold Rolled Steel	
	Electrostatic powder coating	
	Dimensions: L2000xW900xH1800	
	mm 61 Kg	
	Color: Black	
Provisi	on and Condition:	
The cur	oplier/bidder must secure a certification fro	am.
	nufacturer that the furniture with bamboo	וווכ
	nents are made from Authentic Engineered	ı
	o materials.	1
	Period: 30 Calendar Days	
-	ty: One (1) year	
vvarrani	ty. One (1) year	

(Name of Bidder)
(Signature Over Printed Name of Authorized Representative)
(Designation)

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item No.	Specification	Statement of Compliance
	DPWH SPECIFICATION	SPECIFY BRAND NAME
		& MODEL OF THE
		OFFERED PRODUCTS
		[Bidders must state here either "Comply" or "Not
		Comply" against each of the
		individual parameters of each Specification stating
		the corresponding
		performance parameter of the equipment offered.
		Statements of "Comply" or
		"Not Comply" must be supported by evidence in a
		Bidders Bid and cross-
		referenced to that evidence. Evidence shall be
		in the form of
		manufacturer's un-
		amended sales literature, unconditional statements of
		specification and
		compliance issued by the
		manufacturer, samples, independent test data etc.,
		as appropriate. A statement
		that is not supported by
		evidence or is subsequently found to be contradicted by
		the evidence presented will
		render the Bid under
		evaluation liable for
		rejection. A statement either in the Bidder's
		statement of compliance or
		the supporting evidence that is found to be false
		either during Bid
		evaluation, post-
		qualification or the execution of the Contract
		may be regarded as
		fraudulent and render the
		Bidder or supplier liable for prosecution subject to the
		applicable laws and
		issuances.]

DURCHASE AN	D INSTALLATION OF THE	
FOLLOWING:	DINSTALLATION OF THE	
1	Customized Executive Table for Regional Executive Director	
	 Design: Free Standing main desk; board table top in high Pressure authentic engineered wood bamboo veneer finish. Main Desk: W1800xD800xH750 mm with side cabinet and side drawer 3 layer Worktop: 50 mm thick authentic engineered wood bamboo veneer panels Leg Support: Melamine board supporting frame Modesty Panel: Melamine board with white automotive finish Color Finishes: Excellent quality pressed surface authentic engineered wood bamboo veneer finish Panel Combination: White and Authentic Engineered Wood Bamboo 	
2	Customized Executive Table for	
	Division Chiefs & Assistant Division Chiefs	
	 Design: Main desk L-shaped with side desk; board table top in High Density Melamine Board finish with veneer lining. Main Desk: W1600xD750xH750 mm Worktop: 50 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. Leg Support: High Density melamine board with PVC edging Modesty Panel: High Density melamine board with PVC edging Side Desk Dimension: With extra movable drawer & ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood Color Finishes: High Density Melamine Board of excellent quality, with color to the code specified Panel Combination: Light Oak 	
3	Customized Executive Table for	
	Section Chiefs	
	 Design: Main desk L-shaped with side desk; board table top in High Density Melamine Board finish with veneer lining. Main Desk: W1400xD700xH750 	

	mm • Worktop: 50 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging• Side Desk Dimension: With extra movable drawer & ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes:	
	High Density Melamine Board of excellent quality, with color to the code specified• Panel Combination: Light Oak	
4	Executive Table for Staff	
	 Design: Two workstation with attached side and center drawer; board table top in high Pressure Laminate (HPL) finish. Main Desk: W1200xD1200xH750 mm Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. Leg Support: High Density melamine board with PVC edging Modesty Panel: High Density melamine board with PVC edging Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood. Color Finishes: High Density Melamine Board of excellent quality, with color to the code specified 	
Г	Panel Combination: Light Oak Fraggeting Table for Staff	
5	• Design: Single workstation with attached side and center drawer; board table top in high Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density	

	Melamine Board of excellent quality, with	
	color to the code specified Panel	
	Combination: Light Oak	
6	Conference Foldable Table	
	Folding Table Desk With Wheels	
	Wood board: Made of national	
	environmental protection grade 25mm	
	thick wood particle board	
	Upper support: Made of high-quality	
	cold-rolled steel plate with a wall	
	thickness of 3.0mm and processed	
	through stamping and bending process	
	• Connecting rod: adopted φ 45MM high-	
	quality circular cold-rolled steel pipe (wall	
	thickness 1.2mm)	
	• Castors: Adopting φ 50mm high-quality	
	nylon material, universal band brake	
	wheel	
	• Size: 1200*400*750 mm	
	Panel Combination: Light Wood	
7	16 – Seater Conference Table	
	Material: Authentic engineered wood	
	bamboo veneer finish	
	50mm wood thickness	
	Hybrid bamboo and metal legs	
	Dimensions: L2000xW1000XH760 mm	
	(5 units)	
	Panel Combination: Light Authentic	
	Engineered Wood Bamboo	
8	Square Table	
	oquai o Tubio	
	Material: Square Top Melamine Board	
	Color: White Painted Base and Legs•	
	Dimension(cm): L600XW600XH750 mm•	
	Lightweight and portable	
9	Coffee Table	
9	Confee Table	
	•Ergodynamic Round 80cm Tulip Table	
	Material: Metal leg, Round Wooden	
	,	
	Painted Top	
	• Dimensions:80cm 17.70mm table top	
10	thickness	
10	Executive Chair for Directors	
	Tunos Eventaine // link hands affice als i	
	Type: Executive/High-back office chair	
	Material: Leatherette or synthetic	
	leather upholstery, possibly with a	
	chrome steel base	
	Adjustability:	
	Adjustable seat height (pneumatic gas	
	lift)	

	Tilt lock mechanism, possibly with multiposition locking Swivel function (360 degrees) Dimensions (Approximate): Seat width: 18-20 inches (45-50 cm) Seat depth: 17-20 inches (43-50 cm) Back height: Could be around (125 cm) Weight Capacity: Up to 250 lbs (113 kg) or more Features: Padded armrests with 3mm chrome thickness Lumbar support Waterfall seat design (to reduce leg stress) Five-star base with heavy duty casters	
	wheels for mobility	
	• Footrest	
11	Junior Executive Chair for Division Chiefs & Assistant Division Chiefs	
	High back ergonomic office chair with	
	headrest Mosh back + fabric soat with high	
	Mesh back + fabric seat with high density foam inside	
	Black armrest and black base	
	Color: Black	
12	Conference Chair	
	Ergonomic office chair • Premium polyester fiber 3D nylon mesh + fabric seat with high density foam inside • multi-functional mechanism with back	
	reclining & any position locking function • Color: Black with black armrest, chrome finish heavy duty legs.	
13	Color: Black with black armrest, chrome	
	Color: Black with black armrest, chrome finish heavy duty legs. Staff Chair • Ergonomic office chair • Mesh back + fabric seat with high-density foam inside • multi-functional mechanism with back reclining & any position locking function • Color: Black	
13	Color: Black with black armrest, chrome finish heavy duty legs. Staff Chair • Ergonomic office chair • Mesh back + fabric seat with high-density foam inside • multi-functional mechanism with back reclining & any position locking function	
	Color: Black with black armrest, chrome finish heavy duty legs. Staff Chair • Ergonomic office chair • Mesh back + fabric seat with high-density foam inside • multi-functional mechanism with back reclining & any position locking function • Color: Black	
	Color: Black with black armrest, chrome finish heavy duty legs. Staff Chair • Ergonomic office chair • Mesh back + fabric seat with high-density foam inside • multi-functional mechanism with back reclining & any position locking function • Color: Black Coffee Table Chair • Padded Chair with Beech Wood Legs • Material: Wood Polypropylene Faux Leather • Dimensions: W480xD530xSH460xH810	

	Mid back ergonomic office chair	
	 Mesh back + fabric seat with high- 	
	density foam inside	
	multi-functional mechanism with back	
	reclining & any position locking function	
16	• Color: Black	
16	5-Seater Gang Chair	
	Matarial Cald Ballad Charl Dista I Cast	
	Material: Cold Rolled Steel Plate Seat	
	1.2mm Beam 1.6mm Thick •	
	Dimensions: W2900xD630xSH380xH760	
	mm • Rust-resistant• Color: Metal Steel	
	Powder Coated Capacity: 150kg/Seat	
17	4-seater Gang Chair	
	Material: Cold Rolled Steel Plate Seat	
	1.2mm Beam 1.6mm Thick	
	• Dimensions: 2300*660*750 mm	
	Rust-resistant	
	Color: Metal Steel Powder Coated	
	Capacity: 150kg/Seat	
18	3-seater Gang Chair	
10	3-seater daily Chair	
	- Materials Cold Dollad Chaol Diata I Cost	
	Material: Cold Rolled Steel Plate Seat	
	1.2mm Beam 1.6mm Thick	
	• Dimensions: 1750*660*750 mm	
	Rust-resistant	
	Color: Metal Steel Powder Coated	
	Capacity: 150kg/Seat	
19	Canteen Chair	
	Material: Melamine board supporting	
	frame • Premium Steel Framed •	
	Premium Polyethylene Chair• With	
	Backrest Color: light brown	
20	Sofa for Division Chiefs	
20		
	3+1+1 SEATER SOFA SET & 1 CENTER	
	TABLE	
	IAULL	
	Material: Premium Cynthetic Leather	
	Material: Premium Synthetic Leather 35 Dimension: 2020v920v960 mm	
	• 3S Dimension: 2020x830x860 mm	
	• 1S Dimension: 1020x830x860 mm	
	Color: Light brown/Khaki	
	• Center Table dimension: 1200x600x450	
	mm	
	Center table color: Light brown	
21	Sofa for Regional Directors	
	3+1+1 SEATER SOFA SET & 1 CENTER	
	TABLE	
	Material: Premium Synthetic Leather	

	20.01 1 10.00 000	
	• 3S Dimension: 1950x800x800 mm	
	• 1S Dimension: 950x800x800 mm	
	Color: Light brown/Khaki	
	• Center Table dimension: 1200x600x450	
	mm	
	Center table color: Light brown	
22	Filing Cabinet for Staff	
	Premium Steel Cabinet	
	Material: Steel Anti-rust paint Glass	
	0.8mm Steel Thickness	
	• Dimensions: W900xD400xH1850 mm	
	Comes with a lock for safety and coated with action and residue.	
	with anti-rust paint.	
	• Tempered Glass 6-8mm	
	Color: light brown	
23	Locker	
	• 12 DOORS LOCKER	
	Premium Steel Locker	
	0.8mm Steel Thickness	
	 Dimensions: W900xD350xH1850 mm 	
	Material: Steel Anti-rust paint	
	Anti-Theft - Lock Feature	
	Door Air-Vent	
	Panel Combination: Gray	
24	File Cabinet for Regional Executive	
24	File Cabinet for Regional Executive Director	
24		
24	Director	
24	• Material: Authentic Engineered Wood	
24	 Director Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and 	
24	 Director Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. 	
24	 Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak 	
24	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8	
	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8 Cabinet Doors	
24	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8	
	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8 Cabinet Doors Filing Cabinet for Division Chiefs	
	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and	
	Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak Dimension: 2800Wx450Dx700H mm customized Cabinet Doors Filing Cabinet for Division Chiefs Material: Bamboo Inspired and Melamine board. Ideal for storing and	
	Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak Dimension: 2800Wx450Dx700H mm customized 8 Cabinet Doors Filing Cabinet for Division Chiefs Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office	
	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. ◆ Panel Combination: Light Oak ◆ Dimension: 2800Wx450Dx700H mm customized ◆ 8 Cabinet Doors Filing Cabinet for Division Chiefs ◆ Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office ◆ Panel Combination: Light Oak	
	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. ◆ Panel Combination: Light Oak ◆ Dimension: 2800Wx450Dx700H mm customized ◆ 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm	
	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density	
	Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak Dimension: 2800Wx450Dx700H mm customized 8 Cabinet Doors Filing Cabinet for Division Chiefs Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office Panel Combination: Light Oak Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board	
25	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. ◆ Panel Combination: Light Oak ◆ Dimension: 2800Wx450Dx700H mm customized ◆ 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board • 4 Cabinet Doors	
	Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak Dimension: 2800Wx450Dx700H mm customized 8 Cabinet Doors Filing Cabinet for Division Chiefs Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office Panel Combination: Light Oak Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board	
25	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak Dimension: 2800Wx450Dx700H mm customized 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board • 4 Cabinet Doors Single Bed	
25	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. ◆ Panel Combination: Light Oak ◆ Dimension: 2800Wx450Dx700H mm customized ◆ 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board • 4 Cabinet Doors Single Bed • Steel Single Bed with Mattress	
25	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board • 4 Cabinet Doors Single Bed • Steel Single Bed with Mattress • Material: Cold-rolled Steel Plate 0.4-	
25	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. Panel Combination: Light Oak Dimension: 2800Wx450Dx700H mm customized 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board • 4 Cabinet Doors Single Bed • Steel Single Bed with Mattress • Material: Cold-rolled Steel Plate 0.4-1.0mm E1 Solid Wood Board	
25	• Material: Authentic Engineered Wood Bamboo Finish. Ideal for storing and displaying items in your office. • Panel Combination: Light Oak • Dimension: 2800Wx450Dx700H mm customized • 8 Cabinet Doors Filing Cabinet for Division Chiefs • Material: Bamboo Inspired and Melamine board. Ideal for storing and displaying items in your office • Panel Combination: Light Oak • Dimension: 1600Wx400Dx800H mm customized, 15-25mm High Density Melamine Board • 4 Cabinet Doors Single Bed • Steel Single Bed with Mattress • Material: Cold-rolled Steel Plate 0.4-	

27	Customized Executive Table for Regional Technical Directors	
	Design: Free Standing main desk; board	
	table top in high Pressure Laminate (HPL)	
	finish with veneer lining. • Main Desk:	
	W1600xD800xH750 mm with side cabinet	
	and side drawer 3 layer• Worktop: 50	
	mm thick E1 grade melamine board desktop with PVC edging Bamboo	
	Inspired Finish Side Desk Dimension:	
	With ELEC Security Lock, Drawer size	
	45x35cm and 15-25mm thickness siding	
	panel with 9mm thickness bottom part	
	engineering plywood• Leg Support: Melamine board supporting frame	
28	File Cabinet for Regional Technical	
	Director	
	Material: Authentic Bamboo and	
	Melamine board. Ideal for storing and	
	displaying items in your office.	
	Panel Combination: Light OakDimension: 2400Wx400Dx800H mm	
	customized	
	6 Cabinet Doors	
29	Round Table	
	Melamine Round Conference Table	
	Material: 25mm High Density Melamine	
	Board	
	Metal supporting leg Dimensions 1300-750-25 mms	
	Dimension: 1200x750x25 mmColor: All White	
30	Room Chair	
	Material: Faux Leather Metal Frame & Logs	
	LegsDepth leatherette dining chairs for your	
	room, wide and cushioned seats are lined	
	with a combination of dense soft padding.	
	Finished with leatherette cover, easy	
	care.	
	Legs are made of high-quality metal made, fixed with X-shape legs is stronger	
	support for whole	
	Color: light brown/khaki	
31	Plastic Chair for assembly	
	Material: Plastic Polypropylene	
	• Dimensions: W380xD420xSH460xH760	
	mm Colon Block	
	Color: Black	

32	Bunk Bed	
	 Double Decker Bed with Mattresses Material: 0.7mm Cold Rolled Steel Electrostatic powder coating Dimensions: L2000xW900xH1800 mm 61 Kg Color: Black 	
Provision and C	Condition:	
manufacturer tha made from Authe	der must secure a certification from the it the furniture with bamboo components are entic Engineered Bamboo materials. 30 Calendar Days 1) year	

(Name of Bidder)
(Signature Over Printed Name of Authorized Representative)
(Designation)

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	ial Doc	<u>ruments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); and
	(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and
	(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
_	(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
		<u>Documents</u>
	(e)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
	(f)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
	(g)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or
		Original copy of Notarized Bid Securing Declaration; and
	(h)	Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; and
	(i)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Fina	ancial .	Documents Communication Commun
	(j)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
	(k)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its
		NFCC computation.

Class "B" Documents

 $\ \square$ (I) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (m) Original of duly signed and accomplished Financial Bid Form; and
- ☐ (n) Original of duly signed and accomplished Price Schedule(s).
 - (o) Bid Form B (Financial Proposal).
 - (p) Recurring & Maintenance Cost (if applicable)

$\frac{\text{CHECKLIST OF ELIGIBILITY AND TECHNICAL COMPONENTS FOR}}{\text{THE BAC}}$

PR (OJEC TE:	T:						
BID	DER:							
								ELIGIBILITY:
MEMBER	MEMBER	MEMBER	MEMBER	MEMBER	VICE- CHAIRPERSON	CHAIRPERSON		
							1	Certification in lieu of Class "A" Documents.
							J	Pursuant to Section 8.5.2 of 2016 Revised IRR of RA 9184, bic Registration Certificate (Platinum Membership). This document certifies that Class "A" Documents are comple Presence of this document shall forego the checking of the foresection 23.1(a) of the 2016 RIRR of RA 9184: -Registration certificate from SEC (if corporation), DTI (for sole cooperatives), or any proof of such registration; -Mayor's Business Permit or its equivalent; -Tax Clearance Certificate; -Audited Financial Statements.
								OR all requirements listed under Legal, Technical and Financial Dc
								Class "A" Documents
							1	DTI Business Name registration or SEC Registration Certificate or
							2	Valid and current Mayor's Permit/Municipal License.
] 3 4	approved by the BIR
							5	Statement of ongoing government and private contracts
							6	Statement of Single Largest Completed Contract 50% =
								Contract or Purchase order
								Certificate of Completion
								Certificate of Acceptance or Official Receipt or Sales Invoice
							7	Computation of Net Financial Contracting Capacity (NFCC) OR a comor Commercial Bank to extend a credit line in favor of the prospectic contract (CLC)
								Class "B" Documents, (if applicable)
								Valid joint Venture Agreement, in case the joint venture is alrea absence of a JVA, duly notarized statements from all the potentia stating that they will enter into and abide by the provisions of t that the bid is successful shall be included in the bid.

TEC	HNI	CAL:					REQUIRED BID SECURITY
							Form a. Cash, Certified Check, Cashier's Check, Manager's Check, Bank Draft/ guarantee Or Irrevocable Letter of Credit, confirmed By a Universal or Commercial Bank b. Surety Bond (Callable on Demand) C. Bid Securing Declaration Validity Period 2% of ABC = 120 calendar days upo
MEMBER	MEMBER	MEMBER	MEMBER	MEMBER	VICE- CHAIRPERSON	CHAIRPERSON	opening of bids Form of bid Security Company Number Official Receipt No. Validity Period Callable on Demand Bid Security Amount
							Certification from Insurance Commission ()
							1 Bid Security
							2 (Technical Proposal)/Technical Specifications
							3 Production/Delivery Schedule
							4 Manpower Requirements
							5 After Sales Service/Parts (Warranty)
							6 Omnibus Sworn Statement
							7 Secretary's Certificate and Board Resolution (for Corporation)
Note bid.	e: An	y mi	ssing	docu	ment	in th	ne above-mentioned checklist is a ground for outright rejection of th
	nark	s: () Pas	ss			() Fail

CHECKLIST FOR FINANCIAL COMPONENTS FOR THE BAC

DATE: BIDDER:							
	Checklist of Bid Requirements						
FINANCIAL ENVELOPE: shall be	Shall contain the following information / documents and						
	opened only if the bidder has complied with the						
requirements in	the Eligibility and Technical Component.						
MEMBER MEMBER MEMBER MEMBER VICE- CHAIRPERSON CHAIRPERSON							
	1 Bid Form which includes Bid Prices						
	2 Duly Signed Bid Prices in the Bill of Quantities/Breakdown						
	3 Recurring and maintenance costs, NA						
Note: Any missing document in the above-mentioned checklist is a ground for outright rejection of the bid.							
Remarks: () Complying () No	on-Complying						

PROJECT:

Section IX. Bidding Forms	

Date : _____

BID FORM

Contract Identification No.: 25GK00018

may receive.

To: [name and address of Procuring Entity]
Having examined the Bidding Documents (BDs) issued for the Installation of Cabinets , Furnitures and Fixtures in all Respective Divisions , Department of Agriculture Regional Field Office 10 (DA-RFO 10) Main Building , Poblacion , El Salvador City , Misamis Oriental including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said BDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
 a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Bidding Documents (BDs);
 b. to provide a performance security in the form, amounts, and within the times prescribed in the BDs;
c. to abide by the Bid Validity Period specified in the BDs and it shall remain binding upon us at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:
Name and address Amount and Purpose of of agent Currency Commission or gratuity
(if none state "None")]
(if none, state "None")]
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.
We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as

evidenced by the attached [state the written authority]. We acknowledge that failure to sign each

ne:		
al capacity:		
ature: authorized to sign the Bid for	and bobalf of	
e:	and benan or.	

BILL OF QUANTITIES WITH UNIT BID PRICES AND TOTAL BID PRICES

Contract ID No. : 25GK00018

Name of Contract : Installation of Cabinets, Furnitures and Fixtures in all Respective

Divisions, Department of Agriculture Regional Field Office 10 (DA-RFO 10)

Main Building, Poblacion, El Salvador City, Misamis Oriental

ABC : P25,557,302.83 Date of Bid Opening : **July 8, 2025**

1	2	3	4	5	6
UNIT	Description	Unit	Quantity	Unit Bid	Total Bid
No.		of		Price(Peso)	Price(Peso) ³
Purcha	ase and installation of the follow	Issue vina:			
1	Customized Executive Table	Unit	1		
_	for Regional Executive	Orne	_		
	Director				
	Design: Free Standing main				
	desk; board table top in high				
	Pressure authentic engineered				
	wood bamboo veneer finish. • Main Desk:				
	W1800xD800xH750 mm with				
	side cabinet and side drawer 3				
	layer				
	 Worktop: 50 mm thick 				
	authentic engineered wood				
	bamboo veneer panels				
	Leg Support: Melamine board				
	supporting frame				
	Modesty Panel: Melamine board with white automotive				
	finish				
	Color Finishes: Excellent				
	quality pressed surface authentic				
	engineered wood bamboo				
	veneer finish				
	 Panel Combination: White and 				
	Authentic Engineered Wood				
	Bamboo				
2	Customized Executive Table	Units	14		
	for Division Chiefs & Assistant Division Chiefs				
	Assistant Division Chiefs				
	Design: Main desk L-shaped				
	with side desk; board table top				

Bidders are required to include the cost of all taxes, such as, but not limited to: value added tax (VAT), income tax, local taxes, customs duties, freight, insurance, bank charges and other fiscal levies and duties. These shall be itemized in the bid form and reflected in the detailed estimates.

	in High Density Melamine Board			
	finish with veneer lining.			
	Main Desk:			
	W1600xD750xH750 mm			
	Worktop: 50 mm thick High			
	Density Melamine Board with			
	PVC edging, scratch and			
	moisture resistant.			
	• Leg Support: High Density			
	melamine board with PVC edging			
	• Modesty Panel: High Density			
	melamine board with PVC edging			
	Side Desk Dimension: With			
	extra movable drawer & ELEC			
	Security Lock, Drawer size 45x35cm and			
	15-25mm thickness siding panel			
	with 9mm thickness bottom part			
	engineering plywood			
	• Color Finishes: High Density			
	Melamine Board of excellent			
	quality, with color to the code			
	specified			
	Panel Combination: Light Oak			
3	Customized Executive Table	Units	25	
	for Section Chiefs			
	Design: Main desk L-shaped			
	with side desk; board table top			
	in High Density Melamine Board finish with veneer lining. • Main			
	Desk: W1400xD700xH750 mm •			
	Worktop: 50 mm thick High			
	Density Melamine Board with			
	PVC edging, scratch and			
	moisture resistant. • Leg			
	Support: High Density melamine			
	board with PVC edging •			
	Modesty Panel: High Density			
	melamine board with PVC			
	edging• Side Desk Dimension:			
	With extra movable drawer &			
	ELEC Security Lock, Drawer size 45x35cm and 15-25mm			
	thickness siding panel with			
	9mm thickness bottom part			
	engineering plywood • Color			
	Finishes: High Density Melamine			
	Board of excellent quality, with			
	color to the code specified•			
	Panel Combination: Light Oak			
4	Executive Table for Staff	Units	273	
'				

	 Design: Two workstation with 			
	attached side and center drawer;			
	board table top in high Pressure			
	Laminate (HPL) finish.			
	Main Desk:			
	W1200xD1200xH750 mm			
	Worktop: 25 mm thick High			
	Density Melamine Board with			
	PVC edging, scratch and			
	moisture resistant.			
	 Leg Support: High Density 			
	melamine board with PVC edging			
	Modesty Panel: High Density			
	melamine board with PVC edging			
	Side Desk Dimension: With			
	ELEC Security Lock, Drawer size			
	45x35cm and 15-25mm			
1	thickness siding panel with			
1	9mm thickness bottom part			
1	engineering plywood.			
	 Color Finishes: High Density 			
	Melamine Board of excellent			
	quality, with color to the code			
	specified			
	• Panel Combination: Light Oak			
5	Executive Table for Staff	Units	5	
)	Executive Table 101 Staff	UTILS	5	
	D : C:			
	Design: Single workstation			
	with attached side and center			
	I dualizati baaud tabla tan in biah			
	drawer; board table top in high			
	Pressure Laminate (HPL) finish. •			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging •			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension:			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension:			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging• Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine Board of excellent quality, with			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine Board of excellent quality, with color to the code specified •			
	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging• Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine Board of excellent quality, with color to the code specified• Panel Combination: Light Oak	l la:t-	112	
6	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant. • Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging • Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine Board of excellent quality, with color to the code specified •	Units	112	
6	Pressure Laminate (HPL) finish. • Main Desk: W1200xD600xH750 mm • Worktop: 25 mm thick High Density Melamine Board with PVC edging, scratch and moisture resistant.• Leg Support: High Density melamine board with PVC edging • Modesty Panel: High Density melamine board with PVC edging• Side Desk Dimension: With ELEC Security Lock, Drawer size 45x35cm and 15-25mm thickness siding panel with 9mm thickness bottom part engineering plywood • Color Finishes: High Density Melamine Board of excellent quality, with color to the code specified• Panel Combination: Light Oak	Units	112	

	Wheels			
	Wood board: Made of national			
	environmental protection grade			
	25mm thick wood particle board			
	Upper support: Made of high-			
	quality cold-rolled steel plate			
	with a wall thickness of 3.0mm			
	and processed through stamping			
	and bending process			
	 Connecting rod: adopted φ 			
	45MM high-quality circular cold-			
	rolled steel pipe (wall thickness			
	1.2mm)			
	• Castors: Adopting φ 50mm			
	high-quality nylon material,			
	universal band brake wheel			
	• Size: 1200*400*750 mm			
	Panel Combination: Light			
	Wood			
7	16 – Seater Conference	set	1	
	Table			
	Material: Authentic engineered			
	wood bamboo veneer finish			
	50mm wood thickness			
	Hybrid bamboo and metal legs			
	• Dimensions:			
	L2000xW1000XH760 mm (5			
	units)			
	Panel Combination: Light			
	Authentic Engineered Wood			
	Bamboo			
8	Square Table	Units	50	
	Material: Square Top Melamine			
	Board Color: White Painted			
	Base and Legs• Dimension(cm):			
	L600XW600XH750 mm•			
	Lightweight and portable			
9	Coffee Table	Units	9	
	Franch many is Decord 200 T. "			
	•Ergodynamic Round 80cm Tulip			
	Table			
	Material: Metal leg, Round Weeden Brinted Ten			
	Wooden Painted Top			
	Dimensions:80cm 17.70mm table top thickness			
10	table top thickness Executive Chair for Directors	Units	3	
10	LACCULIVE CHAIL TO DIRECTORS	UIIIG	J	
	Type: Executive/High-back			
	office chair			
	Material: Leatherette or			
	synthetic leather upholstery,			
	, , , , , , , , , , , , , , , , , , , ,	l .		I

	91 91 1 1			
	possibly with a chrome steel			
	base			
	Adjustability:			
	Adjustable seat height			
	(pneumatic gas lift)			
	Tilt lock mechanism, possibly			
	with multi-position locking			
	Swivel function (360 degrees)			
	• Dimensions (Approximate):			
	Seat width: 18-20 inches (45-50			
	cm)			
	Seat depth: 17-20 inches (43-50			
	cm)			
	Back height: Could be around			
	(125 cm)			
	• Weight Capacity: Up to 250 lbs			
	(113 kg) or more			
	• Features:			
	Padded armrests with 3mm			
	chrome thickness			
	Lumbar support Waterfall soat design (to			
	Waterfall seat design (to			
	reduce leg stress)			
	Five-star base with heavy duty			
	casters wheels for mobility			
	• Footrest			
11	Junior Executive Chair for	Units	39	
	Division Chiefs & Assistant			
	Division Chiefs			
	High back ergonomic office			
	chair with headrest			
	Mesh back + fabric seat with			
	high density foam inside			
	Black armrest and black base			
	Color: Black			
12	Conference Chair	Units	220	
	Ergonomic office chair •			
	Premium polyester fiber 3D			
	nylon mesh + fabric seat with			
	high density foam inside • multi-			
	functional mechanism with back			
	reclining & any position locking			
	function • Color: Black with black			
	armrest, chrome finish heavy			
	duty legs.			
13	Staff Chair	Units	551	
	Ergonomic office chair			
	Mesh back + fabric seat with			
	high-density foam inside			
İ	 multi-functional mechanism 			

	1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	
	with back reclining & any			
	position locking function			
	Color: Black			
14	Coffee Table Chair	Units	27	
	Conce ruble chan	Office	27	
	Daddad Chair with Basah Wasa			
	• Padded Chair with Beech Wood			
	Legs			
	Material: Wood Polypropylene			
	Faux Leather			
	• Dimensions:			
	W480xD530xSH460xH810 mm			
15	Guest Chair	Units	168	
13	Guest Chan	Ullits	100	
	Mid back ergonomic office			
	chair			
	 Mesh back + fabric seat with 			
	high-density foam inside			
	multi-functional mechanism			
	with back reclining & any			
	position locking function			
	Color: Black			
16	5-Seater Gang Chair	Units	22	
	Material: Cold Rolled Steel			
	Plate Seat 1.2mm Beam			
	1.6mm Thick • Dimensions:			
	W2900xD630xSH380xH760 mm			
	• Rust-resistant• Color: Metal			
	Steel Powder Coated • Capacity:			
	150kg/Seat			
17	4-seater Gang Chair	Units	2	
	Material: Cold Rolled Steel			
	Plate Seat 1.2mm Beam			
	1.6mm Thick			
	• Dimensions: 2300*660*750			
	mm			
	Rust-resistant			
	Color: Metal Steel Powder			
	Coated			
	Capacity: 150kg/Seat			
18	3-seater Gang Chair	Units	2	
10		211120	_	
	Material: Cold Rolled Steel			
	Plate Seat 1.2mm Beam			
	1.6mm Thick			
	• Dimensions: 1750*660*750			
	mm			
	Rust-resistant			
	Color: Metal Steel Powder			
	Coated			
	• Capacity: 150kg/Seat			
10	i i	Linita	100	
19	Canteen Chair	Units	100	

	Material: Melamine board			
	supporting frame • Premium			
	Steel Framed • Premium			
	Polyethylene Chair• With			
20	Backrest Color: light brown	C-1-	0	
20	Sofa for Division Chiefs	Sets	8	
	2.1.1 CEATED COEA CET 0.1			
	3+1+1 SEATER SOFA SET & 1			
	CENTER TABLE			
	Material: Premium Synthetic			
	Leather			
	• 3S Dimension: 2020x830x860			
	mm			
	• 1S Dimension: 1020x830x860			
	mm			
	Color: Light brown/Khaki			
	• Center Table dimension:			
	1200x600x450 mm			
	Center table color: Light brown			
21	Sofa for Regional Directors	Sets	3	
	3+1+1 SEATER SOFA SET & 1			
	CENTER TABLE			
	Material: Premium Synthetic			
	Leather			
	• 3S Dimension: 1950x800x800			
	mm			
	• 1S Dimension: 950x800x800			
	mm			
	Color: Light brown/Khaki			
	Center Table dimension:			
	1200x600x450 mm			
	Center table color: Light brown	6.1	220	
22	Filing Cabinet for Staff	Sets	238	
	Premium Steel Cabinet			
	Material: Steel Anti-rust paint			
	Glass			
	0.8mm Steel Thickness			
	• Dimensions:			
	W900xD400xH1850 mm			
	Comes with a lock for safety			
	and coated with anti-rust paint.			
	Tempered Glass 6-8mm			
	Color: light brown			
23	Locker	Units	4	
	• 12 DOORS LOCKER			
	Premium Steel Locker			
	0.8mm Steel Thickness			

			•	
	Dimensions:			
	W900xD350xH1850 mm			
	Material: Steel Anti-rust paint			
	Anti-Theft - Lock Feature			
	Door Air-Vent			
	Panel Combination: Gray			
24	File Cabinet for Regional	Unit	1	
	Executive Director			
	Material: Authentic			
	Engineered Wood Bamboo			
	Finish. Ideal for storing and			
	displaying items in your office.			
	Panel Combination: Light Oak•			
	Dimension: 2800Wx450Dx700H			
	mm customized • 8 Cabinet			
	Doors			
25	Filing Cabinet for Division	Units	14	
	Chiefs			
	Material: Bamboo Inspired and			
	Melamine board. Ideal for			
	storing and displaying items in			
	your office			
	Panel Combination: Light Oak			
	• Dimension:			
	1600Wx400Dx800H mm			
	customized, 15-25mm High			
	Density Melamine Board			
	• 4 Cabinet Doors			
26	Single Bed	Units	12	
	_			
	Steel Single Bed with Mattress			
	Material: Cold-rolled Steel Plate			
	0.4-1.0mm E1 Solid Wood			
	I			
	Board			
	• Dimensions:			
	H850xW2000xD900 mm			
	Color: White			
27	Customized Executive Table	Units	2	
	for Regional Technical			
	Directors			
	Design: Free Standing main			
	desk; board table top in high			
	Pressure Laminate (HPL) finish			
	with veneer lining. • Main Desk:			
	W1600xD800xH750 mm with			
	side cabinet and side drawer 3			
	layer• Worktop: 50 mm thick E1			
	grade melamine board desktop			
	with PVC edging Bamboo			
	Inspired Finish Side Desk			

	Dimension: With ELEC Security				
	Lock, Drawer size 45x35cm and				
	15-25mm thickness siding panel				
	with 9mm thickness bottom part				
	engineering plywood• Leg				
	Support: Melamine board supporting frame				
28	File Cabinet for Regional	Units	2		
20	Technical Director	Units			
	recimical birector				
	Material: Authentic Bamboo				
	and Melamine board. Ideal for				
	storing and displaying items in				
	your office.				
	Panel Combination: Light Oak				
	Dimension:				
	2400Wx400Dx800H mm				
	customized				
	6 Cabinet Doors		_		
29	Round Table	Units	3		
	Melamine Round Conference				
	Table				
	Material: 25mm High Density				
	Melamine Board				
	Metal supporting leg				
	• Dimension: 1200x750x25 mm				
	Color: All White				
30	Room Chair	Units	6		
	Material: Faux Leather Metal Frame 9 Lags				
	Frame & Legs • Depth leatherette dining chairs				
	for your room, wide and				
	cushioned seats are lined with a				
	combination of dense soft				
	padding.				
	Finished with leatherette				
	cover, easy care.				
	Legs are made of high-quality				
	metal made, fixed with X-shape				
	legs is stronger support for				
	whole				
31	Color: light brown/khaki Plastic Chair for assembly	Units	600		
31	riastic Chan for assembly	Uilla	000		
	Material: Plastic				
	Polypropylene .				
	Dimensions:				
	W380xD420xSH460xH760 mm				
	Color: Black				
32	Bunk Bed	Units	20		
		Ì	I	İ	İ

Provis	Double Decker Bed with Mattresses Material: 0.7mm Cold Rolled Steel Electrostatic powder coating Dimensions: L2000xW900xH1800 mm 61 Kg Color: Black ion and Condition:				
The su	ipplier/bidder must secure a cer	tification	from the		
	ecturer that the furniture with bamb				
	rom Authentic Engineered Bamboo				
	y Period: 30 Calendar Days				
	ty: One (1) year				
(In Words)		(In Figures	5)	
Price Va	lidity: 120 Calendar Days				
	nd Signature of Bidder:				
	:				
Telepho	ne No				
	Representative:				
	e of Representative:				

For Goods Offered from Abroad

Na	ame of Bido	der		C	ontract ID I	No P	age of	
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)
Na	ame:							
Le	gal capacit	y:						

Duly authorized to sign the Bid for and behalf of:

Date: _____

For Goods Offered from Within the Philippines

Name of Bidder				Contr	act ID Num	Page of			
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportatio n and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
	Name:								
	Legal capa	city:							
	Signature:								
	Date:		_						

Statement of All Ongoing Government & Private Contracts including contracts awarded but not yet started

Business	Name:
Business	Address:

Name of Contract	a. Owner's Name	Type of	No. of	Descripti	a. Amount at	Delivered Units		Value of Outstanding Works/
/Project Cost	b. Address	Product to	Units	on	Award	Planned	Actual	Undelivered Portion
	c. Telephone Nos.	be Delinerad			b. Amount at			
		Delivered			Completion c. Duration			
Government					C. Duration			
Government								
<u>Private</u>								

Submitted by	
	(Printed Name and Signature)
Legal Capacity	<u>:</u>
Date	:

Statement of Single Largest Completed Contract (SLCC) which are Similar in Nature

Business Name: Business Address:

Name of Contract /Project Cost	a. Agency's Name b. Address c. Telephone Nos.	Type of Product to be Delivered	No. of Units	Description	a. Amount at Award b. Amount as Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
Government						
<u>Private</u>						

Note:

- A. This statement shall be supported with end-user's acceptance or Official Receipt/s or Sales Invoice issued for the contract
- B. This bidders shall fill-up and submit this form for every item to be bid

Submitted by	:
ŕ	(Printed Name and Signature)
Legal Capacity	:
Date	:

FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = $[(current asset - current liabilities) (15)]$ minus value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with
the contract to be bid
NFCC = P

Name of Supplier / Distributor / Manufacturer Signature of Authorized Representative

Legal Capacity	/ :	
Date :		

NOTE:

Submitted by:

If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

Bid Securing Declaration Form

REPUBLIC OF THE PHILIPPINES)	
CITY OF) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year]at [place of execution]

[Insert NAME OF BIDDER or its AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

CONTRACT AGREEMENT

THIS AGREEMENT made the _	day of	20	_ between [name of
PROCURING ENTITY] of the Philippines (h	ereinafter called "	the Entity") of the	one part and	[name of
Supplier] of [city and country of Supplier]	(hereinafter called	d "the Supplier") of	the other par	t;
WHEREAS, the Entity invited Bids	for certain goods	and ancillary serv	ices, particula	rlv [brief

description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - i. Bidding Documents (BDs);

called "the Contract Price").

- i. Schedule of Requirements;
- ii. Technical Specifications;
- iii. General and Special Conditions of Contract; and
- iv. Supplemental or Bid Bulletins, if any
- ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the BDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

[Insert Name and Signature] [Insert Name and Signature]

[Insert Signatory's Legal Capacity] [Insert Signatory's Legal Capacity]

for:

for:

[Insert Procuring Entity] [Insert Procuring Entity]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES))
CITY/MUNICIPALITY OF	S.S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1.[Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project]
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF,	I have hereunto	set my hand	I this day	y of,	20	at,
Philippines.						

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

Performance Securing Declaration

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

be submitted within ten (10) days after receiving the Notice of Award
REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF) S.S.
PERFORMANCE SECURING DECLARATION
Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]
I/We, the undersigned, declare that:
1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
 I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years <u>for the</u> <u>second offense</u>, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
 a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions: i. Procuring Entity has no claims filed against the contract awardee; ii. It has no claims for labor and materials filed against the contractor; and iii. Other terms of the contract; or
b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.
IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this day of [month] [year] at [place of execution].
[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity]
Affiant
[Jurat [Format shall be based on the latest Rules on Notarial Practice]

Bank Guarantee Form for Advance Payment

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the [bank or financial institution], as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [amount of guarantee in figures and words].

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Yours truly,
Signature and seal of the Guarantors
[name of bank or financial institution]
[address]
[date

