



Republic of the Philippines  
**DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS**  
TACLOBAN CITY DISTRICT ENGINEERING OFFICE  
New Bus Terminal, Brgy.91, Abucay Tacloban City



Name of Procuring Entity: DPWH TCDEO		Request for Quotation (PR No.)	
Revised on:		Date: DECEMBER 17, 2024	
Standard Form/Title	REQUEST FOR QUOTATION	Office/End-User: DPWH-TCDEO	
Company Name:			
Address:			
Tel. No./Fax No.		TIN No.	
Please quote your lowest price on the item(s), subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 9:00 A.M. of DECEMBER 20, 2024 in a sealed envelope to the BAC Secretariat, DPWH-Tacloban City District Engineering Office, New Bus Terminal Brgy. 91, Abucay Tacloban City and will be opened on the same day at 9:00 A.M.			

**Terms and Conditions:**

1. All entries must be typewritten or legibly written
2. Delivery Period within 20 CD upon receipt of the approved funded Purchase Order, PO, Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three months (3) for Electrical Supply from the Date of acceptance by the end-user.
4. Price validity shall be for a period of sixty calendar days.
5. G-EPIS Registration Certification/Mayor's Permit or Business Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit duly signed Omnibus Sworn Statement.
7. The Approved budget ceiling for this procurement is **P139,023.31**
8. All documents must be in A4 size Bond Paper.
9. Supplier must have **NO PENDING** delivery in the district and other district offices.

MARGARITA C. BACIERRA  
BAC Chairperson

Item No.	Items	Unit	Quantity	Unit Price	Total Price
	<b>Heavy Duty Power sprayer set belt driven aluminum belt type</b>	set	1		
	1.5 HP Electric Motor				
	YL22A				
	<b>Heavy Duty Vacuum Motor for aircon &amp; ref. 1HP</b>	unit	1		
	Two stage design-cleans the system mor thoroughly than a single stage pump, the second stage pumping at lower pressure so you can pull a deeper, ultimate vacuum				
	Oil Drain Valve-Positioned at the bottom of oil reservoir and angled for faster, more complete draining				
	Oil fill Port- makes adding oil simple since the port is accessible from the front or either side. The sight glass on the front of the pump shows you when enough oil has been added.				
	heavy Duty Motor- high torque design for easy startup and efficient operation				
	Die-Cast Aluminum Housing- Cast aluminum housings make the pumps lightweight but durable.				
	Specifications from the front or either side. The sight glass on the front of the pump shows you when enough oil has been added.				

	heavy Duty Motor- high torque design for easy startup and efficient operation				
	Die-Cast Aluminum Housing- Cast aluminum housings make the				
	pumps lightweight but durable.				
	<b>Specifications:</b>				
	Free Air Displacement 35 liters/minute (1.5 CFM)				
	Factory Micron Rating 25 microns				
	Stages 2				
	Intake Fitting 1/4" and 1/2" ACME 3/8" x 1/2" ACME adapter				
	Oil Capacity 210ml				
	Motor Size 1 or 1/4 hp				
	Frequency 50Hz				
	Power Supply 240V				
	Weight 8.2 kg				
	Dimensions 230mm x 123 mm x 316mm				
	Warranty 1 yr				
	<b>Heavy Duty Rotary Power Hammer Drill Corded</b>	unit	1		
	AMPS: 7				
	max Capacity (concrete drilling):1"				
	optimum range (Concrete drilling w/ coe bit):3/16"-1/2"				
	Impact Energy (ft. lbs.):2.1				
	impact Energy (Joules):2.9J				
	Blows per Minute (variable speed):0-4,600BPM				
	No load Speed (variable speed):0-1,200RPM				
	Vibration Control:Yes				
	Vibration (m/s <sup>2</sup> ):11.5				
	Over all legth:15-1/8"				
	Cord Length (ft):13.1'				
	Net Weight:6.6 lbs				
	Bit type:Accepts SDS-PLUS				
	Power type:Corded				
	Bind up Control :No				
	Type(breakers & demolition Hammers):Scraper				
	Shipping weight:13.2 lbs				
	UPC code: 088381-687133				



	<b>Heavy duty corded heat gun</b>	unit	1		
	Rated input:2000W				
	Rated Voltage/Frequency:22V/60Hz				
	Air temp: 40°C-450°C				
	90°C-600°C				
	Air flow:250L/min				
	500L/min				
	Net Weight: 0.8 Kg				
	<b>Heavy duty Portable Corded Pressure washer</b>	unit	1		
	Easy Aquatak 100 Pressure Washer				
	Wash and Rinse Nozzle				
	360 Degree joint				
	Push Fit Connection				
	High pressure Foam(350ml)				
	Compact Hose Storage				
	Watts:1200				
	Pressure Rating:100Bar				
	Water Filter (new )Black				
	Specifications:				
	Watts:1200				
	Pressure Rating:100Bar				
	Flow rate:300ltr/hr				
	Self Priming:Yes				
	Hose Length:3m PVC				
	High Pressure Foam:Yes (350ml)				
	360 gun:yes				

	Angle: 20/80 degree Variable fan				
	Water filter (new): black				
	<b>Branded heavy duty Air Compressor 1HP</b>	set	1		
	Voltage:220-240V 60Hz				
	Input Power: 750W 1HP				
	Tank:24 L 6 3Gal				
	Oil Free system				
	Noise:60 db				
	Copper Wire motor				
	Copper Wire motor				
	No-Load speed: 1600rpm				
	Operation pressure:max 8 bar				
	<b>DRILL BIT</b>	set	1		
	Material: High quality carbon steel + carbide				
	Shank type:SDS shank				
	Length: 160mm (6-5/16 in)				
	Size: 5mm (3/16in), 6mm (1/4 in),				
	6mm (1/4in)				
	8mm (5/16in)				
	8mm (5/16in)				
	10mm (3/8in)				
	12mm(1/2in)				
	14mm(9/16in)				
	16mm(5/8in)				
Brand and Model: _____		Warranty: _____			
Delivery Period: _____		Price Validity: _____			
After having carefully read and accepted your General Conditions, I/We quote you on the items at prices note above. If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Coditions specified by DPWH.					
Printed Name and Signature _____					
Cellphone No. _____					
NOTE: The FIE does not allow submission & receipt of bids through electronic means.					
Website: <a href="http://www.dpwh.gov.ph">www.dpwh.gov.ph</a> Tel. No(s).:(032) 68405					
					