

Name of Procuring Entity

Revised on:

## Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS UPPER KALINGA DISTRICT ENGINEERING OFFICE



Date: December 18, 2024

Request for Quotation (P.R. No.): 2024-12-173

Bulanao, Tabuk City, Kalinga

Standard Form/Title			REQUEST FOR QUOTATION	Office/End-	User: Bids ar	nd Awards Committee			
СО	MPANY	NAME :	:						
		DRESS :	:		Control of the Contro				
TEL	. NO./F	AX No.	TIN:						
by your representativ	e not late	r than 10	em(s) listed below, subject to the Terms and C :00 A.M. of December 26, 2024 in the retu City, Kalinga. NOTE: Electronic Submission	rn envelope att	ached herewith, to t	the BAC Secretariat for			
TERMS and CON	DITION	<u>IS :</u>				,			
Administrative penalic delivery without valid 3. Warranty shall be years IT Equipment 4. Price validity shall 5. Mayor's Permi Income Tax Rete 6. Bidders shall subm 7. Please indicate the 8.The approved budget.	thin 10 da ties pursu d reason. for a min from date be for a p tt, PhilG urn shall nit origina e brand for get ceiling	ays upon r vant to Sec vinum of the e of accept period of s EPS Reg be attached brochure or each ited of for this p brochure	receipt of the approved unded Purchase Order of the Revised IRR-RA 9184 shall be imported in the Revised IRR-RA 9184 shall be imported in the Revised IRR-RA 9184 shall be imported in the Revised IRR-RA 9184 shall be imported by the end-user.  Sixty (60) calendar days.  Sixtration Certificate, Omnibus Sworm and the quotation.  Sees of the product.  Sees of the product.  Sees or specific brand with specifications with specifications with specifications.	posed for non- vear for Equipm on <b>Statement</b> ,	& Z	BAC Chairrerson			
Stock/ Property No.	Unit		Item Description	Quantity	Unit Cost	Total Cost			
	pcs.	internal	I solid state drive	10	P	Р			
	pair	Rechar	geable AA Battery type C	5	P	P			
	pcs.	Data Ca	able Type C .25M	5	P	P			
	Unit	Steel ca	abinet 4 layers	2	P .	P			
	Unit	Webcar	m 360 (see attached specifications)	2	Р	P			
	Unit	Portable specific	e Studio player (see attached ations)	1	Р	P			
	Unit	Writing	pad (see attached specifications)	1	P	P			
			resetter (see attached ations)	6	₽	P			
pcs. SSD Er		SSD En	closure	5	P	P			
Unit Air Pur		Air Puri	r Purifier (see attached specifications)		P	Р			
	pcs.	Extensi	on wheel cord 15M	2	Þ	P			
	pcs.	Mainter	nance Box	15	P				
		xxxxxx	xxxxxxx						
Purpe	ose: Fo	r Infori	mation and Communication Techn	ology Equi	pment of DPW	H-UKDEO.			
TOTAL AMOUN	IT IN W	ORDS & F	TIGURES:						
Name and Signature of Supplier:  Address: Telephone/Mobile Number:									
		Tel. No.	Telefax:		1				
c/o UKDEO <u>email: dpwhukdeo.bac2016@yahoo.com</u>									

	DESCRIPTION		SPECIFICATIONS
1	Webcam 360	•	Video Resolution: Up to 8K (7680×3840) at 30 fps
		•	Photo Resolution: 72MP (11968×5984)
		•	Sensor Type: 1/2 Inch Sensors
		•	Max Video Bitrate: 200 Mbps
		•	Battery Life: Up to 81 minutes at 8K 30fps
		•	Audio: 4 built-in microphones
		•	Weight: 239 grams
		•	Gesture Control, Voice Control, Cancel Recording, 5.7K120fps Bullet Tin
			and Timed Capture for easy, cinematic shooting
		•	Leading FlowState Stabilization and 360º Horizon Lock for gimbal-like
			stabilization
2	Portable Studio	•	Windows 11 Home
	player	•	CPU: AMD Ryzen™ Z1 Extreme Processor1TB M.2
		•	GPU: AMD Radeon™ Graphics Full HD 120 Hz
		•	Display: 7-inch FHD (1920 x 1080) 16:9
		•	Memory: 12GB*2 LPDDR5 on board
	§	•	Storage: 1TB PCle® 4.0 NVMe™ M.2 SSD (2280)
			I/O Ports: 1x 3.5mm Combo Audio Jack
		•	1x USB 3.2 Gen 2 Type-C support DisplayPort™ / power delivery
		•	Battery: 80WHrs, 4S1P, 4-cell Li-ion
		•	Power Supply: TYPE-C, 65W AC Adapter, Output: 20V DC, 3.25A, 65W,
			Input: 100~240V AC 50/60Hz universal
3	Writing pad	•	Display Type: 12 inches IPS LCD, 2800 × 1840, 280 PPI
		•	Dimensions: 270 x 183 x 5.9 mm (10.63 x 7.20 x 0.23 in)
		•	OS: HarmonyOS 4.2
		•	Memory: 12GB+256GB
		•	Chipset: Kirin T90A
		•	CPU: Octa-core
		•	Battery Type: Li-Po 10100 mAh
		•	Charging: 66W wired
		•	Speakers: 6x speakers
		•	With Smart Magnetic Keyboard, Pencil and Mouse
4	Printer resetter	•	Chips Resetter For EPSON L15150
		•	T04D1 Maintenance Tank Chip Resetter For Epson L6490
5	Air Purifier	•	Model: AC-M15- SC
		•	Particle's Clean Air Delivery Rate (CADR Particle): 500m³/h
		•	Net Weight: Approx. 6.8 kg
		•	Item Dimensions: 275×275×680 mm
		•	Noise Level: ≤65dB (A)
			Effective coverage area: 35-60 m
			2000-10 10 10 10 10 10 10 10 10 10 10 10 10 1
		•	15min purification for a living room of approx. 40m <sup>2</sup>
		•	60m² large effective coverage area*
		•	Three-in-one filter
		•	Odour elimination
		•	PM2.5/PM10 dual-effect sensor
	\$	•	Negative air ionisation
		•	Smart control
		•	33.7dB(A) low noise*
			Filter replacement reminders

	T		
Internal Solid State Drive	GIGABYTE	Air Purifier	
Rechargeable Battery AA	paleblue. paleblue.	Extension Cord	
Cable Type C	9	Drawing pad	
Steel Cabinet	S	Maintenance box	
Webcam			
Printer Resetter	Manufacture and comments of the comments of th		
SSD Enclosure	a soph		
		1	