



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ISABELA 3RD DISTRICT ENGINEERING OFFICE
Tagaran, Cauayan City, Isabela, Region II



Name of Procuring Entity	: DPWH-Isabela Third DEO	Request for Quotation	: 2024-12-0125
Revised on	:	Date	: December 7, 2024
Standard for/Title	: REQUEST FOR QUOTATION	Office/End-User	: DPWH- Isabela Third DEO
Company Name	:		
Company Address	:		
Company Tel. No./Fax No.	:	Tax Identification No.	:

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than **9:00 am on December 10, 2024** in the return envelope attached herewith, to the BAC Secretariat of DPWH-Isabela Third District Engineering Office, Tagaran Cauayan City, Isabela and will be opened immediately after the deadline of submission of quotation.

TERMS AND CONDITIONS

- All entries must be typewritten or legibly written.
- Delivery period within **30 CD** upon receipt of the approved funded Purchase Order (PO) Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
- Warranty shall be imposed for minimum of three (3) months for supplies & Materials; one (1) year for Equipment; from date of acceptance by the end-user.
- Price Validity shall be for a period of (60 Calendar days).
- Shall be attached upon submission of quotation:
 - PhilGEPs Registration Certification**
 - Mayor's/Business Permit**
 - DTI**
 - Income/Business Tax Return** (For ABCs above Php500K)
 - Omnibus Sworn Statement** (For ABCs above Php50K and to be submitted prior the issuance of NOA)
- Bidders shall submit original brochures showing certifications of the product.
- Bidders shall have their own physical store, showing that the items are readily available to be procured.
- Please indicate the brand for each item being offered.
- The approved budget ceiling for this procurement is **Php 412,905.67**.
- Bids submitted thru electronic mail will be accepted and must be sent to: goodsprocurementitdeo@gmail.com not later than the above-mentioned deadline of submission of quotation.


ALBERT L. CASTILLO
BAC Chairman

Item No.	Items and Descriptions	Qty.	Unit	Price	Total
	1.5 HP Window Type	2	unit		
	Cooling Capacity (min-max) (KW): 3.3				
	Cooling Capacity (min-max) (kJ/h): 11998				
	EER (min-max) (Kj/hW): 12.2				
	Unit Air Noise: 47 db(A)				
	1.0 HP (Split Type)	1	unit		
	Cooling Capacity (min-max) (KW): 2.65 (0.90-3.40) kW				
	Cooling Capacity (min-max) (kJ/h): 9540 (3240-12240) kJ/h				
	EER (min-max) (Kj/hW): 12.72 (14.40-11.88) kJ/hW				
	Voltage: 230 V				
	Current: 3.60 A				
	Indoor Unit Air Circulation: 10.3 m3/min				
	Indoor Unit Noise Level (H/L/Q-Lo): 36/26/21 dB(A)				
	Outdoor Unit Air Circulation: 26.7 m3/min				
	Outdoor Unit Air Noise: 47 db(A)				
	1.5 HP (Split Type)	2	unit		
	Cooling Capacity (min-max) (KW): 3.52 (1.02-4.10) kW				
	Cooling Capacity (min-max) (kJ/h): 12670 (3670-14760) kJ/h				
	EER (min-max) (Kj/hW): 12.30 (13.35-11.71) kJ/hW				
	Voltage: 230 V				
	Current: 4.60 A				
	Indoor Unit Air Circulation: 11 m3/min				

Indoor Unit Noise Level (H/L/Q-Lo): 38/28/21 dB(A)				
Outdoor Unit Air Circulation: 30.6 m3/min				
Outdoor Unit Air Noise: 48 db(A)				
2.0 HP (Split Type)	2	unit		
Cooling Capacity (min-max) (KW): 5.2 (1.10-5.60) kW				
Cooling Capacity (min-max) (kJ/h): 18720 (3960-20160) kJ/h				
EER (min-max) (Kj/hW): 10.95 (13.66-10.90) kJ/hW				
Voltage: 230 V				
Current: 7.50 A				
Indoor Unit Air Circulation: 12.6 m3/min				
Indoor Unit Noise Level (H/L/Q-Lo): 44/34/28 dB(A)				
Outdoor Unit Air Circulation: 39.3 m3/min				
Outdoor Unit Air Noise: 51 db(A)				
2.5 HP (Split Type)	1	unit		
Cooling Capacity (min-max) (KW): 6.25 (1.12-7.18) kW				
Cooling Capacity (min-max) (kJ/h): 22500 (4030-25850) kJ/h				
EER (min-max) (Kj/hW): 12.50 (16.12-12.43) kJ/hW				
Voltage: 230 V				
Current: 7.90 A				
Indoor Unit Air Circulation: 19.9 m3/min				
Indoor Unit Noise Level (H/L/Q-Lo): 45/34/29 dB(A)				
Outdoor Unit Air Circulation: 39.3 m3/min				
Outdoor Unit Air Noise: 51 db(A)				
Relocation of 1.0 HP Split Type	2	unit		
Relocation of 2.0 HP Split Type	2	unit		
Relocation of 2.5 HP Split Type	1	unit		
Purpose:				
Prospective Suppliers must quote for all items, otherwise, they will be subjected for disqualification.				
Note: Delivery is at the Office of the Supply Officer				
Grand Total				

