

Los Baños, Laguna, Region IV-A

Name of Procuring Entity: DPWH-LAGUNA 2ND DEO		Request for Quotation (PR No.): 2024-04-025
Revised on:		Date: April 15, 2024
Standard Form/Title:	REQUEST FOR QUOTATION	Office/End-user: Maintenance Section
COMPANY NAME :		
ADDRESS :		
TEL. NO./FAX NO. :		TIN:

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than **9:00 A.M.** of **April 19, 2024** in the return envelope attached herewith.

TERMS AND CONDITIONS:

- 1 All entries must be typewritten or legibly written.
 - Delivery period within **Thirty (30)** calendar days upon receipt of the approved funded Purchase Order (P.O.) dministrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall imposed for non-delivery without valid reason.
- Warranty shall be for a minimum of three (3) months for supplies and materials; one (1) year for Equipment; three (3) years IT Equipment from date of acceptance by the end-user.
- 4 Price validity shall be for a period of sixty (60) calendar days.
- *PhilGEPS Registration Certificate/Mayor's Permit/Tax Clearance/DTI/SEC shall be attached upon submission of the quotation.*
- 6 Bidders shall submit original brochures of the product.
- 7 Indicate the brand for each items being offered.
- 8 RFQ can be submitted in person or thru registered mails, facsimile or authorized email.
- The approved budget ceiling for this procurement is

P 986,961.85

	1			
DWIGHT JOHN	I B	AST	N	1
BAC Chair	per	on		١

ITEM NO.	DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
771	Rescue Throw Rope, Rope Length: 10m, 20m, 30m Rope Diameter: 3/8" (9.53mm) Rope Material: Polypropylene (yellow and orange weave sheath)	5.00	set		
1614	6 in 1 Emergency Trauma Shears Multi Tool with Holster, Tools included: Oxygen Tank Wrench, Ring Cutter, Rope/Seat Belt Cutter, Glass Breaker	5.00	set		
1615	21 in 1 Multi Tool, Tools included: Needle Nose Pliers, Regular Pliers, Replaceable Wire Cutter, Replaceable Hard Wire Cutter, Stranded-Wire Cutter, Electrical Crimper, Wire Stripper, Knife, Serrated Knife, Saw, Scissors, Awl with Thread Loop, Ruler, Can Opener, Bottle Opener, Wood/Metal File, Blade Exchanger, Large Bit Driver, Large Screwdriver, Small Screwdriver, Diamond Coated File	5.00	set		
1616	21 Double-Ended Screwdriver Bits Kit, Bits Included: Squaredriver No.1 & No.2, Torx No.6, No.8, No.10, No.15, No.20, No.25, No. 27, No. 30 Eyeglass Screwdriver, Pozi No.2 & No. 31, Hex 1.5mm & 2mm, 2.5mm & 3mm, 4mm & 5mm, 6mm & 1/4, 7/32 & 3/16, 5/32 & 9/64, 1/8 & 7/64, 3/32 & 5/64, 1/1670.50, Phillips No. 1 & No. 2, No. 0 & No. 3, Screwdriver 3/32 & 1/8, 5/32 & 3/16, 7/32 & 1/4	5.00	set		
1617	Ratchet Driver for 21 in 1 Multitool, Compatible for 1/4 Standard Bits, Length: 3,26 in/8.28 cm	5.00	set		
1618	Fire Extinguisher 1lb ABC Dry Chemical Refillable,Ideal use for small vehicles and motorcycles,Class ABC Applicable to all kinds of fire,Refillable,Non-conductor of electricity, Five (5) Years warranty against mechanical and inherent factory defects ,Comes with a free wall bracket ,BFP Approved, DTI and ISO Certified with Mounting Bracket	35.00	pcs		



Los Baños, Laguna, Region IV-A

Name of Procuring Entity: DPWH-LAGUNA 2ND DEO Revised on:		Request for Quotation (PR No.) : 2024-04-025 Date: April 15, 2024				
Standard Form/Title:				Office/End-user:		nce Section
COMPANY NAME :				omee, and aserr		
ADDRESS :	W NO			I—		
TEL. NO./FAX NO. : TIN:						
Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 9:00 A.M . of April 19, 2024 in the return envelope attached herewith.						
1619	2. Universal joint (8/10/11/12/13/inch) 5. Sliding h Adapter 7.1/2 se (14/15/16/17/18 sleeve (16/21mn (4/4.5/5/5.5/6/7 (3/4) 8//10/12m shaped (40/45/5 (FD4/5.5/7) PZ (10/15/20/25/30 handles	7/19/20/21/24/27/30/32mm) 8. Spark plug n) 9.1/4 Sleeve series /8/9/10/11/12/13/14 mm) 10. Bit: cross PH m, Pozi PZ (3/4) hexagon 8/10/12/14mm, T- i0/55) socket bit: cross PH (1/2) word 1/2) hexagon HW3/4/5/6, pattern T) 11. Quick release ratchet wrench 12 rotary	5.00	set		
	Gauze roll 4 inch 10x30 1 CPR Poo Stethoscope 1 Ti Anti Itch 10 Anti- bandages 10 PA' gloves 10 Antibio pads 5 Burn gel roll 2 inch 1 Coh- Adhesive tape 1/ Gauze pads 4x4 2x3 8 Extra large Bandages Our bi	d Kit-1 Blood pressure kit 1 First aid guide 2 1 Glucose 10 Splinter Out 1 Multi Trauma cket Resuscitator 1 Rescue blanket 1 riangular bandage 1 EMT bandage shears 6 septic wipes 10 Fingertip bandages 10 Knuckle WS hand wipes 2 Cold packs 2 Pair nitrile btic ointment 10 PVP prep pads 10 Sting relief 2 Eye wash 1/2 oz 1 Eye wash 4 oz 2 Gauze esive bandage 3 inch 1 Penlight 2 Eye pads 1 /2 inch 2 Gauze pads 2x2 2 Gauze pads 3x3 2 2 Surgical ABD pads 5x9 2 Non adhering pads e bandages 120 Bandage strips 1x3 82 /4 x 2 1/5 40 Junior bandages 30 Spot rightly colored EMT style first aid bags are n when it's dark because it has reflective strips s of the bag.	5.00	set		
	Administration (0 36-Alcohol prep Iodine prep pads 6x9 - 1- English 50- Adhesive Bai x3/4 - 10- butter Gloves - 1- GKB strips 1/4" - 1-1/ 8- sterile gauze padhesive tape ro Bandage 40"x40	d Kit Occupational Safety and Health DSHA) Kit content: - 21- antiseptic towelettes - pads - 6- sting relief pads - 20-Povidone - s - 22- Cotton Balls - 1- Instant Cold compress First Aid Guide - 20- Adhesive Bandage 1"x3" - ndage 3/8 x1-1/2 - 60- Adhesive Bandage 3 " fly closure Bandages - 4- Nitrile examination 400 Box, size 33*30*9cm - 18- wound closure (2" - 2- gauze roll 2" x4. 1 yards - 2- Eye Pads - pads 2"x2" - 4- sterile gauze pads 4"x4" - 1- ad 5"x9" - 30- Cotton tip applicators - 1- all 1x5 yards - 5-finger splints - 1-triangular "x56" - 1- tweezers - 1-metal scissors	15.00	set		
	UNDER MARINA 500 Denier ripsto duty lining. With stays in place Fil buoyancy for Ad Heavy Duty Life other Marine use duty nylon shell or legs straps so durable Nylon ox lightweight buoy	I-COMPLIED WITH THE REQUIREMENTS (MARITIME INDUSTRY AUTHORITY) Durable op nylon and heavy duty nylon shell and heavy Bottoms straps or legs straps so that vest led with closed cell foam for lightweight ults only Standard Life vest with Headrest vest All orange (Standard for Ship, boats and e) Durable 500 Denier ripstop nylon and heavy and heavy nylon lining. With Bottoms straps that vest stays in place Made of strong arong for Adults only	10.00	pcs		
		e length (cm) 60,Rated Voltage (V) 36,Weight pressure level 85,sound power level 96,Tooth	2.00	pcs		



PACONG PHIDINAS

Los Baños, Laguna, Region IV-A

	ntity: DF	PWH-LAGUNA 2ND DEO		Request for Quot	ation (PR No.) :	2024-04-025
Revised on:				Date:	April 15, 2024	
Standard Form/Title:		REQUEST FOR QUOTATION		Office/End-user:	Mainten	ance Section
COMPANY NAME :						
ADDRESS : TEL. NO./FAX NO. :				TIN:		
				•		_
		st price on the item(s) listed below, subject our representative not later than 9:00 A.M				
Dimensi	ion: 1900	3ed: 600D PVC Oxford Cloth & Steel Frame 0x640x420mm / 74.8 x 25.1 x 16.5" (LxWxH) 13.09 lbs Weight Capacity: 176 lbs	16.00	рс		
play but 25W (at 12V Lith Adapter, switch a voice re 35meter range & and swit	ttons,Max t rated ou nium Recl r,Detacha and volun corder),F rs depend a efficient tch	ne Voice Recorder with Speak, Record and control Recorder with Speak, Record and control Recorder with Speak, Record and control Recorder	2.00	pc		
Power o 12,500 Revoluti	output (k)	ength (inches) 20,Displacement (cm³) 72.2, W/hp) 3.9,Revolutions per minute (rpm) MAX minute (rpm) idle 2,800	2.00	рс		
N95 app make br a custon inner lay added co a vertica provide based pa	proved re reathing of m fit and yer, soft comfort,T al flat-fold comforta particles,5	al Institute for Occupational Safety and Health espirator,3M Proprietary Filter Media. Helps easier,Adjustable Nose clip that helps provide secure seal,Convenient Flat-fold design,Soft against face,Welded, Knitted Headbands for the 3M™ 9502+ Particulate Respirator, N95 is d disposable respirator designed to help able,reliable worker protection against non-oil 50 pcs per Box	10.00	box		
		7/32" - 200 X 5.5mm	30.00	рс		
		7/16" - 200 X 4.8mm,7/32" - 200 X 5.5mm	25.00	рс		
Air,Wate dimension Internal Weight: Wheels: Range T Material	erproof a on: 479* dimension 4.9KG Without Femperat E: Engineo Pick-N-Plu	i/32" - 200 X 4.0mm nd Dust-proof Carry-On Hard-case,external 415*217mm (18.9"*16.3"*8.5") on: 446*345*186mm (17.6"*13.6"*7.3") i: :::::::::::::::::::::::::::::::::	25.00 4.00	рс		
head cir Color: or Standard Features resistand	rcumferen range wi d: EN397 s: lightwo ce	eight,high strength, good toughness,cold	60.00	рс		
the coat Logo	t with zip	vc Materials,thickness 0.33mm,2 pocket on per,Brether holes on the back and DPWH	70.00	рс		
		vel-Powder Coat Hammertone Finish • All Metal D-Handle Grip • 16ga. Tempered Steel	10.00	pcs		



Los Baños, Laguna, Region IV-A



Name of Procuring Entity: **DPWH-LAGUNA 2ND DEO** Request for Quotation (PR No.): 2024-04-025 Revised on: **April 15, 2024 Maintenance Section** Standard Form/Title: **REQUEST FOR QUOTATION** Office/End-user: **COMPANY NAME:** ADDRESS : TEL. NO./FAX NO. : TIN: Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 9:00 A.M. of April 19, 2024 in the return envelope attached herewith. Jerry Can Fuel Canister Capacity: 10Liters Ideal for all types of petrol or liquid fuel Made of heavy duty HDPE (high density polyethylene) plasticthat comes with an LDPE (polyethylene of low density) flexible discharge spout Spout is stored inside 10.00 ierry can for convenience Cover cap secures container and DCS preventsspills from happening Length of discharge tube: 245mm Diameter discharge spout outside:20mm Dimensions: 329x195x319mm (lxwxh) Weight: 0.82kg AMOUNT IN WORDS: **Total Amount** Purpose: Furnishing and Delivery of Disaster Response Tools and Equipment to be used within Laguna 2nd District Engineering Office Warranty: Delivery Period: Price Validity: After having carefully read and accepted your General Conditions, I/ We quote you on the item (s) at prices note above. If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH. Tel No & Telefax No.: (049) 310-9466 Printed Name/ Signature/ Date Tel. No./ Cellphone No./ E-mail Address **(1)** Website: www.dpwh.gov.ph ISO 9001 3 Tel. No(s).: (049) 310 9466

