Republic of the Philippines

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

Procurement of Various Materials for use in Maintenance of National Roads and Bridges, i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan

Contract ID No. 24GCA07

December 2024

Table of Contents

Section I. Invitation to Bid Section II. Instructions to Bidders 1. Scope of Bid	9	5 7
		/
·	Λ	
Funding Source Bidding Requirements	9 9	
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	9	
5. Eligible Bidders	9	
6. Origin of Goods	10	
7. Subcontracts	10	
8. Pre-Bid Conference	11	
9. Clarification and Amendment of Bidding Documents	11	
10. Documents comprising the Bid: Eligibility and Technical Components	11	
11. Documents comprising the Bid: Financial Components	11	
11. Documents comprising the bid. Financial components 12. Bid Prices	12	
13. Bid and Payment Currencies	12	
14. Bid Security	13	
15. Sealing and Marking of Bids	13	
16. Deadline for Submission of Bids	13	
17. Opening and Preliminary Examination of Bids	13	
18. Domestic Preference	14	
19. Detailed Evaluation and Comparison of Bids	14	
20. Post-Qualifications	14	
21. Signing of the Contract	14	
Section III. Bid Data Sheet	17	15
Section IV. General Conditions of the Contract		17
Scope of the Contract	18	_,
Advance Payment and Terms of Payment	18	
3. Performance Security	18	
4. Inspection and Tests	18	
5. Warranty	19	
6. Liability of the Supplier	19	
Section V. Special Conditions of the Contract	13	20
Section VI. Schedule of Requirements		22
Section VII. Technical Specifications		23
Section VIII. Checklist of Technical and Financial Documents		25
Section IX. Bidding Forms		27
1. Bid Form	28	_,
Bid Form A (Technical Proposal)	31	
3. For Goods Offered from Abroad	32	
For Goods Offered from within the Philippines	33	
5. Statement of All On-Going Government and Private Contracts including Contracts	33	
Awarded but not yet started	34	
6. Statement of Single Largest Completed Contract (SLCC) which are Similar in Nature	35	
7. Financial Documents for Eligibility Check	36	
8. Bid Securing Declaration	37	
9. Omnibus Sworn Statement	38	
10. Performance Securing Declaration	40	
11. Bank Guarantee Form for Advance Payment	41	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract

BAC – Bids and Awards Committee

Bid – a signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as Proposal and Tender. (2016 revised IRR, Section 5 [c])

Bidder – refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5 [d])

Bidding Documents – the documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5 [e])

BIR – Bureau of Internal Revenue

BSP – Bangko Sentral ng Pilipinas

Consulting Services – refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA – Cooperative Development Authority

Contract – refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight

CIP - Carriage and Insurance Paid

CPI – Consumer Price Index

DDP – refers to the quoted price of the Goods, which means "delivered duty paid"

DTI – Department of Trade and Industry

EXW – Ex works

FCA - "Free Carrier" shipping point

FOB – "Free on Board" shipping point

Foreign-Funded Procurement or Foreign-Assisted Project – refers to procurement whose funding source is form a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b])

Framework Agreement – refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs", are made for the duration of the agreement. It is in the nature of an option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution

GOCC – Government-Owned and/or –Controlled Corporation

Goods – refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines

GPPB – Government Procurement Policy Board

INCOTERMS – International Commercial Terms

Infrastructure Projects – include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as civil works or works. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units

NFCC – Net Financial Contracting Capacity

NGA – National Government Agency

PhilGEPS – Philippine Government Electronic Procurement System

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated July 17, 2019)

PSA – Philippine Statistics Authority

SEC – Security and Exchange Commission

SLCC – Single Largest Completed Contract

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated May 23, 2029). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations

Section I Invitation to Bid



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

INVITATION TO BID

The Department of Public Works and Highways - Bataan First District Engineering Office, through its Bids and Awards Committee (BAC) for Goods, invites suppliers to submit bids for the following Contract:

Contract I.D. No. : 24GCA07

Contract Name : Procurement of Various Materials for use in Maintenance of National Roads and

Bridges, i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices

within the 1st District of Bataan

: Materials and Road Safety Devices

Contract Location

Brief Description of Goods

to be Procured

Approved Budget for the

Contract (ABC) : Php 10,503,822.70

Source of Funds : SR2024-11-020780 dated November 15, 2024 Contract Duration : 30 C.D. upon receipt of Approved Purchase Order

: Bataan First District

Cost of Bidding Documents : Php 10,000.00

The BAC is conducting the public bidding for this Contract in accordance with RA 9184 and its Implementing Rules and Regulations.

Bidders should have completed, three (3) years within from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section IV. Instructions to Bidders.

To be eliqible to bid for this Contract, a supplier must meet the following major requirements:

- a) PhilGEPS Certificate of Registration in lieu of Documents b, c, d and e.
- b) Registration certificate from SEC, Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
- c) Mayor's/Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located or the equivalent document for exclusive economic zones or areas;
- d) Tax clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR;
- e) Audited Financial Statement, stamped "received" by BIR
- f) Filipino citizen or 60% Filipino-owned partnership/corporation;
- g) Completion of a similar contract costing at least 50% of the ABC prior to the deadline for the submission and receipts of bids;
- h) Net Financial Contracting Capacity (NFCC) at least equal to the ABC or in lieu of the NFCC computation, a committed line of credit (CLC) specific to the contract to be bid from a universal or commercial bank.
- i) Omnibus Sworn Statement

The DPWH will use non-discretionary "pass/fail" criteria in the eligibility check, preliminary examination of bids, evaluation of bids, post-qualification, and award.

The schedule of key procurement activities for this Contract is shown below:

Activity	Time	Place
Issuance/Downloading of Bidding Documents	November 28, 2024 – December 18, 2024	Hard copies are available at BAC Secretariat, DPWH-Bataan 1st DEO, Roman Expressway, Mulawin, Orani, Batan Downloadable from DPWH Website, www.dpwh.gov.ph, on the PHILGEPS Website, (www.philgeps.gov.ph)
2. Pre-Bid Conference	December 03, 2024 at 2:00 P.M.	BAC Conference Room - DPWH- Bataan 1 st DEO
3. Receipt by the BAC of Bids	Deadline: December 18, 2024 at 10:00 A.M.	BAC Conference Room - DPWH- Bataan 1 st DEO
4. Opening of Bids	December 18, 2024 at 10:00 A.M.	BAC Conference Room - DPWH- Bataan 1 st DEO

Bidders must pay the BAC an applicable fee in the amount of as stated above for the Bidding Documents, upon securing hard copies of the documents. Bidders who downloaded the documents from the DPWH website must pay the fee upon submitting their bids. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in Instruction to Bidders.

The Department of Public Works and Highways Bataan1st District Engineering Office reserves the right to accept or reject any bid and to annul the bidding process any time before the Contract award, without incurring any liability to the affected bidders.

All requests for additional information regarding this bidding should be directed to the following:

LUISA D. LINTAG Chief/Head Procurement Staff DPWH-Bataan 1st DEO Roman Expressway, Mulawin Orani, Bataan www.dpwh.gov.ph

Approved by:

DANILO A. RUSTIA, JR.

BAC-Chairperson

Noted by:

ERLINDO R. FLORES, JR.

District Engineer

Section II Instruction to Bidders

1. Scope of Bid

- 1.1 The Procuring Entity, the Department of Public Works and Highways thru the Bids and Awards Committee (BAC) wishes to receive bids for *Procurement of Various Materials for use in Maintenance of National Road and Bridges, i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan* Contract ID No. 24GCA07.
- 1.2 The Procurement Project is composed of Laboratory Equipment for Testing Asphalt, the details of which are described in Section VII (Technical Specifications).

2. Source of Funds

- 2.1 The GOP through the source of funding as indicated below for **SR2024-11-020780** dated **November 15, 2024** in the amount of **Php 10,503,822.70.**
- 2.2 The source of funding is: **SR2024-11-020780** dated **November 15, 2024**

3. Bidding Requirements

The Bidding for the Project shall governed by all the provisions of RA No. 9184 and it's 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the project.

5. Eligible Bidders

- 5.1 Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2 Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - a. When a Treaty of International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - b. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines.
 - c. When the Goods sought to be procured are not available from local suppliers; or
 - d. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No. 9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

- a. The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4 The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1 The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2 Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at DPWH BAC Conference Room, DPWH-Bataan First District Engineering Office, Roman Expressway, Mulawin, Orani, Bataan and/or through video conferencing/webcasting as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1 The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2 The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within three (3) years prior to the deadline for the submission and receipt of bids.
- 10.3 If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated May 23, 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

11.1 The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).

- 11.2 If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3 Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4 For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1 The Bidder shall complete appropriate Price Schedules included herein, starting the unit prices, total price item, the total amount.

The Bidder shall fill in rates and prices for all items of the Goods described in the Bill of Quantities. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Bill of Quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) for the said item would mean that it is being offered for free to the Government.

13. Bid and Payment Currencies

- 13.1 For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or trade able currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2 Payment of the contract price shall be made in:
 - a. Philippine Pesos

14. Bid Security

- 14.1 The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.
- 14.2 The Bid and bid security shall be valid until the period specified in the BDS. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An Electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1 The Bidders shall submit on the specified date and time and either at its physical address through online submission as indicated in schedule of activities on the IB.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contact with the Procuring Entity and furnishing of the performance security or the performance security declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17. Opening and Preliminary Examinations of Bids

- 17.1 The BAC shall open the Bids in public at the time, on the date, and at the place specified in the schedule of activities on the IB. The Bidder's representatives who are present shall sign a register evidencing their attendance. In case video conferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.
 - In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9187 shall prevail.
- 17.2 The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1 The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1 The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed", using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2 If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3 The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4 The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5 Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1 Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1 The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.

Section III Bid Data Sheet

Bid Data Sheet

TTD Classes	Bid Data Sheet
ITB Clause	The December Futition DOWN Between 4th District Fusion of the Office
	The Procuring Entity is DPWH-Bataan 1 st District Engineering Office.
1.1	The scope of the Goods/Services required under this Contract is <i>for Maintenance of</i>
	National Roads and Bridges within Bataan First District.
	The lot(s) and reference is/are:
	The Contract Name is Procurement of Various Materials for use in Maintenance
	of National Road and Bridges, i.e., Penetration and Premix Patching, Sealing
	of Cracks and Joints, Pavement Markings and Repainting Works, Installation
1.2	of Road Safety Devices within 1st District of Bataan
112	or Road Sarety Series Willim 2 Sistrict or Satural
	The Contract Location is Bataan First District
	The Contract ID 24GCA07
	The Funding Source is:
	The Government of the Philippines (GOP) through SR2024-11-020780 dated
2	November 15, 2024 in the amount of Php 10,503,822.70.
2	The name of the Project is: Programment of Mariana Materials for the
	The name of the Project is: Procurement of Various Materials for use in Maintenance of National Poad and Bridges is a Reportation and Browning
	Maintenance of National Road and Bridges, i.e., Penetration and Premix
	Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1 st District of Bataan
3.1	No further instructions.
5.1	No further instructions.
5.2	No further instructions.
J.2	For this purpose, contracts similar to the Project shall be:
	To this purpose, contracts similar to the Project shall be.
5.3	a. procurement of Various Materials and Road Safety Devices.
0.5	b. completed within three (3) years prior to the deadline for the submission and
	receipt of bids.
	Maintain the ITB Clause and insert any of the following:
	For the procurement of Non-Expendable Supplies and Services: The Bidder must have
F 4	completed, within the period specified in the Invitation to Bid, a single contract that is
5.4	similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
	No further instructions.
7	No further instructions.
8.1	'Subcontracting is not allowed."
8.2	'Not applicable".
	The Procuring Entity will hold a pre-bid conference for this Project on December 03 ,
9.1	2024 @ 2:00 P.M. at BAC Bidding Room, DPWH-Bataan 1st District Engineering
	Office.
	The Procuring Entity's address is:
	Engr DANILO A PUSTIA IR
10.1	Engr. DANILO A. RUSTIA, JR.
10.1	BAC-Chairperson DPWH-Bataan 1 st DEO, Orani, Bataan
	DPWN-Baladii 1 DEO, Oldiii, Baladii
	Telephone and Fax No. : <i>(047) 612-0096</i>
12.1	No further instructions.
12.1 (b)(i)	"No other acceptable proof of registration is recognized"
(~)(')	The statement of all on-going government and private contracts shall include all such
12.1 (b)(k)(iii)	contracts within three (3) years prior to the deadline for the submission and receipt of
(~)()	bids.
13.1 (d)	No further instructions.
13.1 (e)	"No additional requirements and instructions."
\ - <i>\</i>	The ABC is TEN MILLION FIVE HUNDRED THREE THOUSAND EIGHT HUNDRED
13.2	TWENTY-TWO PESOS AND 70/100 ONLY (Php 10,503,822.70).
	Any bid with a Financial Component exceeding this amount shall not be accepted.

15.4 (a)(iv) 15.4 (b)	"No incidental conjices are required."	
13.4(0)	"No incidental services are required." 'Not applicable "	
	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in	
16.1 (b)	Philippine Pesos.	
16.3	'Not applicable "	
10.5	The bid security shall be in the form of a Bid Securing Declaration, or any of the following	
	forms and amounts:	
18.1	The amount of Phr 210.076 4E (20% of 4PC) if hid cocurity is in each	
10.1	The amount of Php 210,076.45 (2% of ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or	
	cashiel symanager's check, bank dranyguarantee or irrevocable letter or credit, or	
	The amount of Phn 525 101 14 (5% of ARC) if hid security is in Surety Rond	
	The amount of <i>Php 525,191.14</i> (5% of ABC) if bid security is in Surety Bond. The bid security shall be valid until <i>One Hundred Twenty (120) days from the date</i>	
18.2	of the opening of Bids.	
	Each Bidder shall submit One (1) original copy of the first and second components of its	
20.3	bid.	
	The address for submission of bids is	
	THE dudiess for submission of blus is	
	The BAC-Chairperson	
	Department of Public Works and Highways	
21	Bataan First District Engineering Office	
	Roman Expressway, Mulawin, Orani, Bataan	
	Koman Expressivally Flaiding Stating Station	
	The deadline for submission of bids is December 18 , 2024 @ 10:00 A.M.	
	The place of bid opening is	
	The place of bla opening is	
	The BAC-Chairperson	
	Department of Public Works and Highways	
24.1	Bataan First District Engineering Office	
	Roman Expressway, Mulawin, Orani, Bataan	
	Koman Expressivay, Francism, Gram, Bataan	
	The date and time of bid opening is December 18, 2024 @ 10:00 A.M.	
24.2	No further instructions.	
24.3	No further instructions.	
27.1		
	No further instructions.	
	No further instructions. If applicable, adopt the following provision:	
	If applicable, adopt the following provision:	
	If applicable, adopt the following provision: Grouping and Evaluation of Lots —	
	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition.	
	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and	
	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately.	
	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded	
	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract.	
28 3 (a)	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be	
28.3 (a)	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts.	
28.3 (a)	If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other:	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding,	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.	
28.3 (a)	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or	
	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.	
28.4	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder. No further instructions.	
28.4 29.2	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder. No further instructions. "No additional requirement."	
28.4	Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder. No further instructions.	

Section IV General Conditions of the Contract

1. Scope of the Contract

This Contract shall include all such items, all such items, although not specifically mentioned, that can be reasonably inferred as being required as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1 Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2 The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V Special Conditions of the Contract

Special Conditions of Contract

Special Conditions of Contract			
GCC Clause			
1.1 (g)	The Procuring Entity is DPWH-Bataan 1 st District Engineering Office .		
1.1 (i)	The Supplier is		
1.1 (j)	The Funding Source is SR2024-11-020780 dated November 15, 2024 in the amount of Php 10,503,822.70 .		
1.1 (k)	The Project Site is Bataan First District.		
5.1	The Procuring Entity's address for Notices is: Engr. DANILO A. RUSTIA, JR. BAC-Chairperson DPWH-Bataan 1 st District Engineering Office Telephone and Fax No.: (047) 612-0096		
	The Supplier's address for Notices is:		
	List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:		
6.3	Delivery and Documents — For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: For Goods Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered [insert place of destination]. In accordance with INCOTERMS." For Goods Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [insert name(s)].		
	 Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI.: Select appropriate requirements and delete the rest. (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods; (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods; (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services. 		

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest.

- (a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:
 - advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. and the cost thereof are included in the Contract Price

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of *[insert here the time period specified. If not used insert time period of three times the warranty period]*. Other spare parts and components shall be supplied as promptly as possible, but in any case within *[insert appropriate time period]* months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Insurance -

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site,

	transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with GCC Clause 22. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights — The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.3	State "Payment shall be made only after inspection and acceptance of the Goods." Or If payment is in tranches, state "Payments shall be in accordance with the following schedule:
10.4	"Not applicable"
10.5	"Payment using LC is not allowed."
11.3	"Maintain the GCC Clause."
13.4 (c)	"No further instructions".
16.1	The inspections and tests that will be conducted are: "None"
17.3	One (1) year after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is: "None"
21.1	'No additional provision."

Section VI Schedule of Requirements

SCHEDULE OF REQUIREMENTS

Tem	SCHEDULE OF REQUIREMENTS					
1 Cement		Description	Quantity	Unit	Total	Delivered Weeks/Months
2 Sand 28 cu.m./s 30 C.D. upon receipt of Approved P.D.	Junctio					
3 Gravel ¾" 55 Cu.m./s 30 C.D. upon receipt of Approved P.O.	1	Cement	495	bag/s		30 C.D. upon receipt of Approved P.O.
4 Reinforcing Steel Bars, Grade 40 809 pc./s 30 C.D. upon receipt of Approved P.O. 5 Tie Wire 81 kg./s 30 C.D. upon receipt of Approved P.O. 6 Good Lumber 99 pc./s 30 C.D. upon receipt of Approved P.O. 7 Assorted CWN (1kg/100 bd-ft of Lumber) 50 kg./s 30 C.D. upon receipt of Approved P.O. 8 Marine Plywood (1/2" x 4" x 8") 42 pc./s 30 C.D. upon receipt of Approved P.O. 8 Marine Plywood (1/2" x 4" x 8") 42 pc./s 30 C.D. upon receipt of Approved P.O. 8 Marine Plywood (1/2" x 4" x 8") 42 pc./s 30 C.D. upon receipt of Approved P.O. 10 Sand 93 cu.m./s 30 C.D. upon receipt of Approved P.O. 11 Gravel 34" 72 cu.m./s 30 C.D. upon receipt of Approved P.O. 11 Gravel 34" 72 cu.m./s 30 C.D. upon receipt of Approved P.O. 12 Reinforcing Steel Bars, Grade 40 gp./s 30 C.D. upon receipt of Approved P.O. 13 Reinforcing Steel Bars, Grade 40 gp./s 30 C.D. upon receipt of Approved P.O. 14 Aggregate Subbase Course 73 cu.m./s 30 C.D. upon receipt of Approved P.O. 15 dr G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 cu.m./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 20 Gravel 34" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel 34" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel 34" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 24 Reinforcing Steel Bars, Grade 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m 20 unit/s 30 C.D. upon receipt of Approved P.O. 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 unit/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receip	2		28	cu.m./s		30 C.D. upon receipt of Approved P.O.
5 Tile Wire	3	Gravel ¾"	55	cu.m./s		30 C.D. upon receipt of Approved P.O.
6 Good Lumber 7 Assorted CWN (1kg/100 bd-ft of Lumber) 8 Marine Plywood (1/2" x 4" x 8") 8 Marine Plywood (1/2" x 4" x 8") 9 Cement 9 Cement 2,053 bag/s 10 Sand 9 3 CLD. upon receipt of Approved P.O. 30 C.D. upon receipt o	4	Reinforcing Steel Bars, Grade 40	809	pc./s		30 C.D. upon receipt of Approved P.O.
7 Assorted CWN (1kg/100 bd-ft of Lumber) 8 Marine Plywood (1/2" x 4" x 8") 9 Zement 2,053 bag/s 10 Sand 93 Cu.m./s 11 Gravel ¾" 72 Cu.m./s 12 Reinforcing Steel Bars, Grade 40 (Plain) 13 Steel Forms 14 Aggregate Subbase Course 15 Sand 16 Sand 17 Steel Forms 18 Cement 19 Sand 19 Sand 19 Sand 19 Sand 10 Sand 10 Sand 10 Sand 10 Sand 11 Reinforcing Steel Bars, Grade 40 (Deformed) 10 Sand 11 Reinforcing Steel Bars, Grade 40 (Deformed) 11 Reinforcing Steel Bars, Grade 40 (Plain) 12 Reinforcing Steel Bars, Grade 40 (Plain) 13 Reinforcing Steel Bars, Grade 40 (Plain) 14 Aggregate Subbase Course 15 Steel Forms 16 Device S Cu.m./s 17 Steel Forms 18 Cement 19 Sand 19 Sand 19 Sand 10 Sand 10 Sand 11 Steel Forms 10 Sand 11 Steel Forms 11 Sand 12 Cu.m./s 13 Cu.m./s 14 Cu.m./s 15 Ca. Dupon receipt of Approved P.O. 17 Steel Forms 18 Cement 19 Sand 19 Sand 10 Cu.m./s 10 C.D. upon receipt of Approved P.O. 18 Sand 19 Sand 10 Cu.m./s 10 C.D. upon receipt of Approved P.O. 19 Sand 10 Cu.m./s 10 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 21 Reinforcing Steel Bars, Grade 40 (Plain) 21 Reinforcing Steel Bars, Grade 40 (Plain) 22 Reinforcing Steel Bars, Grade 40 (Plain) 23 Aggregate Subbase Course 24 Solar Powered Caution Light with Pole 25 Concrete Barrier with LED Illuminated 26 Solar Street Lights 200Watts with 4m 20 units/s 27 Reflectorized Traffic Paint (White) 28 Agrylic Latex Paint 29 Powder (White) 20 Thermoplastic Pavement Marking 20 Powder (White) 21 Thermoplastic Pavement Marking 22 Powder (White) 23 Agregate Subbase Course 24 Reflectorized Traffic Paint (White) 25 Concrete Barrier with LED Illuminated 30 Lunits/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 29 Powder (White) 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Thermoplastic Pavement Marking 32 Device Course 33 C.D. upon receipt of Approved P.O. 34 Approach Course 35 Course Powder (Powder Course) 36 Course Powder (Powder Powder Powder (Powder Course) 37 C.D. upon receipt of Approved P.O. 38 Croups receipt of Appro	5	Tie Wire	81	kg./s		30 C.D. upon receipt of Approved P.O.
7 Assorted CWN (1kg/100 bd-ft of Lumber) 50 kg./s 30 C.D. upon receipt of Approved P.O. 8 Marine Plywood (1/2" x 4' x 8') 42 pc./s 30 C.D. upon receipt of Approved P.O. Roman Expressway 9 Cement 2,053 bag/s 30 C.D. upon receipt of Approved P.O. 10 Sand 93 cu.m./s 30 C.D. upon receipt of Approved P.O. 11 Gravel ¾" 72 cu.m./s 30 C.D. upon receipt of Approved P.O. 12 Reinforcing Steel Bars, Grade 40 (Deformed) 8 pc./s 30 C.D. upon receipt of Approved P.O. 13 Reinforcing Steel Bars, Grade 40 (Plain) 8 pc./s 30 C.D. upon receipt of Approved P.O. 14 Aggregate Subbase Course 73 cu.m./s 30 C.D. upon receipt of Approved P.O. 15 4" G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 cu.m./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 18 Cement 915	6	Good Lumber	99	pc./s		30 C.D. upon receipt of Approved P.O.
8 Marine Plywood (1/2" x 4" x 8") 42 pc./s 30 C.D. upon receipt of Approved P.O. Roman Expressway 9 Cement 2,053 bag/s 30 C.D. upon receipt of Approved P.O. 10 Sand 93 cu.m./s 30 C.D. upon receipt of Approved P.O. 11 Gravel ¾" 72 cu.m./s 30 C.D. upon receipt of Approved P.O. 12 Reinforcing Steel Bars, Grade 40 (Deformed) 30 pc./s 30 C.D. upon receipt of Approved P.O. 13 Reinforcing Steel Bars, Grade 40 (Plain) 8 pc./s 30 C.D. upon receipt of Approved P.O. 14 Aggregate Subbase Course 73 cu.m./s 30 C.D. upon receipt of Approved P.O. 15 Ye G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 cu.m./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 18 Cement 915 bag/s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Ap	7		50			30 C.D. upon receipt of Approved P.O.
9 Cement 2,053 bag/s 30 C.D. upon receipt of Approved P.O. 10 Sand 93 c.u.m./s 30 C.D. upon receipt of Approved P.O. 11 Gravel ¾" 72 c.u.m./s 30 C.D. upon receipt of Approved P.O. 12 Reinforcing Steel Bars, Grade 40 (Deformed) 8 pc./s 30 C.D. upon receipt of Approved P.O. 13 Reinforcing Steel Bars, Grade 40 (Plain) 8 pc./s 30 C.D. upon receipt of Approved P.O. (Plain) 8 pc./s 30 C.D. upon receipt of Approved P.O. 14 Aggregate Subbase Course 73 c.u.m./s 30 C.D. upon receipt of Approved P.O. 15 4" G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 c.u.m./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 18 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 c.u.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 31 c.u.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Deformed) 135 pc./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 c.u.m./s 30 C.D. upon receipt of Approved P.O. 24 Solar Powered Caution Light with Pole 5 set/s 30 C.D. upon receipt of Approved P.O. 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m pole 70	8	Marine Plywood (1/2" x 4' x 8')	42	pc./s		30 C.D. upon receipt of Approved P.O.
10 Sand 93 cu.m./s 30 C.D. upon receipt of Approved P.O. 11 Gravel ¾" 72 cu.m./s 30 C.D. upon receipt of Approved P.O. 12 Reinforcing Steel Bars, Grade 40 (Deformed) 8 pc./s 30 C.D. upon receipt of Approved P.O. 13 Reinforcing Steel Bars, Grade 40 (Plain) 8 pc./s 30 C.D. upon receipt of Approved P.O. 14 Aggregate Subbase Course 73 cu.m./s 30 C.D. upon receipt of Approved P.O. 15 ¼" G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 cu.m./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 18 Cement 915 bag/s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Deformed) 135 pc./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 (Deformed) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 24 Solar Powered Caution Light with Pole 56 set/s 30 C.D. upon receipt of Approved P.O. 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m 20 units/s 30 C.D. upon receipt of Approved P.O. 27 Pose Powered Caution Light with 20 qallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 qallon/s 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking 200 gallon/s 30 C.D. upon receipt of Approved P.O. 31 Thermoplastic Pavement Marking 200 gallon/s 30 C.D. upon receipt of Approved P.O. 31 Reproved P.O. 32 Asphalt Cement Penetration Grade 60/70 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphal	Romar	n Expressway		•		
11 Gravel ¾" 12 Reinforcing Steel Bars, Grade 40 (Plain) 13 Reinforcing Steel Bars, Grade 40 (Plain) 14 Aggregate Subbase Course 15 4" G.I. Pipe 16 pc./s 17 Steel Forms 18 Cement 19 Sand 19 Sand 20 Gravel ¾" 21 Reinforcing Steel Bars, Grade 40 (Plain) 22 Reinforcing Steel Bars, Grade 40 (Plain) 23 Aggregate Subbase Course 24 Solar Powered Caution Light with Pole 25 Concrete Barrier with LED Illuminated 26 Solar Street Lights 200Watts with 4m Pole 27 Reflectorized Traffic Paint (White) 28 Acrylic Latex Paint 29 Powder (Wellow) 20 For Penetration and Premix Patching / Sealing of Cracks and Joints 31 Asphalt Cement Penetration 85/100 30 C.D. upon receipt of Approved P.O. 31 Seel Forms 30 C.D. upon receipt of Approved P.O. 32 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Solar Powered Caution Light with Pole 32 Solar Powered Caution Light with Pole 33 Concrete Barrier with LED Illuminated 34 unit/s 35 C.D. upon receipt of Approved P.O. 36 Solar Street Lights 200Watts with 4m Pole 37 Reflectorized Traffic Paint (White) 38 Acrylic Latex Paint 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade Sol/70 32 Asphalt Cement Penetration 85/100 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 32 Approved P.O. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 C.D. upon receipt of Approved P.O.			2,053	bag/s		30 C.D. upon receipt of Approved P.O.
11 Gravel ¾" 12 Cu.m./s 13 Reinforcing Steel Bars, Grade 40 13 Pc./s 13 Reinforcing Steel Bars, Grade 40 14 Reinforcing Steel Bars, Grade 40 15 Reinforcing Steel Bars, Grade 40 16 Reinforcing Steel Bars, Grade 40 17 Reinforcing Steel Bars, Grade 40 18 Pc./s 18 Cu.m./s 19 Solders 19 Sand 20 Pc./s 21 Reinforcing Steel Bars, Grade 40 22 Reinforcing Steel Bars, Grade 40 23 Reinforcing Steel Bars, Grade 40 24 Reinforcing Steel Bars, Grade 40 (Plain) 25 Reinforcing Steel Bars, Grade 40 (Plain) 26 Solar Powered Caution Light with Pole 27 Roeaf Safety 28 Acrylic Latex Paint 29 Reinforcing Steel Bars in Marking Powder (White) 20 Reinforcing Steel Bars in Marking Powder (Wellow) 21 Reinforcing Steel Bars in Marking Powder (Wellow) 22 Reinforcing Steel Bars in Marking Powder (Wellow) 23 Acrylic Latex Paint 24 Share Caree Marking Asphalt Cement Penetration 85/100 30 C.D. upon receipt of Approved P.O. 31 Powder Reinforcing Steel Bars in Marking Powder (Wellow) 32 Approach Powered Capping Works 33 C.D. upon receipt of Approved P.O. 34 Cu.m./s 35 C.D. upon receipt of Approved P.O. 36 Solar Street Lights 200Watts with 4m Pole 36 Powder (Wellow) 37 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 38 Acrylic Latex Paint 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 39 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 32 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 30 C.D. upon receipt of Approved P.O. 31 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 32 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 31 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 32 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 31 Reinforcing Steel Safe Solar Street Lights 200Watts with 4m Pole 32 Rei	10	Sand				
12 Reinforcing Steel Bars, Grade 40 (Deformed) 13 Reinforcing Steel Bars, Grade 40 (Plain) 14 Aggregate Subbase Course 75 Cu.m./s 15 4" G.I. Pipe 6 pc./s 16 Doublers 5 cu.m./s 17 Steel Forms 18 Cement 19 Sand 19 Sand 10 Gravel ¾" 11 Sand 10 Gravel ¾" 11 Sand 12 Reinforcing Steel Bars, Grade 40 (Plain) 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 19 Sand 10 C.D. upon receipt of Approved P.O. 10 Gravel ¾" 11 Cu.m./s 12 Reinforcing Steel Bars, Grade 40 (Deformed) 135 pc./s 14 pc./s 15 pc./s 16 C.D. upon receipt of Approved P.O. 17 Seel Bars, Grade 40 (Plain) 18 Cement 19 Sand 10 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 21 pc./s 22 Reinforcing Steel Bars, Grade 40 (Plain) 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m 20 units/s 27 Reflectorized Traffic Paint (White) 28 Acrylic Latex Paint 29 Owder (White) 20 gallon/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Powder (Yellow) 32 Asphalt Cement Penetration Grade 60/70 33 Emulsified Asphalt (SS-1) 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 32 Asphalt Cement Penetration 85/100 33 Gruph or receipt of Approved P.O. 34 C.D. upon receipt of Approved P.O. 35 Luph or receipt of Approved P.O. 36 C.D. upon receipt of Approved P.O. 37 Approved P.O. upon receipt of Approved P.O. 38 Apphalt Cement Penetration 85/100 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 32 Approved P.O. upon receipt of Approv	11	Gravel ¾"	72			
Reinforcing Steel Bars, Grade 40 (Plain) Reinforcing Steel Bars, Grade 40 (Plain) Regregate Subbase Course 73 cu.m./s 30 C.D. upon receipt of Approved P.O. 15 4" G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 cu.m./s 30 C.D. upon receipt of Approved P.O. 17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 18 Cement 915 bag/s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 11 Reinforcing Steel Bars, Grade 40 (Deformed) Reinforcing Steel Bars, Grade 40 (Plain) Reinforcing Steel Bars, Grade 40 (Plain) Reinforcing Steel Bars, Grade 40 (Plain) 21 Reinforcing Steel Bars, Grade 40 (Plain) 22 Reinforcing Steel Bars, Grade 40 (Plain) 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 24 Solar Powered Caution Light with Pole 25 Concrete Barrier with LED Illuminated 26 Solar Street Lights 200Watts with 4m Pole 27 Reflectorized Traffic Paint (White) 28 Acrylic Latex Paint 29 Powder (White) 100 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 100 gallon/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Thermoplastic Pavement Marking Powder (Yellow) 32 Asphalt Cement Penetration Grade 60/70 33 Emulsified Asphalt (SS-1) 30 C.D. upon receipt of Approved P.O. 30 Approved P.O. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 32 Asphalt Cement Penetration 85/100 33 Crum/s 34 Crum/s 35 C.D. upon receipt of Approved P.O. 36 Asphalt Cement Penetration 85/100 37 Adrum/s 38 C.D. upon receipt of Approved P.O. 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O.	12		30	pc./s		
14 Åggregate Subbase Course 15 4" G.I. Pipe 16 pc./s 18 Oc.D. upon receipt of Approved P.O. 19 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. 31 Cu.m./s 30 C.D. upon receipt of Approved P.O. 32 Reinforcing Steel Bars, Grade 40 (Deformed) 33 C.D. upon receipt of Approved P.O. 34 Aggregate Subbase Course 34 Cu.m./s 35 C.D. upon receipt of Approved P.O. 36 Reinforcing Steel Bars, Grade 40 (Plain) 37 C.D. upon receipt of Approved P.O. 38 Aggregate Subbase Course 39 C.D. upon receipt of Approved P.O. 39 C.D. upon receipt of Approved P.O. 40 Solar Powered Caution Light with Pole 41 Solar Street Lights 200Watts with 4m Pole 42 Solar Street Lights 200Watts with 4m Pole 43 Concrete Barrier with LED Illuminated Concrete Barrier with LED Illuminated Concrete Barrier with Marking Pole 44 Solar Street Lights 200Watts with 4m Pole 45 Concrete Barrier with LED Illuminated Concrete	13	Reinforcing Steel Bars, Grade 40	8	pc./s		30 C.D. upon receipt of Approved P.O.
15 4" G.I. Pipe 6 pc./s 30 C.D. upon receipt of Approved P.O. 16 Boulders 5 cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Cu.m./s 30 C.D. upon receipt of Approved P.O. 32 Reinforcing Steel Bars, Grade 40 Cheformed) 21 pc./s 30 C.D. upon receipt of Approved P.O. 32 Aggregate Subbase Course 34 Cu.m./s 30 C.D. upon receipt of Approved P.O. 32 Aggregate Subbase Course 34 Cu.m./s 30 C.D. upon receipt of Approved P.O. 31 C.D. upon receipt of Approved P.O. 32 Asyphalt Cement Penetration Grade 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asyphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asyphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 35 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 35 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 36 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 37 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Appr	14	. ,	73	cu.m./s		30 C.D. upon receipt of Approved P.O.
16 Boulders 5 Cu.m./s 30 C.D. upon receipt of Approved P.O.						
17 Steel Forms 20 pc./s 30 C.D. upon receipt of Approved P.O. JASA 18 Cement 915 bag/s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾/" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Deformed) 22 Reinforcing Steel Bars, Grade 40 (Plain) 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 25 Concrete Barrier with LED Illuminated 26 Solar Street Lights 200Watts with 4m Pole 27 Reflectorized Traffic Paint (White) 28 Acrylic Latex Paint 29 Thermoplastic Pavement Marking Powder (Vellow) 30 C.D. upon receipt of Approved P.O. 31 Approved P.O. 32 Asphalt Cement Penetration Grade Sol70 33 C.D. upon receipt of Approved P.O. 34 Asphalt Cement Penetration 85/100 35 C.D. upon receipt of Approved P.O. 36 Arun/s 37 C.D. upon receipt of Approved P.O. 38 Approved P.O. 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 32 Asphalt Cement Penetration 85/100 33 C.D. upon receipt of Approved P.O. 34 Emulsified Asphalt (SS-1) 35 Aggregate Subbase Course 36 C.D. upon receipt of Approved P.O. 37 Aggregate Subbase Course 38 C.D. upon receipt of Approved P.O. 39 C.D. upon receipt of Approved P.O. 30 C.D.						
18 Cement 915 bag/s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Deformed) 135 pc./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 26 Solar Powered Caution Light with Pole 27 Pole 28 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m 20 units/s 30 C.D. upon receipt of Approved P.O. 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Powder (White) 200 gallon/s 30 C.D. upon receipt of Approved P.O. 30 Reflectorized Traffic Paint Marking 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 30 G.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 35 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 36 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 37 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 39 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 39 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 30 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 30 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 30 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 30 Emulsified Asp						
18 Cement 915 bag/s 30 C.D. upon receipt of Approved P.O. 19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 (Deformed) 135 pc./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 25 Solar Powered Caution Light with Pole 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m Pole 30 unit/s 30 C.D. upon receipt of Approved P.O. 31 Phermoplastic Pavement Marking 230 bag/s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 35 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 36 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 37 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 39 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 39 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 39 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approv		preen rolling		peijo		30 GIB! apon receipt of Approved 1101
19 Sand 40 cu.m./s 30 C.D. upon receipt of Approved P.O. 20 Gravel ¾" 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Deformed) 135 pc./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 26 Solar Powered Caution Light with Pole 56 set/s 30 C.D. upon receipt of Approved P.O. 27 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 230 bag/s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.		Cement	915	hag/s		30 C D. upon receipt of Approved P O
20 Gravel ¾4″ 31 cu.m./s 30 C.D. upon receipt of Approved P.O. 21 Reinforcing Steel Bars, Grade 40 (Deformed) 135 pc./s 30 C.D. upon receipt of Approved P.O. 22 Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m Pole 20 units/s 30 C.D. upon receipt of Approved P.O. 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 230 bag/s 30 C.D. upon receipt of Approved P.O. 31 Reflectorized Traffic Paint (White) 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration Grade 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.						
Reinforcing Steel Bars, Grade 40 (Deformed) 22 Reinforcing Steel Bars, Grade 40 (Plain) 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade GO/70 32 Asphalt Cement Penetration 85/100 33 C.D. upon receipt of Approved P.O. 34 Asphalt Cement Penetration 85/100 35 C.D. upon receipt of Approved P.O. 36 C.D. upon receipt of Approved P.O. 37 Asphalt Cement Penetration 85/100 38 Emulsified Asphalt (SS-1) 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration 85/100 32 Asphalt Cement Penetration 85/100 33 C.D. upon receipt of Approved P.O. 34 C.D. upon receipt of Approved P.O. 35 C.D. upon receipt of Approved P.O. 36 C.D. upon receipt of Approved P.O.	——					
Reinforcing Steel Bars, Grade 40 (Plain) 21 pc./s 30 C.D. upon receipt of Approved P.O. 23 Aggregate Subbase Course 34 cu.m./s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 32 Asphalt Cement Penetration 85/100 33 C.D. upon receipt of Approved P.O. 34 Asphalt Cement Penetration 85/100 35 C.D. upon receipt of Approved P.O. 36 C.D. upon receipt of Approved P.O. 37 Asphalt Cement Penetration 85/100 38 Emulsified Asphalt (SS-1) 39 C.D. upon receipt of Approved P.O.		Reinforcing Steel Bars, Grade 40				
Aggregate Subbase Course For Road Safety 24 Solar Powered Caution Light with Pole 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m Pole 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 230 bag/s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.	22	Reinforcing Steel Bars, Grade 40	21	pc./s		30 C.D. upon receipt of Approved P.O.
For Road Safety 24 Solar Powered Caution Light with Pole 25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m Pole 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking Powder (Yellow) 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.	23		34	cu.m./s		30 C.D. upon receipt of Approved P.O.
Solar Powered Caution Light with Pole Solar Solar Powered Caution Light with Pole Concrete Barrier with LED Illuminated 30 unit/s Solar Street Lights 200Watts with 4m Pole For Pavement Markings and Repainting Works Reflectorized Traffic Paint (White) Reflectorized Traffic Paint (White) Thermoplastic Pavement Marking Powder (White) Thermoplastic Pavement Marking Powder (White) Thermoplastic Pavement Marking Powder (Yellow) Thermoplastic Pavement Ma				cannyo	l	30 GIBT apoin receipt of Approved 1101
25 Concrete Barrier with LED Illuminated 30 unit/s 30 C.D. upon receipt of Approved P.O. 26 Solar Street Lights 200Watts with 4m Pole 20 units/s 30 C.D. upon receipt of Approved P.O. 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.	24	Solar Powered Caution Light with	56	set/s		30 C.D. upon receipt of Approved P.O.
Solar Street Lights 200Watts with 4m Pole 30 units/s 30 C.D. upon receipt of Approved P.O. For Pavement Markings and Repainting Works 27 Reflectorized Traffic Paint (White) 1,000 gallon/s 30 C.D. upon receipt of Approved P.O. 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 Thermoplastic Pavement Marking Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 30 drum/s 30 C.D. upon receipt of Approved P.O. 32 Asphalt Cement Penetration 85/100 30 drum/s 30 C.D. upon receipt of Approved P.O. 33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.			30	unit/s		30 C.D. upon receipt of Approved P.O.
For Pavement Markings and Repainting Works 27 Reflectorized Traffic Paint (White) 28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 32 Asphalt Cement Penetration 85/100 33 C.D. upon receipt of Approved P.O. 34 Asphalt Cement Penetration 85/100 35 C.D. upon receipt of Approved P.O. 36 C.D. upon receipt of Approved P.O. 37 Asphalt Cement Penetration 85/100 38 C.D. upon receipt of Approved P.O. 39 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O.	26	Solar Street Lights 200Watts with 4m	20			
27Reflectorized Traffic Paint (White)1,000gallon/s30 C.D. upon receipt of Approved P.O.28Acrylic Latex Paint200gallon/s30 C.D. upon receipt of Approved P.O.29Thermoplastic Pavement Marking Powder (White)230bag/s30 C.D. upon receipt of Approved P.O.30Thermoplastic Pavement Marking Powder (Yellow)230bag/s30 C.D. upon receipt of Approved P.O.For Penetration and Premix Patching / Sealing of Cracks and Joints31Asphalt Cement Penetration Grade 60/7030drum/s30 C.D. upon receipt of Approved P.O.32Asphalt Cement Penetration 85/10030drum/s30 C.D. upon receipt of Approved P.O.33Emulsified Asphalt (SS-1)30drum/s30 C.D. upon receipt of Approved P.O.	For Pa					
28 Acrylic Latex Paint 200 gallon/s 30 C.D. upon receipt of Approved P.O. 29 Thermoplastic Pavement Marking Powder (White) 30 Thermoplastic Pavement Marking Powder (Yellow) 230 bag/s 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 30 C.D. upon receipt of Approved P.O. 31 Asphalt Cement Penetration Grade 60/70 32 Asphalt Cement Penetration 85/100 33 Emulsified Asphalt (SS-1) 30 C.D. upon receipt of Approved P.O. 31 Approved P.O. 32 Asphalt Cement Penetration 85/100 33 C.D. upon receipt of Approved P.O. 34 Asphalt Cement Penetration 85/100 35 C.D. upon receipt of Approved P.O. 36 C.D. upon receipt of Approved P.O. 37 C.D. upon receipt of Approved P.O. 38 Emulsified Asphalt (SS-1) 39 C.D. upon receipt of Approved P.O.				gallon/s		30 C.D. upon receipt of Approved P.O.
Thermoplastic Pavement Marking Powder (White) Thermoplastic Pavement Marking Powder (Yellow) Thermoplastic Pavement Marking Powder (Yellow) Thermoplastic Pavement Marking Powder (Yellow) Thermoplastic Pavement Marking 230 bag/s Thermoplastic Pavement Marking 230 c.D. upon receipt of Approved P.O. Thermoplastic Pavement Marking 230 bag/s Thermoplastic Paveme		, ,				
Thermoplastic Pavement Marking Powder (Yellow) For Penetration and Premix Patching / Sealing of Cracks and Joints 31 Asphalt Cement Penetration Grade 60/70 32 Asphalt Cement Penetration 85/100 33 Emulsified Asphalt (SS-1) 30 C.D. upon receipt of Approved P.O.		Thermoplastic Pavement Marking				
31Asphalt Cement Penetration Grade 60/7030drum/s30 C.D. upon receipt of Approved P.O.32Asphalt Cement Penetration 85/10030drum/s30 C.D. upon receipt of Approved P.O.33Emulsified Asphalt (SS-1)30drum/s30 C.D. upon receipt of Approved P.O.	30		230	bag/s		30 C.D. upon receipt of Approved P.O.
31Asphalt Cement Penetration Grade 60/7030drum/s30 C.D. upon receipt of Approved P.O.32Asphalt Cement Penetration 85/10030drum/s30 C.D. upon receipt of Approved P.O.33Emulsified Asphalt (SS-1)30drum/s30 C.D. upon receipt of Approved P.O.	For Penetration and Premix Patching / Sealing of Cracks and Joints					
32Asphalt Cement Penetration 85/10030drum/s30 C.D. upon receipt of Approved P.O.33Emulsified Asphalt (SS-1)30drum/s30 C.D. upon receipt of Approved P.O.		Asphalt Cement Penetration Grade				30 C.D. upon receipt of Approved P.O.
33 Emulsified Asphalt (SS-1) 30 drum/s 30 C.D. upon receipt of Approved P.O.	32		30	drum/s		30 C.D. upon receipt of Approved P.O.

(Name of Bidder/Company)

(Signature over Printed Name of Representative)

(Designation)

DPWH-G&S-17-The Schedule of Requirements shall indicate the delivery date of the goods and services to the project site expressed as weeks/months and shall be consistent with the dates specified in the Bidding Documents.

Section VII Technical Specifications

Technical Specifications Proposal

Item/ Lot No.	Specification	Statement of Compliance
1	Cement	•
	Composition: Calcium silicates, aluminates and ferrites	
	Fineness: Ground to a fine powder, with a minimum of 95% passing through a No. 200 sieve	
	Soundness: Should not expand or contract excessively when mixed with water and hardened	
	Setting Time: Should set within a reasonable amount of time, typically 2 to 6 hours	
	Strength: Should develop sufficient strength to resist the loads it will be subjected to	
	Durability: Should resist weathering and other forms of degradation	
2	Sand	
	Sieve Analysis:	
	Passing through 4.75mm sieve: 100%	
	Passing through 2.36mm sieve: 85% to 100%	
	Passing through 1.18mm sieve: 50% to 85%	
	Passing through 600µm sieve: 25% to 50%	
	Passing through 300µm sieve: 5% to 25%	
	Passing through 150µm sieve: 0% to 5%	
	Fineness modulus: 2.3 to 3.0	
	Organic matter: Not more than 3% by weight	
	Clay lumps: None	
	Deleterious substances: Not more than 1% by weight	
3	Aggregate Subbase Course	
	Clean, durable, graded aggregate meeting specified sieve sizes and strength requirements	
	Optimized for compaction. Subgrade Preparation: Prepare subgrade to required lines, grades and density	
	Placement: Spread aggregate in layers, compact to specified density and moisture content	
	Compaction: Use suitable equipment (rollers, vibratory rollers) to achieve required density	
	Material Testing: Verify aggregate properties (sieve analysis, specific gravity, etc.)	
	Field Testing: Check in-place density and moisture content	
4	Gravel ¾"	
	Nominal maximum size: ¾ inches (19.05mm)	
	Shape: Rounded or angular	
	Surface texture: Smooth or rough	
	Color: Varies depending on the type of rock used to produce gravel	
	Density: Approximately 2.65 grams per cubic centimeter	
	Specific gravity: 2.5 to 2.7	
	Water absorption: 0.5% to 2.0%	
	Los Angeles abrasion loss: 25% to 40%	
	Soundness loss: 10% to 20%	
	Deleterious materials: 1% maximum	
	Clay lumps and friable particles: 5% maximum	
	Organic matter: 1% maximum	
5	Reinforcing Steel Bars, Grade 40	
	Nominal Diameter: 6mm to 32mm	

	Viold Chronath, 40 000ns; (275 0MDs)
	Yield Strength: 40,000psi (275.8MPa)
	Tensile Strength: 60,000 to 78,000 psi (413.7 to 537.9MPa)
	Elongation at Break: 14% to 22%
	Modulus of Elasticity: 29,000,000psi (200.7GPa)
	Chemical Composition:
	Carbon (C): 0.25% max.
	Manganese (Mn): 1.65% max.
	Phosphorus (P): 0.05% max.
	Sulfur (S): 0.05% max.
	Physical Properties:
	Surface Texture: Smooth and free from defects
	Bendability: Must be able to bend 180 deg. around a mandrel with a dia. equal to the bar diameter w/o cracking
	Testing:
	Tensile Test: Must meet the minimum tensile strength and elongation
	requirements
	Bend Test: Must meet the bendability requirement
6	Tie Wire
	Diameter: 1.6mm
	Weight: 2.5kg/100m
	Tensile Strength: 450 to 550 MPa
	Elongation at break: 15% to 25%
	Zinc coating: 40 g/m ²
	Surface finish: Smooth, free from defects
7	Good Lumber
	Thickness: 2 inches
	Width: 2 inches
	Length: 12 feet
	Moisture Content: between 12% and 18%
	Surface Quality: Dresser lumber is typically used for exposed applications
8	Marine Plywood
	Thickness: Standard thickness range from 3mm to 25mm
	Size: Standard sheet sizes are typically 1220mm x 2440mm (4ft x 8ft)
	Moisture resistance: Excellent resistance to moisture, warping, and
	delamination in high-humidity environments
	Durability: Highly durable and can withstand harsh weather conditions, including freezing and thawing cycles
	Fire resistance: Moderate fire resistance, but can be improved with fire-
	retardant treatments
	Strength: High strength-to-weight ratio due to the layered construction
9	4" G.I. Pipe
	Nominal Size: 4 inches
	Nominal Diameter: 100mm
	Outer Diameter: 113.20mm
	Weight: 5.917kg/m
	Standard Length: 6.0m
	Class: AA
	Standard: BS 1387:1985/MS 863:1983
	Pipe End: Plain (Unthreaded)
10	Boulders
	Weight: 15-25 kilograms
	Shape: Irregular, rounded, or angular

-		
	Size: Varies, but typically around 25-35cm in diameter	
	Color: Gray, brown, or other natural stone colors	
	Texture: Rough or smooth	
	Hardness: Varies depending on the type of rock	
11	Steel Forms	
	Steel Grade: High-strength steel capable of withstanding the rigors of	
	concrete pouring, vibration and curing	
	Thickness: Sufficient thickness to maintain form rigidity and prevent deformation during the concrete placement and curing process	
	Width: 0.35 meters (13.78 inches)	
	Height: Varies based on pavement thickness requirements	
	Length: Standard lengths (e.g., 3 meters, 6 meters) or customizable to	
	specific project needs	
For Road Safe	ety	
12	Solar Powered Caution Light with Pole	
	Dimension: 300mm less	
	Width: 350mm x 350mm	
	Material: P	
	Power Source: Solar	
	Battery: 300mm Lens, Rechargeable 7Ah, 12V	
	Visible Distance: 500 meters	
	IP Rating: IP53	
	*24 sets for Islands at Roman Expressway	
	*16x2=32 sets for Bridges along Roman Expressway	
13	Concrete Barrier with LED Illuminated	
	Directional Indicators	
	Dimensions: L1000mm x W450mm x H820mm	
	Material: Concrete	
	Finish: Paint	
	Illuminated: YES	
	LED Color: Amber	
	Light Action: Flashing, Trailing	
	Reflective: Yes	
	Power Source: Solar	
	Battery: Rechargeable Lithium Ion, 2000mAh	
	Weight: (approx) 300-350kg	
14	Solar Street Lights 200Watts with 4m Pole	
	Nominal Power DC: 200 Watts	
	Solar Battery Panel	
	Lamp Post: 4 meters	
	*with concrete pedestal including Mobilization/Demobilization and	
Cor Dayomont	Installation	
For Pavement	Markings and Repainting Works Reflectorized Traffic Point (White)	
13	Reflectorized Traffic Paint (White) In compliance with DRWH Standard Specification/AASHTO/ASTM	
	In compliance with DPWH Standard Specification/AASHTO/ASTM Type: Allyd Recod	
	Type: Alkyd Based Finish: Semi-Gloss	
	Color: 65-00 White	
	Density, K/L @ 28°C, : 1.20±0.03 K/L	
	Solids by Volume (%): 35% (±2%)	
	Film Thickness (Approximately)	
	Wet Film (WFT): 100 microns – 130 microns per coat	

	Dry Film (DET): 25 micross 45 50 micross now cost	
	Dry Film (DFT): 35 microns – 45.50 microns per coat	
	Practical Coverage: 20-25 sq.m. / 4 liter/coat	
	Drying Time: 1-2 hours min. dries for traffic in 4-6 hours	
1.0	Shelf Life: 1 year when stored in dry cool condition	
16	Acrylic Latex Paint	
	Type: Flat Latex Acrylic	
	Color: Chocolate Brown	
	Coverage: 1.7-1.4 mils DFT per 4 ltrs.	
	Density, K/L @ 28°C, : 1.40±0.05 K/L	
	Packaging: 4 ltrs./1 gallon	
17	Thermoplastic Pavement Marking Powder (White)	
	Material composition requirements shall conform to Table 612.1 of Book of Standards Specifications for Highway Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 Certified and BRS Test Certified	
18	Thermoplastic Pavement Marking Powder (Yellow)	
	Material composition requirements shall conform to Table 612.1 of Book of Standards Specifications for Highway Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 Certified and BRS Test Certified	
For Penetration	n and Premix Patching / Sealing of Cracks and Joints	
19	Asphalt Cement Penetration Grade 60/70	
	Requirements:	
	Penetration: 60-70 at 77°F (25°C), 100g, 5s	
	Solubility in Trichloroethylene: 99% min	
	Ductility: 100cm min at 77°F (25°C), 5cm/min	
	Flash Point: 232°C min, Cleveland Open Cup	
	Thin Film Oven Test: Loss on heating, 0.8% max	
	Sampling and Testing:	
	In accordance/compliance with the DPWH Standard	
	Specifications/AASHTO/ASTM	
20	Asphalt Cement Penetration 85/100	
	Requirements:	
	Penetration at 25°C (77°F), 100g, 5 seconds: 85-100	
	Softening Point (Ring and Ball): 48-58°C (118-136°F)	
	Ductility at 25°C (77°F): 75-125cm	
	Loss on Heating at 163°C (325°F), 5 hours: ≤1.0%	
	Flash Point (Cleveland Open Cup): ≥200°C (392°F)	
	Sampling and Testing:	
	In accordance/compliance with the DPWH Standard	
21	Specifications/AASHTO/ASTM	
21	Emulsified Asphalt (SS-1)	
	In compliance with the DPWH Standard Specifications/AASHTO/ASTM	
	SS-1: ASTM D 977 - 25°C to 55°C	
	AASHTO M 140	
	Specific Gravity: at 25°C – ASTM D70	
	Penetration: at 25°C, 100q, 5s – ASTM D5	
	Softening Point: ASTM D36	
	Ductility: at 25°C – ASTM D113	
	Loss of Heating: ASTM D6	
	Drop in Penetration after Heating: ASTM D5	
	Flash Point: ASTM D92	
	Solubility in Trichloroethylene: ASTM D2042	
22	Asphalt Plant Mix Hot	

In compliance with the DPWH Standard Specifications/AASHTO/ASTM	
Aggregates:	
The aggregates shall be clean, durable, and free from deleterious materials. The aggregate gradation shall meet the requirements of the DPWH Standard Specifications.	
Asphalt Cement:	
The asphalt cement shall be a penetration grade asphalt cement conforming to the requirements of the DPWH Standard Specifications.	
Mineral Filler:	
The mineral filler shall be a finely divided mineral material conforming to the requirements of the DPWH Standard Specifications.	
Hydrated Lime:	
The hydrated lime shall be a type N hydrated lime conforming to the requirements of the DPWH Standard Specifications.	
Production:	
The HMA shall be produced in a central mix asphalt plant in accordance with the DPWH Standard Specifications. The plant shall be equipped with the necessary equipment to produce a uniform and homogeneous mixture of aggregates, asphalt cement, mineral filler, and hydrated lime. The mixing temperature of the HMA shall be between 150°C and 165°C. The mixing time shall be sufficient to ensure a complete and uniform coating of the aggregates with the asphalt cement.	

(Name of Bidder/Company)
(Signature over Printed Name of Representative)
(Designation)

Section VIII Checklist of Technical and Financial Components

Checklist of Technical and Financial Documents

1. Technical Component Envelope

Class "A" Documents

<u>Legal Documents</u>

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);Or

(b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;

And

- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;

 And
- (d) Tax Clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

(e) Statement of the prospective bidder of all its on-going government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;

And

- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 206 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

Or

Original copy of Notarized Bid Securing Declaration;

And

(h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable;

(i) Original duly signed Omnibus Sworn Statement (OSS);

And

If applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submissions;

And

(k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC)

Or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(I) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

Or

Duly notarized statement from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

2. Financial Component Envelope

- (m) Original of duly signed and accomplished Financial Bid Form;
- (n) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (o) (For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos) Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (p) Certification from DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Section IX Bidding Forms

	Bid Form
	Date: Project Identification No.:
To: (name and	address of Procuring Entity)
Numbers (inser (supply/deliver/ in words and fig bid modification price includes the (VAT), (ii) incomparts	examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin rt numbers), the receipt of which is hereby duly acknowledged, we, the undersigned, offer to (perform) (description of the Goods) in conformity with the said PBDs for the sum of (total Bid amount pures) or the total calculated bid price, as evaluated and corrected for computational errors, and other is in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid ne cost of all taxes, such as, but not limited to: (specify the applicable taxes, e.g. (i) value added tax me tax, (iii) local taxes, and (iv) other fiscal levies and duties), which are itemized herein or in the s, if our Bid is accepted, we undertake:
a.	To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b.	To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
C.	To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
Commis	this paragraph if Foreign-Assisted Project with the Development Partner) ssions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contact are awarded the contract, are listed below:
Name a	and address Amount and Purpose of Agent Currency Commission or Gratuity
(if none	e, state "None")
	formal Contract is prepared and executed, this Bid, together with your written acceptance thereof e of Award, shall be binding upon us.
We und	derstand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We cer	tify/confirm that we comply with the eligibility requirements pursuant to the PBDs.
	dersigned is authorized to submit the bid on behalf of (name of the bidder) as evidence by the the written authority).
	nowledge that failure to sign each and every page of this Bid Form, including the attached Schedule be a ground for the rejection of our bid.
Name	:
Legal Capacity Signature	
Duly authorized	to sign the Bid for and behalf of:



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

Contract ID No. : 24GCA07

Name of the Project : Procurement of Various Materials for use in Maintenance of National Road and Bridges,

i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan

Location of the Project : Bataan First District

Bid Form A (Technical Proposal)

Item/ Lot No.	Specification	Statement of Compliance
1	Cement	
	Composition: Calcium silicates, aluminates and ferrites	
	Fineness: Ground to a fine powder, with a minimum of 95% passing through a No. 200 sieve	
	Soundness: Should not expand or contract excessively when mixed with water and hardened	
	Setting Time: Should set within a reasonable amount of time, typically 2 to 6 hours	
	Strength: Should develop sufficient strength to resist the loads it will be subjected to	
	Durability: Should resist weathering and other forms of degradation	
2	Sand	
	Sieve Analysis:	
	Passing through 4.75mm sieve: 100%	
	Passing through 2.36mm sieve: 85% to 100%	
	Passing through 1.18mm sieve: 50% to 85%	
	Passing through 600µm sieve: 25% to 50%	
	Passing through 300µm sieve: 5% to 25%	
	Passing through 150µm sieve: 0% to 5%	
	Fineness modulus: 2.3 to 3.0	
	Organic matter: Not more than 3% by weight	
	Clay lumps: None	
	Deleterious substances: Not more than 1% by weight	
3	Aggregate Subbase Course	
	Clean, durable, graded aggregate meeting specified sieve sizes and strength requirements	
	Optimized for compaction.	
	Subgrade Preparation: Prepare subgrade to required lines, grades and density	
	Placement: Spread aggregate in layers, compact to specified density and moisture content	
	Compaction: Use suitable equipment (rollers, vibratory rollers) to achieve required density	
	Material Testing: Verify aggregate properties (sieve analysis, specific gravity, etc.)	
	Field Testing: Check in-place density and moisture content	
4	Gravel ¾"	
	Nominal maximum size: ¾ inches (19.05mm)	
	Shape: Rounded or angular	

	Curfore touture. Conseth or rough	
	Surface texture: Smooth or rough	
	Color: Varies depending on the type of rock used to produce gravel	
	Density: Approximately 2.65 grams per cubic centimeter	
	Specific gravity: 2.5 to 2.7	
	Water absorption: 0.5% to 2.0%	
	Los Angeles abrasion loss: 25% to 40%	
	Soundness loss: 10% to 20%	
	Deleterious materials: 1% maximum	
	Clay lumps and friable particles: 5% maximum	
_	Organic matter: 1% maximum	
5	Reinforcing Steel Bars, Grade 40	
	Nominal Diameter: 6mm to 32mm	
	Yield Strength: 40,000psi (275.8MPa)	
	Tensile Strength: 60,000 to 78,000 psi (413.7 to 537.9MPa)	
	Elongation at Break: 14% to 22%	
	Modulus of Elasticity: 29,000,000psi (200.7GPa)	
	Chemical Composition:	
	Carbon (C): 0.25% max.	
	Manganese (Mn): 1.65% max.	
	Phosphorus (P): 0.05% max.	
	Sulfur (S): 0.05% max.	
	Physical Properties:	
	Surface Texture: Smooth and free from defects	
	Bendability: Must be able to bend 180 deg. around a mandrel with a dia.	
	equal to the bar diameter w/o cracking	
	Testing: Tensile Test: Must meet the minimum tensile strength and elongation	
	requirements	
	Bend Test: Must meet the bendability requirement	
6	Tie Wire	
	Diameter: 1.6mm	
	Weight: 2.5kg/100m	
	Tensile Strength: 450 to 550 MPa	
	Elongation at break: 15% to 25%	
	Zinc coating: 40 g/m ²	
	Surface finish: Smooth, free from defects	
7	Good Lumber	
	Thickness: 2 inches	
	Width: 2 inches	
	Length: 12 feet	
	Moisture Content: between 12% and 18%	
	Surface Quality: Dresser lumber is typically used for exposed applications	
8	Marine Plywood	
	Thickness: Standard thickness range from 3mm to 25mm	
	Size: Standard sheet sizes are typically 1220mm x 2440mm (4ft x 8ft)	
	Moisture resistance: Excellent resistance to moisture, warping, and	
	delamination in high-humidity environments	
	Durability: Highly durable and can withstand harsh weather conditions,	
	including freezing and thawing cycles Fire resistance: Moderate fire resistance, but can be improved with fire-	
	retardant treatments	
	Strength: High strength-to-weight ratio due to the layered construction	
	, , , , , , , , , , , , , , , , , , , ,	

1 9	4" G.I. Pipe
	Nominal Size: 4 inches
	Nominal Diameter: 100mm
	Outer Diameter: 113.20mm
	Weight: 5.917kg/m
	Standard Length: 6.0m
	Class: AA
	Standard: BS 1387:1985/MS 863:1983
	Pipe End: Plain (Unthreaded)
10	Boulders
	Weight: 15-25 kilograms
	Shape: Irregular, rounded, or angular
	Size: Varies, but typically around 25-35cm in diameter
	Color: Gray, brown, or other natural stone colors
	Texture: Rough or smooth
	Hardness: Varies depending on the type of rock
11	Steel Forms
	Steel Grade: High-strength steel capable of withstanding the rigors of
	concrete pouring, vibration and curing
	Thickness: Sufficient thickness to maintain form rigidity and prevent
	deformation during the concrete placement and curing process Width: 0.35 meters (13.78 inches)
	Height: Varies based on pavement thickness requirements
	Length: Standard lengths (e.g., 3 meters, 6 meters) or customizable to
	specific project needs
For Road Safety	
12	Solar Powered Caution Light with Pole
	Dimension: 300mm less
	Difficusion: 300mm icss
	Width: 350mm x 350mm
	Width: 350mm x 350mm
	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V
	Width: 350mm x 350mm Material: P Power Source: Solar
	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53
	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters
	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing Reflective: Yes
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing Reflective: Yes Power Source: Solar
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing Reflective: Yes Power Source: Solar Battery: Rechargeable Lithium Ion, 2000mAh
	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing Reflective: Yes Power Source: Solar Battery: Rechargeable Lithium Ion, 2000mAh Weight: (approx) 300-350kg
13	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing Reflective: Yes Power Source: Solar Battery: Rechargeable Lithium Ion, 2000mAh Weight: (approx) 300-350kg Solar Street Lights 200Watts with 4m Pole
	Width: 350mm x 350mm Material: P Power Source: Solar Battery: 300mm Lens, Rechargeable 7Ah, 12V Visible Distance: 500 meters IP Rating: IP53 *24 sets for Islands at Roman Expressway *16x2=32 sets for Bridges along Roman Expressway Concrete Barrier with LED Illuminated Directional Indicators Dimensions: L1000mm x W450mm x H820mm Material: Concrete Finish: Paint Illuminated: YES LED Color: Amber Light Action: Flashing, Trailing Reflective: Yes Power Source: Solar Battery: Rechargeable Lithium Ion, 2000mAh Weight: (approx) 300-350kg

	Lamp Post: 4 meters	
	*with concrete pedestal including Mobilization/Demobilization and	
	Installation	
For Pavement	Markings and Repainting Works	
15	Reflectorized Traffic Paint (White)	
	In compliance with DPWH Standard Specification/AASHTO/ASTM	
	Type: Alkyd Based	
	Finish: Semi-Gloss	
	Color: 65-00 White	
	Density, K/L @ 28°C, : 1.20±0.03 K/L	
	Solids by Volume (%): 35% (±2%)	
	Film Thickness (Approximately)	
	Wet Film (WFT): 100 microns – 130 microns per coat	
	Dry Film (DFT): 35 microns – 45.50 microns per coat	
	Practical Coverage: 20-25 sq.m. / 4 liter/coat	
	Drying Time: 1-2 hours min. dries for traffic in 4-6 hours	
	Shelf Life: 1 year when stored in dry cool condition	
16	Acrylic Latex Paint	
	Type: Flat Latex Acrylic	
	Color: Chocolate Brown	
	Coverage: 1.7-1.4 mils DFT per 4 ltrs.	
	Density, K/L @ 28°C, : 1.40±0.05 K/L	
	Packaging: 4 ltrs./1 gallon	_
17	Thermoplastic Pavement Marking Powder (White)	
1,	Material composition requirements shall conform to Table 612.1 of Book	
	of Standards Specifications for Highway Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 Certified and BRS Test Certified	
18	Thermoplastic Pavement Marking Powder (Yellow)	
	Material composition requirements shall conform to Table 612.1 of Book	
	of Standards Specifications for Highway Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 Certified and BRS Test Certified	
	n and Premix Patching / Sealing of Cracks and Joints	
19	Asphalt Cement Penetration Grade 60/70	
	Requirements:	
	Penetration: 60-70 at 77°F (25°C), 100g, 5s	
	Solubility in Trichloroethylene: 99% min	
	Ductility: 100cm min at 77°F (25°C), 5cm/min	
	Flash Point: 232°C min, Cleveland Open Cup	
	Thin Film Oven Test: Loss on heating, 0.8% max	
	Sampling and Testing:	
	In accordance/compliance with the DPWH Standard Specifications/AASHTO/ASTM	
20	Asphalt Cement Penetration 85/100	
	Requirements:	
	Penetration at 25°C (77°F), 100g, 5 seconds: 85-100	
	Softening Point (Ring and Ball): 48-58°C (118-136°F)	
	Ductility at 25°C (77°F): 75-125cm	
	Loss on Heating at 163°C (325°F), 5 hours: ≤1.0%	
	Flash Point (Cleveland Open Cup): ≥200°C (392°F)	_
	Sampling and Testing:	
	In accordance/compliance with the DPWH Standard	
	Specifications/AASHTO/ASTM	
		· · · · · · · · · · · · · · · · · · ·

21	Emulsified Asphalt (SS-1)	
	In compliance with the DPWH Standard Specifications/AASHTO/ASTM	
	SS-1: ASTM D 977 - 25°C to 55°C	
	AASHTO M 140	
	Specific Gravity: at 25°C – ASTM D70	
	Penetration: at 25°C, 100q, 5s – ASTM D5	
	Softening Point: ASTM D36	
	Ductility: at 25°C – ASTM D113	
	Loss of Heating: ASTM D6	
	Drop in Penetration after Heating: ASTM D5	
	Flash Point: ASTM D92	
	Solubility in Trichloroethylene: ASTM D2042	
22	Asphalt Plant Mix Hot	
	In compliance with the DPWH Standard Specifications/AASHTO/ASTM	
	Aggregates:	
	The aggregates shall be clean, durable, and free from deleterious materials. The aggregate gradation shall meet the requirements of the DPWH Standard Specifications.	
	Asphalt Cement:	
	The asphalt cement shall be a penetration grade asphalt cement conforming to the requirements of the DPWH Standard Specifications.	
	Mineral Filler:	
	The mineral filler shall be a finely divided mineral material conforming to the requirements of the DPWH Standard Specifications.	
	Hydrated Lime:	
	The hydrated lime shall be a type N hydrated lime conforming to the requirements of the DPWH Standard Specifications.	
	Production:	
	The HMA shall be produced in a central mix asphalt plant in accordance with the DPWH Standard Specifications. The plant shall be equipped with the necessary equipment to produce a uniform and homogeneous mixture of aggregates, asphalt cement, mineral filler, and hydrated lime. The mixing temperature of the HMA shall be between 150°C and 165°C. The mixing time shall be sufficient to ensure a complete and uniform	
	The mixing temperature of the HMA shall be between 150°C and 165°C.	

(Name of Bidder/Company)	
Signature over Printed Name of Representat	ive)
Designation)	



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

Contract ID No. : 24GCA07

Name of the Project : Procurement of Various Materials for use in Maintenance of National Road and Bridges,

i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan

Location of the Project : Bataan First District

Bid Form B (Financial Proposal)

BILL OF QUANTITIES WITH BID PRICES

Date of Bid Opening : December 18, 2024 @ 10:00 A.M.

Approved Budget for the Contract : Php 10,503,822.70

Item No.	Description	Unit	Quantity	Unit Bid Price (Php)	Total Bid Price (Php)
Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6
Junction	Layac–Balanga–Mariveles Port Road				
1	Cement	bag/s	495		
2	Sand	cu.m./s	28		
3	Gravel ¾"	cu.m./s	55		
4	Reinforcing Steel Bars, Grade 40	pc./s	809		
5	Tie Wire	kg./s	81		
6	Good Lumber	pc./s	99		
7	Assorted CWN (1kg/100 bd-ft of Lumber)	kg./s	50		
8	Marine Plywood (1/2" x 4' x 8')	pc./s	42		
Roman E	Expressway				
9	Cement	bag/s	2,053		
10	Sand	cu.m./s	93		
11	Gravel ¾"	cu.m./s	72		
12	Reinforcing Steel Bars, Grade 40 (Deformed)	pc./s	30		
13	Reinforcing Steel Bars, Grade 40 (Plain)	pc./s	8		
14	Aggregate Subbase Course	cu.m./s	73		
15	4" G.I. Pipe	pc./s	6		
16	Boulders	cu.m./s	5		
17	Steel Forms	pc./s	20		
JASA					
18	Cement	bag/s	915		
19	Sand	cu.m./s	40		
20	Gravel ¾"	cu.m./s	31		
21	Reinforcing Steel Bars, Grade 40 (Deformed)	pc./s	135		
22	Reinforcing Steel Bars, Grade 40 (Plain)	pc./s	21		
23	Aggregate Subbase Course	cu.m./s	34		

For Road Safety					
24	Solar Powered Caution Light with Pole	set/s	56		
25	Concrete Barrier with LED Illuminated	unit/s	30		
26	Solar Street Lights 200 Watts with 4m Pole	unit/s	20		
For Pave	ement Markings and Repainting Works				
27	Reflectorized Traffic Paint (White)	gallon/s	1,000		
28	Acrylic Latex Paint	gallon/s	200		
29	Thermoplastic Pavement Marking Powder (White)	bag/s	230		
30	Thermoplastic Pavement Marking Powder (Yellow) bag/s 230				
For Pave	ement Markings and Repainting Works				
31 Asphalt Cement Penetration Grade 60/70		drum/s	30		
32	Asphalt Cement Penetration Grade 85/100	drum/s	30		
33	Emulsified Asphalt (SS-1)	drum/s	30		
34	Asphalt Plant Mix Hot	mton/s	54		
				TOTAL (PHP)	

Total Amount in Words	<u> </u>
Bid Validity	:
Name and Signature of Bidder	:
Address	:
Telephone/Mobile Number	:
Name of Representative	:
Signature of Representative	1
•	

Note: Columns 1 to 4 are to be filled up by the Procuring Entity. Columns 5 to 7 shall be filled up by the Bidder.

DPWH-G&S-20

¹ Bidders are required to include the cost of all taxes, such as, but not limited to: value added tax (VAT), income tax, local taxes, customs duties, freight, insurance, bank charges and other fiscal levies and duties. These shall be itemized in the bid form and reflected in the detailed estimates.

Contract ID No. : 24GCA07

Name of the Project : Procurement of Various Materials for use in Maintenance of National Road and Bridges,

i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings

and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan

Location of the Project : Bataan First District

Statement of All On-Going Government & Private Contracts including contracts but not yet started

Name o	f Bidder	:							
Name of Contract / Project	a. Owner's Name: b. Address:	Type of Product to be	No. of Units	I Description I be Amount as I awarded nor item I	Award: b. Amount as	payable if	Contract is	Delivered Units	Value of Outstanding Works /
Cost	c. Telephone No.	Delivered						Undelivered Portion	
Governme	<u>nt</u>	T	1	1		1		ı	ı
<u>Private</u>									
ITIVACE									
						TOTAL CO	OST (Php)		
(Name o	of Bidder/Con	npany)							
	ıre over Print	ed Name of	f Repres	entative)					
(Designa	ation)								

DPWH-G&S-14: List of all On-going Government and Private Contracts Including Contracts Awarded but not yet Started: The prospective bidder shall list down all the government and private contracts completed which are similar in nature to the procurement at hand. The BAC shall use the form to determine whether it has completed within the period specified in the Invitation to Bid, a single contract that is similar to the contract to be bid, and whose value, adjusted to current prices using the National Statistics Office (NSO) consumer price indices, must be at least fifty percent (50%) of the ABC. In the case of Expendable Supplies, said single contract must be at least twenty five percent (25%) of the ABC.

Contract ID No. : 24GCA07

Name of the Project : Procurement of Various Materials for use in Maintenance of National Road and Bridges,

i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings

and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan

Location of the Project : Bataan First District

Statement of Single Largest Completed Contract (SLCC) which are Similar in Nature

Name of Bidder :						
Name of Contract	a. Agency's Name: b. Address: c. Telephone No.	Type of Product to be Delivered	No. of Units	Description	a. Amount of Award: b. Amount as Completion: c. Duration:	a. Date Awarded: b. Contract Effectivity: c. Date Completed:
Government		ı	I		ı	I
Duirente						
<u>Private</u>						
(Name of Bidder/Company)						
(Signature over Printed Name of Representative)						
(Designation)						
(Besignation)						

FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A. Summary of the applicant Contractor's assets and liabilities on the basis of the Attached income tax return and financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue (BIR) authorized collecting agent, for the immediate preceding year.

		YEAR 20 (Php)
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = K (Current Assets – Current Liabilities) – Value of all outstanding or uncompleted portions of the projects under on-going contracts, including awarded contracts yet to be started, coinciding with the contract to be bid

K = 15

NFCC = Php

(Name of Bidder/Company)
(Signature over Printed Name of Representative)
(Designation)

BID SECURING DECLARATION FORM

REPUBLIC OF THE PHILIPPINES) CITY OF
BID-SECURING DECLARATION
Contract ID No. : 24GCA07 Name of the Project : Procurement of Various Materials for use in Maintenance of National Road and Bridges, i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan
Location of the Project : Bataan First District
To: DPWH-Bataan 1st District Engineering Office Roman Expressway, Mulawin, Orani, Bataan DANILO A. RUSTIA, JR. BAC-Chairperson Telephone No. 612-0096
I/We, the undersigned, declare that:
1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be i the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/We will be automatically disqualified from bidding for any contract with any procurin entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/We will pay the applicabl fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) day from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
(a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
(b) I am/we declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/We faile to timely file a request for reconsideration or (ii) I/We filed a waiver to avail of said right;
(c) I am/we declared as the bidder with the Lowest Calculated and Responsive Bid, and I have furnished th performance security and signed the Contract.
IN WITNESS WHEREOF, I/We have hereunto set my/our hand this day of (month) (year) at (place of execution)
(Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE (Insert signatory's legal capacity Affiar
(Jurat) (Format shall be based on the latest Rules on Notarial Practice)

DPWH-G&S-04; The Bid Securing Declaration (BSD) is an undertaking which states that the bidder shall enter into contract with the DPWH and furnish the required Performance Security within ten (10) calendar days, or less from receipt of the Notice of Award, committing to pay the corresponding fine and be suspended for a period of time from being qualified to participate in any government procurement activity in the event it violates any of the conditions required in the guidelines issued by the GPPB. BSD must be notarized, dry-sealed with documentary stamps. The BSD shall be submitted to the DPWH as a form of bid security and shall be enforced when the bidder commits any act resulting to the forfeiture of Bid Security.

OMNIBUS SWORN STATEMENT

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S.S.

AFFIDAVIT

- I, (Name of Affiant), of legal age, (Civil Status), and residing at (Address of Affiant), after having been duly sworn in accordance with law, do hereby depose and state that:
 - 1. (Select one, delete the other)

(If a sole proprietorship) I am the sole proprietor or authorized representative of (Name of Bidder) with office address at (Address of Bidder).

(If a partnership, corporation, cooperative, or joint venture) I am duly authorized and designated representative of (Name of Bidder) with office address at (Address of Bidder);

2. (Select one, delete the other)

(If a sole proprietorship) As the owner and sole proprietor, or authorized representative of (Name of Bidder), I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for (Name of the Project) of the (Name of the Procuring Entity), as shown in the attached duly notarized Special Power of Attorney;

(If a partnership, corporation, cooperative, or joint venture) I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for (Name of the Project) of the (Name of the Procuring Entity), as shown in the attached (state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable));

- 3. (Name of Bidder) is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. (Name of Bidder) is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. (Select one, delete the rest)

(If sole proprietorship) The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

(If a partnership or cooperative) None of the officers and members of (Name of Bidder) is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

(If a corporation or joint venture) None of the officers, directors, and controlling stockholders of (Name of Bidder) is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. (Name of Bidder) complies with existing labor laws and standards;
- 8. (Name of Bidder) is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project]; and
- 9. (Name of Bidder) did not give or pay directly or indirectly, any commission, amount, fee or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand this day of (month) (year) at (place of execution)
(Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE (Insert signatory's legal capacity Affian
(Jurat) (Format shall be based on the latest Rules on Notarial Practice)

DPWH-G&S-18: The Omnibus Sworn Statement is a written undertaking issued by the prospective bidder or its duly authorized representative that it's is not "blacklisted" or barred from bidding by the government; each of the documents submitted is an authentic copy of the original, complete, and all statements provided are true and correct; it is authorizing the Head of the Procuring Entity or his duly authorized representative(s) to verify all the documents submitted; the signatory is the duly authorized representative of the prospective bidder, it complies with the disclosure provision under Section 47 of RA 9184 in relation to the provisions of RA 3019; the responsibilities of a bidder provided in the PBDs; existing labor laws and standards; it did not give or pay any amount or any form of consideration, to any person or official, personnel or representative of the government in relation to any procurement or activity.

(Insert signatory's legal capacity)

Affiant

Performance Securing Declaration

(If used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award)

	HE PHILIPPINES)) S.S.
	PERFORMANCE SECURING DECLARATION
Contract ID No. Name of the Pro	i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within $1^{\rm st}$ District of Bataan
Location of the F	Project : Bataan First District
Roman E DANILO BAC-Cha	Bataan 1 st District Engineering Office Expressway, Mulawin, Orani, Bataan A. RUSTIA, JR. hirperson ne No. 612-0096
I/We, the unders	signed, declare that:
supplier/ a Perfor	nderstand that, according to your conditions, to guarantee the faithful performance by the distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/We shall submit mance Securing Declaration within the maximum period of ten (10) calendar days from the receipt of the contract.
procurin	cept that: I/We will be automatically disqualified from bidding for any procurement contract with any g entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon f your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We un	derstand that this Performance Securing Declaration shall cease to be valid upon:
a. Issu	ance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
i. ii. iii.	Procuring Entity has no claims filed against the contract awardee; It has no claims for labor and materials filed against the contractor; and Other terms of the contract; or
	acement by the winning bidder of the submitted PSD with a performance security in any of the prescribed is under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.
IN WITNESS WH	EREOF, I/We have hereunto set my/our hand this day of (month) (year) at (place of execution).
	(Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE)

(Jurat)

(Format shall be based on the latest Rules on Notarial Practice)

Bank Guarantee Form for Advance Payment

Contract ID No. : 24GCA07

Name of the Project : Procurement of Various Materials for use in Maintenance of National Road and Bridges,

i.e., Penetration and Premix Patching, Sealing of Cracks and Joints, Pavement Markings and Repainting Works, Installation of Road Safety Devices within 1st District of Bataan

Location of the Project : Bataan First District

To: **DPWH-Bataan 1**st **District Engineering Office**

Roman Expressway, Mulawin, Orani, Bataan

DANILO A. RUSTIA, JR.

BAC-Chairperson

Telephone No. 612-0096

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, (name and address of Supplier) (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of (amount of guarantee in figures and words).

We, the (bank or financial institution), as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding (amount of guarantee in figures and words).

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until (date).

. 50.5 1. 0.77
Signature and seal of the Guarantors
Name of Bank or Financial Institutions
Address
 Date

Yours truly

DPWH-G&S-36: Performance Security Bank Guarantee issued by a universal or commercial bank is an acceptable form of a performance security that the winning bidder shall have to post as a requirement for the contract. The bank guarantee shall be in the amount of 5% of contract price. In the case of a bank guarantee issued by a foreign bank, this shall be confirmed or authenticated by a universal or commercial bank.