



Republic of the Philippines  
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
**CORDILLERA ADMINISTRATIVE REGION**  
Engineers Hill, Baguio City



**Small Value Procurement [Section 53.9]**

Name of Procuring Entity: DPWH-CAR Regional Office Request for Quotation: 25GP00022

Standard Form/Title: REQUEST FOR QUOTATION Office/End user: EMD

COMPANY NAME :

ADDRESS :

TEL. NO./FAX NO.: TIN No.

Please quote your lowest price on the item(s) listed below, subject to the Terms and conditions stated below and submit your quotation duly signed by your representative not later than 2:00 PM of 04 MAR 2025 in the return envelope attached herewith, to the BAC Chairman, DPWH-CAR Regional Office.

**TERMS and CONDITIONS:**

1. All entries must be typewritten or legibly written.
2. Delivery period within **within 15 CD** upon receipt of the approved funded Purchase Order (P.O.). Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three months for supplies & materials; one year for equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar days.
5. For all Suppliers, the two (2) envelope system will be followed. The first envelope  
The first envelope shall contain the following eligibility document/s:  
(A) PhilGEPS Platinum Certificate (Certified Copy) or PhilGEPS Registration Number;  
(B) Mayor's Permit (Certified Copy); and  
(C) Omnibus Sworn Statement; (D) Income Tax Return (Certified Copy).  
The second envelope which will contain the quotation shall only be opened after the first is declared complying.
6. Bidders shall submit original brochures showing certifications of the product if applicable.
7. Please indicate the brand for each items being offered in order to evaluate conformity with specifications.
8. Suppliers must have a physical office/shop with trade name displayed and inventory of supplies / goods.
9. The approved budget ceiling for this procurement is **Php 979,790.00**
10. Source of Fund: \_\_\_\_\_

**LEO T. MUSTARD**

BAC Chairman

RBP

CCL

AOD

FOM

| Item no | ITEMS & DESCRIPTION  | QTY | UNIT | UNIT PRICE | TOTAL PRICE |
|---------|--|-----|------|------------|-------------|
|         | <b>25GP00022- Procurement of Various Tools and other Personal Protective Equipment (PPE) to be utilized to upgrade the capability of dredge crew in conducting maintenance and repair of equipment and service vehicles assigned for the Dredging Projects along Chico River</b> |     |      |            |             |
|         | <b>TOOLS FOR LAND-BASED EQUIPMENT ASSIGNED FOR DREDGING PROJECT</b>  |     |      |            |             |
| 1       | Grease gun<br>▷Capacity: ≥400cc<br>▷Working Pressure: ≥4500psi<br>▷Steel tube<br>▷Aluminum-Cast Standard Accessory:<br>High Pressure Flexible Hose<br>Metallic Bend Spout  | 15  | set  |            |             |

| Item no | ITEMS & DESCRIPTION   |  | QTY | UNIT | UNIT PRICE | TOTAL PRICE |
|---------|---|--|-----|------|------------|-------------|
| 2       | Socket Wrench Set,<br>1/2 Inch Square Drive   | ▷Socket Shape: Hexagonal /6 Point Sockets<br>▷Socket Sizes, mm: 8 to 32<br>▷Set Includes:<br>Ratchet, Extension bars (5" & 10"),<br>Sliding T-Handle, Universal Joint<br>Carrying Case/Tool Box<br>▷Material: Chrome-Vanadium Steel (Cr-V) | 1   | set  |            |             |
| 3       | Socket Wrench Set,<br>3/4 Inch Square Drive   | ▷Socket Shape: Hexagonal / 6 Point, Preferably<br>▷Socket Size Range, Metric (mm): 21 to 50<br>▷Set Includes:<br>Ratchet, Extensions, Adaptors, Power Handles,<br>Carrying Case/Tool Box<br>▷Material: Chrome-Vanadium Steel (Cr-V)        | 1   | set  |            |             |
| 4       | Power Handle,<br>Sliding Tee<br>1 Inch Square Drive   | ▷Length: 30 inches, or more<br>▷Material: Chrome-Vanadium Steel (Cr-V)   | 3   | pc   |            |             |
| 5       | Power Handle,<br>Flexible<br>1 Inch Square Drive  | ▷Length: 26 inches, or more<br>▷Material: Chrome-Vanadium Steel (Cr-V)   | 3   | pc   |            |             |
| 6       | Ratchet Handle<br>1 Inch Square Drive   | ▷Length: 32 inches, or more<br>▷Material: Chrome-Vanadium Steel (Cr-V)   | 3   | pc   |            |             |
| 7       | Socket Wrench<br>▷1 Inch Square Drive<br>▷Socket Shape: Hexagonal<br>▷Material: Chrome-Molybdenum (Cr-Mo), Heat Treated | ▷Socket Size: 65mm   | 1   | pc   |            |             |
| 8       |   | ▷Socket Size: 55mm   | 3   | pc   |            |             |
| 9       |   | ▷Socket Size: 50mm   | 3   | pc   |            |             |
| 10      |   | ▷Socket Size: 46mm   | 3   | pc   |            |             |
| 11      |   | ▷Socket Size: 41mm   | 3   | pc   |            |             |
| 12      |   | ▷Socket Size: 36mm   | 3   | pc   |            |             |
| 13      |   | ▷Socket Size: 32mm   | 3   | pc   |            |             |
| 14      | Slugging Ring Wrench  | ▷Size: 41mm  | 3   | pc   |            |             |
| 15      | ▷45° Offset   | ▷Size: 50mm  | 2   | pc   |            |             |
| 16      | ▷Material: Chrome Vanadium Steel (Cr-V)   | ▷Size: 55mm  | 1   | pc   |            |             |
| 17      | Truck Tire Wrench   | ▷Size: 33mm x 32mm   | 1   | pc   |            |             |
| 18      | 2 - Way   | ▷Size: 35mm x 17mm   | 1   | pc   |            |             |
| 19      | Adjustable Wrench,<br>Big Size  | ▷Size: 24 inches<br>▷Heavy Duty  | 1   | pc   |            |             |
| 20      |   | ▷Size: 18 inches<br>▷Heavy Duty  | 2   | pc   |            |             |
| 21      | Adjustable Wrench<br>Small Size   | ▷Sizes: 10 inches  | 2   | pc   |            |             |
| 22      |   | ▷Sizes: 6 inches   | 2   | pc   |            |             |
| 23      | Combination Wrench  | ▷Sizes, (mm): 8, 9, 10, 12, 13, 14, 17, 19, 21, 22, 24, 27, 30, 32<br>▷Material: Chrome-Vanadium Steel (Cr-V)<br>▷Set Includes: Tool Holder  | 7   | set  |            |             |

| Item no | ITEMS & DESCRIPTION             |   | QTY | UNIT | UNIT PRICE | TOTAL PRICE |
|---------|---------------------------------|---|-----|------|------------|-------------|
| 24      | Allen Wrench Set                | ▷Hexagonal Shape<br>▷Sizes, mm: 1.5 to 19.0<br>▷Set Includes: Carrying Case   | 2   | set  |            |             |
| 25      | Adjustable Belt Strap Wrench    | ▷Clamping diameter, mm: Ø25-160mm, or more  | 5   | pc   |            |             |
| 26      | Chain Wrench, Heavy Duty        | ▷Handle Size: ≥12 inch<br>▷Clamping diameter, mm: Ø60-170mm, or more  | 1   | pc   |            |             |
| 27      | Compound Action Plier Line Man  | ▷Size: ≥8 inches<br>▷Compound Action Feature<br>▷Heavy Duty<br>▷Spring loaded design<br>▷Locking mechanism                                      | 1   | pc   |            |             |
| 28      | Compound Action Plier Long Nose | ▷Size: ≥9 inches<br>▷Compound Action Feature<br>▷Heavy Duty<br>▷Spring loaded design<br>▷Locking mechanism                                      | 1   | pc   |            |             |
| 29      | Compound Action Plier Diagonal  | ▷Size: ≥7 inches<br>▷Compound Action Feature<br>▷Heavy Duty<br>▷Spring loaded design<br>▷Locking mechanism                                      | 1   | pc   |            |             |
| 30      | Vise Grip Plier                 | ▷Size: ≥10 inches<br>▷Type: Straight Jaw<br>▷Heavy Duty   | 1   | pc   |            |             |
| 31      |                                 | ▷Size: ≥10 inches<br>▷Type: Curved Jaw<br>▷Heavy Duty   | 1   | pc   |            |             |
| 32      | Sledge Hammer                   | ▷Hammer Head Weight: <b>4lbs</b><br>▷Short handle - Fiber Glass   | 5   | pc   |            |             |
| 33      |                                 | ▷Hammer Head Weight: <b>12lbs</b><br>▷Long Handle - Fiber Glass   | 3   | pc   |            |             |
| 34      | Slide Hammer Puller Set         | ▷Hammer Weight: 5lbs<br>▷Set Includes Pulling Tools:<br>External & Internal Jaw Pullers,<br>Locking Pliers<br>Adapter, Dent Puller, Puller Hook | 1   | set  |            |             |
| 35      | Ball Peen Hammer                | ▷Hammer Head Weight: 2lbs/900gram   | 2   | pc   |            |             |
| 36      | Claw Hammer                     | ▷Hammer Head Weight: <b>200z</b> /560 grams   | 2   | pc   |            |             |
| 37      | Claw Bar                        | ▷Size: 30 inches  | 1   | pc   |            |             |
| 38      | Rubber Hammer                   | ▷Hammer Head Weight: 2lbs/900gram   | 2   | pc   |            |             |
| 39      | Tire inflator Gun, Heavy Duty   | ▷Max. Pressure: ≥230psi<br>▷Port Size: 1/4" thread<br>▷Includes: Pressure gauge   | 2   | pc   |            |             |
| 40      | Air Chuck, Dual                 | ▷Heavy Duty   | 2   | pc   |            |             |
| 41      | Air Hose                        | ▷Max. Working Pressure: 30 Bar (400psi)<br>▷Inside Diameter: 3/8" / 10mm<br>▷Material: Rubber<br>▷Equipped with Japanese Type Quick Coupler     | 1   | pc   |            |             |
| 42      | Air Hose, Coiled                | ▷Length: 100 meters /30 feet<br>▷Working Pressure: 300psi<br>▷Equipped with Japanese Type Quick Coupler   | 3   | pc   |            |             |
| 43      | Air Blow Gun                    | ▷Nozzle Length: 200mm, or more<br>▷Equipped with Japanese Type Quick Coupler  | 3   | pc   |            |             |

| Item no | ITEMS & DESCRIPTION   |  | QTY | UNIT | UNIT PRICE | TOTAL PRICE |
|---------|---|--|-----|------|------------|-------------|
| 44      | Pneumatic Fittings<br>Quick Release<br>Coupler<br>Socket & Plug<br>▷ Type: Japanese<br>▷ Material:<br>Stainless Steel | <b>SM-40</b> (Socket + Male 1/2" Thread)   | 3   | pc   |            |             |
| 45      |   | <b>SM-30</b> (Socket + Male 3/8" Thread)   | 3   | pc   |            |             |
| 46      |   | <b>SM-20</b> (Socket + Male 1/4" Thread)   | 3   | pc   |            |             |
| 47      |   | <b>SF-40</b> (Socket + Female 1/2" Thread)   | 3   | pc   |            |             |
| 48      |   | <b>SF-30</b> (Socket + Female 3/8" Thread)   | 6   | pc   |            |             |
| 49      |   | <b>SF-20</b> (Socket + Female 1/4" Thread)   | 3   | pc   |            |             |
| 50      |   | <b>SH-40</b> (Socket, for ID: ø1/2" Hose)  | 3   | pc   |            |             |
| 51      |   | <b>SH-30</b> (Socket, for ID: ø3/8" Hose)  | 3   | pc   |            |             |
| 52      |   | <b>SH-20</b> (Socket, for ID ø1/4" Hose)   | 3   | pc   |            |             |
| 53      |   | <b>PH-40</b> (Plug, for ID: ø1/2" Hose)  | 3   | pc   |            |             |
| 54      |   | <b>PH-30</b> (Plug, for ID ø3/8" Hose)   | 3   | pc   |            |             |
| 55      |   | <b>PH-20</b> (Plug, for ID ø1/4" Hose)   | 3   | pc   |            |             |
| 56      |   | <b>PM-40</b> (Plug + Male 1/2" Thread)   | 3   | pc   |            |             |
| 57      |   | <b>PM-30</b> (Plug + Male 3/8" Thread)   | 6   | pc   |            |             |
| 58      |   | <b>PM-20</b> (Plug + Male 1/4" Thread)   | 3   | pc   |            |             |
| 59      | Cordless/ Brushless drill Set   | ▷ Voltage: 20V<br>▷ Chuck Capacity: Ø13mm<br>▷ Max Torque: 66N.m<br>▷ Variable speed control<br>▷ Spindle lock function<br>▷ Includes:<br>2 Pc 2.0Ah battery pack<br>1 Pc charger<br>1 Set of Screw bits<br>1 Pc carrying case   | 1   | set  |            |             |
| 60      | HSS Drill Bits Set  | ▷ Sizes (mm): 3.0, 4.0, 5.0, 6.0, 8.0, 10.0, 13.0<br>▷ Material: M35 / HSS-Co 5% Cobalt  | 1   | set  |            |             |
| 61      | Steel File Set  | ▷ Size: 8" / 200mm<br>▷ Set Includes:<br>Flat, Half round, Round, Triangle & Square  | 2   | set  |            |             |
| 62      | Angle Grinder   | ▷ Rated Power: 840 Watts<br>▷ Disc diameter: 125mm<br>▷ Set Includes:<br>Auxilliary handle & Carrying Case   | 1   | set  |            |             |
| 63      | Wire Cup Brush for Angle Grinder  | ▷ Size: 125 mm (5")  | 8   | kg   |            |             |
| 64      | Grinding Disc   | ▷ Size: 125 mm (5")  | 10  | kg   |            |             |
| 65      | Cutting Disc  | ▷ Size: 125 mm (5")  | 30  | kg   |            |             |
| 66      | Welding Machine, Portable Manual Metal Arc (MMA)  | ▷ IGBT Inverter technology<br>▷ Output current Ampere: up to 350<br>▷ Usable electrode diameter, mm : 1.0-5.0<br>▷ No-Load Voltage (OCV): 79V<br>▷ Duty Cycle (%): 60%<br>▷ Efficiency (%): 85%<br>▷ Accessories:<br>Electrode holder with cable<br>Earth clamp with cable | 1   | set  |            |             |
| 67      | Welding Helmet  | ▷ Auto Darkening, Heavy Duty   | 1   | pc   |            |             |
| 68      | Welding Rod 7018  | ▷ Size: 4.0 mm (5/32")<br>▷ Electrode: E - 7018  | 40  | kg   |            |             |
| 69      | Booster Cable   | ▷ Capacity: 500 Ampere<br>▷ Length: 2.5 meters   | 3   | pc   |            |             |

| Item no | ITEMS & DESCRIPTION             |  | QTY | UNIT | UNIT PRICE | TOTAL PRICE |
|---------|---------------------------------|--|-----|------|------------|-------------|
| 70      | Pressure Washer, Electric       | ▷Motor power: 1,400 W<br>▷Max. pressure: 110 bar<br>▷Max. flow rate: 60 l/min<br>▷Cable length: ≥5 m<br>▷Hose length: ≥5 m                     | 1   | set  |            |             |
| 71      | Extension Cord, Cable Reel Type | ▷Cord Length: 50M<br>▷Cord Size: #16<br>▷4 Sockets<br>▷Power Switch<br>▷Thermal Cut-out Protection<br>▷Winding Knob                            | 2   | pc   |            |             |
| 72      | Water Pump, Diesel              | ▷Suction & Discharge Port Diameter: 50mm (2")<br>▷Flow Rate: 500L/Min<br>▷Max Head: 20 m<br>▷Max Suction Head: 8 m<br>▷Engine Rated Power: 5hp | 1   | pc   |            |             |
| 73      | Flat Hose                       | ▷Size: 50mm (2")<br>▷Length: 100 meters<br>▷Material: PVC  | 1   | pc   |            |             |
| 74      | Corrugated Suction Hose         | ▷Size: 50mm (2")<br>▷Length: 6 meters (20ft)<br>▷Material: PVC   | 1   | pc   |            |             |
| 75      | Water Pump Foot Valve           | ▷Size: 50mm (2")   | 1   | pc   |            |             |
| 76      | Adjustable Nozzle, High Flow    | ▷With Hose nipple for 2 inch flat hose   | 1   | pc   |            |             |
| 77      | Steel Shovel                    | ▷Shovel head thickness: ≥1.8mm<br>▷Fiberglass handle   | 3   | pc   |            |             |
| 78      | Feeler Gauge                    | ▷Metric Unit<br>▷Chrome plated steel protector with locking knurl nut, Hardened spring steel blades  | 2   | Set  |            |             |
| 79      | Vernier Caliper, Digital        | ▷Range:0-200mm, or more<br>▷Reading:0.01mm<br>▷IP54 housing<br>▷Battery 3V<br>▷Metric/inch system conversion at any position                   | 1   | pc   |            |             |
| 80      | Spring Type Caliper Set         | ▷Size: ≥12 Inches<br>▷Material: Chromium Vanadium Steel (Cr-V)<br>▷Set Includes:<br>Inside, Outside, Divider Spring Type Caliper               | 1   | set  |            |             |
| 81      | O Ring Kit, Metric              | ▷Sizes: 3mm to 44mm, Assorted<br>▷Material: Nitrile  | 2   | box  |            |             |
| 82      | Tap and Die Set Heavy Duty      | ▷Metric<br>▷Tap and Die Size Range: M6 to M24  | 1   | set  |            |             |
| 83      | Hand Operated Oil Pump Feeder   | ▷Capacity: 20L<br>▷Hose Length: 6FT  | 1   | pc   |            |             |

| Item no  | ITEMS & DESCRIPTION         |  | QTY | UNIT | UNIT PRICE | TOTAL PRICE |
|--|-----------------------------|--|-----|------|------------|-------------|
| 84   | Pneumatic Grease Lubricator | ▷Capacity: ≥45L<br>▷Working Pressure: 6-8 bar, or more<br>▷Pressure Ratio: 50:1<br>▷Barrel/Cylinder Diameter: ≥Ø70 mm<br>▷Material: Steel barrel and lid<br>▷Accessories:<br>High Pressure Flexible Hose<br>Hose Length: ≥5 meters<br>Pneumatic Grease Gun<br>With wheels and handle   | 1   | set  |            |             |
| 85   | Bench Vise                  | ▷Size: 6 inches  | 1   | Set  |            |             |
| 86   | Stainless Steel 304 Plate   | ▷Plate Dimension: 4ft x 8ft<br>▷Plate Thickness: 1.0mm   | 1   | Set  |            |             |
| <b>PERSONAL PROTECTIVE EQUIPMENT FOR PROJECT ENGINEERS, INSPECTORS, AND SITE ENGINEERS</b> |                             |  |     |      |            |             |
| 87   | Working Shoes               | ▷Upper : ChromeFree leather<br>▷Panels : ChromeFree leather<br>▷Insole : Amazonian rubber (11%), sugar cane (42%), recycled E.V.A.* (11%) and organic cotton (12%)<br>▷Outsole : Amazonian rubber (40%), silica (23%), recycled rubber (10%), synthetic rubber (11%), and others (16%)<br>▷Lining : Tech (100% recycled polyester) | 26  | pair |            |             |
| 88   | Working Jacket              | ▷Fabric: Polyester<br>▷Cocktail jacket with standing collar and buttoned cuffs<br>▷Hip welt pockets, zip-up fastening on the front   | 30  | pc   |            |             |
| 89   | Hard Hat                    | Safety Hard Hat Type I – Class G (OSHC-Dole Standard) with lower electrical resistance protection, with chin strap, white ABS shell, pinlock type adjust. Color Coding   | 3   | pc   |            |             |
|  |                             |  |     |      |            |             |
|  |                             |  |     |      |            |             |
|  |                             |  |     |      |            |             |
|  |                             |  |     |      |            |             |

Brand and Model : \_\_\_\_\_ Warranty: \_\_\_\_\_  
 Delivery Period : \_\_\_\_\_ Price Validity: \_\_\_\_\_

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices note above. If the space for delivery Period, Warranty and Price Validity are left blank, it means disqualification.

|  |                |  |
|--|----------------|--|
| Tel No.  | Telefax:       | Printed Name/Signature/Date              |
| (074) 424 1018   | (074) 444-8838 |  |
| <a href="mailto:dpwhcarbacc@yahoo.com">dpwhcarbacc@yahoo.com</a> |                | Tel. No./ Cellphone No. / E-mail Address |