

## Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

## ILOCOS NORTE 2ND DISTRICT ENGINEERING OFFICE

San Nicolas, Ilocos Norte , Region I

| . turne Of  | the Procuring Entity: <u>DPWH-IN 2nd DEO</u>  | Request for |                   | 900        | AB-2024-0021              |  |
|---|---|-------------|-------------------|------------|---------------------------|--|
| Revised o   | on:   |             | (P.R. No.)        | 202        | 4-03-025 dated 04-18-2024 |  |
| Title:  | Supply and Delivery of various spare parts, for use in the Co and Preventive Maintenance of Service Vehicle of DPWH-IN:   |             | Office            | /End-User: |                           |  |
| COMPA   | NY NAME:  |             |                   |            |                           |  |
|   | ADDRESS:  |             |                   |            |                           |  |
| TEL NO.   | /FAX NO.: TIN NO  |             |                   |            |                           |  |
| envelope<br>DPWH II   | oute your lowest price on the item(s) listed below, subject to the Terms are duly signed by your representative not later than 10 A.M. of May 15, 2020 poos Norte Second District Engineering Office San Nicolas, Ilocos Norte. |             |                   |            |                           |  |
| TERMS and CONDITIONS:  1. All entries must be typewritten or legibly written.  2. Delivery period within <u>Fifteen 15 calendar days</u> upon receipt of the approved funded Purchase (P.O.). Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason. |   |             |                   |            | 7                         |  |
| 3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year warranty for Equipment; 1 year IT Equipment from date of acceptance by the end-user.  |   |             | ROSALINE A. CACAO |            |                           |  |
| <ol> <li>Price validity shall be for a period for a period of sixty (60) calendar days.</li> <li>Mayor's Permit/ Business Permit, PHILGEPS Registration Certificate, Omnibus Sworn<br/>Statement shall be attached upon submission of the quotation.</li> </ol>   |   |             |                   | AAC V      | rice Chairperson          |  |
| 6. Bidder<br>7. Please  | s shall submit original brochures showing certifications of the product, if appindicate the brand for each items being offered.   |             |                   |            |                           |  |
| 8. The ap   | proved budget ceiling for this procurement is P   | 615,986.00  |                   | LINITE     |                           |  |
| No.   | Item Description  | QTY         | UNIT              | PRICE      | TOTAL PRICE               |  |
| For use   | in the Preventive Maintenance of 4 units 2020 Toyota Hilux Pick Up,<br>4), H1-8053 (P4P 293)  | with DPCN H | 11-8050 (F        |            | H1-8051 (P6G 685), H1-80  |  |
| 1   | Oil filter, C111  | 8.00        | pcs               | ETH        |                           |  |
| 2   | Fuel filter, element, 23390-0L070   | 4.00        | pcs               |            |                           |  |
| 3   | Air filter, 17801-0L040   | 4.00        | pcs               |            |                           |  |
| 4   | Brake pad, Part#:(DB1482 GCT)   | 4.00        | set               |            |                           |  |
| 5   | Brake shoe, Part#:PBS 471740  | 4.00        | set               |            |                           |  |
| 6   | Battery 12V, DIN66L   | 4.00        | pcs               |            |                           |  |
| 7   | Tire 265/65 R17 H/T for service vehicle with DPCN H1-8053 (P4P 293)   | 4.00        | pcs               |            |                           |  |
| 8   | Tire valve  | 4.00        | pcs               |            |                           |  |
| For use in  | the repair of 2007 Mitsubishi L200 Strada GLX Pick Up with DPCN H1-7471, Z  | GT 995      |                   |            |                           |  |
| 9   | Tires 245/70 R16  | 4.00        | pcs               | N N 164    |                           |  |
| 10  | Tire valve  | 4.00        | pcs               |            |                           |  |
| 11  | Brake pad   | 1.00        | set               |            |                           |  |
|   | FH1-7743, Plate No. AVA 6436, 2015 Mitsubishi Strada GLX 2.5D Pick Up   | 1 4 00      |                   |            |                           |  |
| 12  | Brake pad   | 1.00        | set               |            |                           |  |
| 13  | Tires 245/70 R16  | 4.00        | pcs               |            |                           |  |
| 14  | Tire valve  | 4.00        | pcs               |            |                           |  |
| 15  | Belt valve timing   | 1.00        | рс                | N/SI/SI    | 4                         |  |
| 16  | Belt balancer timing  | 1.00        | рс                |            |                           |  |
| 17  | Spacer balancer shaft   | 1.00        | рс                |            |                           |  |
| 18  | Arm timing belt   | 1.00        | рс                |            |                           |  |
| 19  | Tensioner bearing   | 1.00        | рс                |            |                           |  |
| 20  | Oil seal crankshaft frt   | 1.00        | рс                |            |                           |  |
| 21  | Oil seal camshaft   | 1.00        | рс                | THE.       |                           |  |
| 22  | Oil seal oil pump   | 1.00        | рс                |            |                           |  |

| 23   | Oil seal balancer shaft   | 1.00  | рс   |  |  |  |
|--|---|-------|------|--|--|--|
| 24   | Adjuster timing belt  | 1.00  | рс   |  |  |  |
| 25   | Balancer tensioner  | 1.00  | рс   |  |  |  |
| 26   | Sleeve balancer shaft   | 1.00  | рс   |  |  |  |
| For use of   | 1997 Isuzu D/Cab Pick Up with DPCN H1-7747, Plate No. WBR583    |       |      |  |  |  |
| 27   | Liner & Honing  | 4.00  | pcs  |  |  |  |
| 28   | Valve guide   | 8.00  | pcs  |  |  |  |
| 29   | Valve setting   | 8.00  | pcs  |  |  |  |
| 30   | Injector calibration  | 4.00  | pcs  |  |  |  |
| For use of   | f H1-7474, Plate No. AAA 1721 2014 Ford Ranger Dsl 2.2L Pick Up |       |      |  |  |  |
| 31   | Brake pad   | 1.00  | set  |  |  |  |
| 32   | Tail light assy., right   | 1.00  | рс   |  |  |  |
| 33   | Oil Filter, BB3Q6744BA  | 1.00  | рс   |  |  |  |
| 34   | Fuel Filter, U201-13-2A5A / FFS1640                             | 1.00  | рс   |  |  |  |
| 35   | Battery, 2SMF 12V   | 1.00  | рс   |  |  |  |
| For use of   | f H1-7476, Plate No. NOV 555 2001 Nissan Frontier Pick          |       |      |  |  |  |
| 36   | Brake pad   | 2.00  | set  |  |  |  |
| 37   | Oil Filter, C209  | 1.00  | pcs  |  |  |  |
| 38   | Fuel Filter, FC-235 & FC-234                                    | 2.00  | pcs  |  |  |  |
| 39   | Tire 235/75 R15   | 2.00  | pcs  |  |  |  |
| 40   | Tire valve  | 2.00  | pcs  |  |  |  |
|  | f H1-7745, CS# NO 0666 2016 Mitsubishi Strada GT 2.4D Pick Up   | 2.00  | PCS  |  |  |  |
| 41   | Oil Filter, 1230A182 / C307/C312                                | 2.00  | pcs  |  |  |  |
| 42   | Fuel Filter, 1770A233 / F193                                    | 1.00  | рс   |  |  |  |
| 43   | Brake pad, DB1774GCT  | 1.00  | set  |  |  |  |
| 44   | Brake shoe  | 1.00  | set  |  |  |  |
| 45   | ATF filter  | 1.00  | set  |  |  |  |
|  | F Plate No. ICL 3181, 2016 Ford Everest Trend 2 Wagon           | 1.00  | 500  |  |  |  |
| 46   | Oil Filter, BB3Q6744BA / FOP3207                                | 1.00  | рс   |  |  |  |
| 47   | Fuel Filter, U201-13-2A5A / FFP3211                             | 1.00  | рс   |  |  |  |
| 48   | Brake pad, front  | 1.00  | set  |  |  |  |
| 49   | Brake pad, rear   | 1.00  | set  |  |  |  |
| 50   | Lever kit lock  | 1.00  | рс   |  |  |  |
| 51   | Motor A/C door  | 1.00  | рс   |  |  |  |
| 52   | Screen transmission   | 1.00  |      |  |  |  |
| 53   |   |       | pc   |  |  |  |
| 54   | SOLV brk prt clnr   | 1.00  | pc   |  |  |  |
|  | Aircon refrigirant  | 1.00  | lot  |  |  |  |
| 55<br>For we of  | Mercon LV   | 9.00  | Itrs |  |  |  |
|  | f H1-7746, CS# BOC 615 2017 Mitsubishi L300 Exceed FB Body      | 1 100 |      |  |  |  |
| 56   | Timing belt   | 1.00  | pc   |  |  |  |
| 57   | Balance belt  | 1.00  | pc   |  |  |  |
| 58   | Cranshaft oil seal  | 1.00  | рс   |  |  |  |
| 59   | Camshaft oil seal   | 1.00  | рс   |  |  |  |
| 60   | Timing belt tensioner   | 1.00  | рс   | The second secon |  |  |
| 61   | Balancer belt tensioner   | 1.00  | pc   |  |  |  |
| 62   | Balancer oil seal   | 2.00  | pcs  |  |  |  |
| 63   | Silastic/silicon gasket   | 1.00  | рс   |  |  |  |
| 64   | Valve cover gasket  | 1.00  | рс   |  |  |  |
| 65   | Half moon   | 1.00  | рс   |  |  |  |
| For use of H1-9215, CS# Y0X 257 2023 MITSUBISHI STRADA ATHLETE 2.4D AT 4X4         |   |       |      |  |  |  |
| 66   | Tires 265/60 R18 H/T  | 4.00  | pcs  |  |  |  |
| 67   | Tire valve  | 4.00  | pcs  |  |  |  |
| 68   | Brake pad   | 1.00  | set  |  |  |  |
| For use of 2022 Toyota Hilux 2.8L 4X4 AT Conquest, with DPCN H1-8718 (CS# S3R 106) |   |       |      |  |  |  |
| 69   | Brake pad Part#:DB1482 GCT                                      | 1.00  | set  |  |  |  |

| For use of 2 units 2023 MITSUBISHI STRADA GLS 2.4D AT 4X2 with DPCN H1-9213, CS# Y1O 056 & DPCN H1-9214, CS# Y1O 075   |  |                                      |                                      |       |             |  |  |  |  |  |  |
|--|--|--------------------------------------|--------------------------------------|-------|-------------|--|--|--|--|--|--|
| 70   | Brake pad  | 4.00                                 | set                                  |       |             |  |  |  |  |  |  |
| For use of   | 2 units 2023 Nissan NP300 Navara 2,5VL AT 4X4 with DPCN H1-  |                                      | 40, CS# F5                           | M 002 |             |  |  |  |  |  |  |
| 71   | Brake pad  | 4.00                                 | set                                  |       | Vinit 45    |  |  |  |  |  |  |
| For use of   | For use of H1-7475, Plate No. WPU 808 200 Mitsubishi L200 Pick Up  |                                      |                                      |       |             |  |  |  |  |  |  |
| 72   | Wheel cylinder   | 2.00                                 | pcs                                  |       |             |  |  |  |  |  |  |
| 73   | Radiator assy.   | 1.00                                 | рс                                   |       |             |  |  |  |  |  |  |
| 74   | Output shaft oil seal  | 1.00                                 | рс                                   |       |             |  |  |  |  |  |  |
| 75   | Radiator hose, upper & lower   | 2.00                                 | pcs                                  |       |             |  |  |  |  |  |  |
| 76   | Alternator oil pressure hose   | 1.00                                 | рс                                   |       |             |  |  |  |  |  |  |
| 77   | Oil sender   | 1.00                                 | рс                                   |       |             |  |  |  |  |  |  |
| 78   | Alternator return hose   | 1.00                                 | рс                                   |       |             |  |  |  |  |  |  |
| 79   | Brake pad, DLA433WK  | 1.00                                 | set                                  |       |             |  |  |  |  |  |  |
| For use of   | f Plate No. XCH 235 2000 Mitsubishi L200 Pick Up   |                                      |                                      |       |             |  |  |  |  |  |  |
| 80   | Brake pad, DLA433WK  | 1.00                                 | set                                  |       |             |  |  |  |  |  |  |
| 81   | Alternator assy.   | 1.00                                 | рс                                   |       |             |  |  |  |  |  |  |
| For use in   | the Corrective Maintenance of Service Vehicle with Plate No. CS#   | # Y1O 056, CS# YOX 257, CS           | 3# Y1O 075                           | 5     |             |  |  |  |  |  |  |
| 82   | Battery, 3SMF 12V  | 3.00                                 | pcs                                  |       |             |  |  |  |  |  |  |
| Whenever possible and economical suppliers should provide products that are environmentally friendly (contain maximum level of post consumer recyclable content, non-hazardous materials, extended durability and lesser negative or reduced effect on human health and the environment and/or certified by green seal) without significantly affecting the intended use of the product. |  |                                      |                                      |       |             |  |  |  |  |  |  |
| Brand and Model:<br>Delivery Period:   |  | Warranty:<br>Price Validity <u>:</u> | Warranty:<br>Price Validity <u>:</u> |       |             |  |  |  |  |  |  |
|  | er having carefully read and accepted your General Condi-<br>ery period, Warranty and Price validity are left blank, it m<br>Telephone #: 676-0184 c/o BAC Secretariat |                                      |                                      |       |             |  |  |  |  |  |  |
| ad: 10-May-24  PRINT NAME/SIGNAT   |  |                                      |                                      |       | NATURE/DATE |  |  |  |  |  |  |