

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

CAMARINES SUR 1ST DISTRICT ENGINEERING OFFICE

BIDDING DOCUMENTS FOR

CONTRACT NAME: 25GFD0009 – Supply and Delivery of Various I.T Equipment for use in Various Sections for 2nd Quarter CY 2025 of DPWH - Camarines Sur 1st DEO

CONTRACT LOCATION: **DPWH Camarines Sur 1st District Engineering Office, Baras, Canaman, Camarines Sur**

Date of Opening of Bids: June 30, 2025

Start Date for Issuance of Bidding Documents: **June 10, 2025**

Table of Contents

| Glossa | ary of Acronyms, Terms, and Abbreviations | 4 |
|--------|--|----|
| Sectio | n I. Invitation to Bid | .7 |
| Sectio | n II. Instructions to Bidders | 10 |
| 1. | Scope of Bid 1 | 11 |
| 2. | Funding Information 1 | 11 |
| 3. | Bidding Requirements 1 | 11 |
| 4. | Corrupt, Fraudulent, Collusive, and Coercive Practices | 11 |
| 5. | Eligible Bidders 1 | 11 |
| 6. | Origin of Goods 1 | 12 |
| 7. | Subcontracts 1 | 12 |
| 8. | Pre-Bid Conference 1 | 12 |
| 9. | Clarification and Amendment of Bidding Documents 1 | 12 |
| 10. | Documents comprising the Bid: Eligibility and Technical Components 1 | 12 |
| 11. | Documents comprising the Bid: Financial Component 1 | 13 |
| 12. | Bid Prices 1 | 13 |
| 13. | Bid and Payment Currencies 1 | 13 |
| 14. | Bid Security 1 | 14 |
| 15. | Sealing and Marking of Bids 1 | 14 |
| 16. | Deadline for Submission of Bids 1 | 14 |
| 17. | Opening and Preliminary Examination of Bids 1 | 14 |
| 18. | Domestic Preference 1 | 14 |
| 19. | Detailed Evaluation and Comparison of Bids | 15 |
| 20. | Post-Qualification | 15 |
| 21. | Signing of the Contract 1 | 15 |
| Sectio | n III. Bid Data Sheet | 16 |

| Sect | ion IV. General Conditions of Contract | 18 |
|------|--|----|
| 1. | Scope of Contract | 19 |
| 2. | Advance Payment and Terms of Payment | 19 |
| 3. | Performance Security | 19 |
| 4. | Inspection and Tests | 19 |
| 5. | Warranty | 19 |
| 6. | Liability of the Supplier | 20 |
| Sect | ion V. Special Conditions of Contract | 21 |
| Sect | ion VI. Schedule of Requirements | 24 |
| Sect | ion VII. Technical Specifications | 44 |
| Sect | ion VIII. Checklist of Technical and Financial Documents | |

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CAMARINES SUR 1ST DISTRICT ENGINEERING OFFICE Baras, Canaman, Camarines Sur



INVITATION TO BID FOR

<u>25GFD0009 – Supply and Delivery of Various I.T Equipment for use in Various</u> <u>Sections for 2nd Quarter CY 2025 of DPWH - Camarines Sur 1st DEO</u>

- The Department of Public Works and Highways Camarines Sur 1st District Engineering Office, through the <u>GAA FY 2025</u> intends to apply the sum of <u>Three Million Three</u> <u>Hundred Fifty-Three Thousand Two Hundred Pesos (Php 3,353,200.00) only</u> being the ABC to payments under the contract for <u>25GFD0009 – Supply and</u> <u>Delivery of Various I.T Equipment for use in Various Sections for 2nd Quarter</u> <u>CY 2025 of DPWH - Camarines Sur 1st DEO.</u> Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Department of Public Works and Highways Camarines Sur 1st District Engineering Office now invites bids for the above Procurement Project. Delivery of the Goods is required by **90 Calendar Days**. Bidders should have completed, within **Five (5) Years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *Department of Public Works* and Highways Camarines Sur 1st District Engineering Office and inspect the Bidding Documents at the address given below during **Monday to Friday 8:00 am to 5:00** pm.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>June</u> <u>10 30, 2025</u> from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of <u>Five Thousand Pesos Only (Php 5,000.00)</u>. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.
- The Department of Public Works and Highways Camarines Sur 1st District Engineering Office will hold a Pre-Bid Conference on <u>June 17, 2025</u> at DE/ADE's Conference Room, DPWH Camarines Sur 1st DEO, Baras, Canaman, Camarines Sur, which shall be open to prospective bidders.

- Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below or before <u>10:00 am of June 30, 2025.</u> Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *June 30, 2025 at 10:00am* at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *Department of Public Works and Highways Camarines Sur* 1st *District Engineering Office* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

BAC CHAIRMAN:

ENRIQUE A. DIONISIO DPWH Camarines Sur 1st DEO Baras, Canaman, Camarines Sur dpwh_camsur1st@yahoo.com (054) 881-1469

BAC SECRETARIAT HEAD:

MARIA LUCIA R. REQUEJO DPWH Camarines Sur 1st DEO Baras, Canaman, Camarines Sur dpwh_camsur1st@yahoo.com (054) 881-1469

Approved B

ENRIQUE A. DIONISIO BAC Chairman

Section II. Instruction to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Department of Public Works and Highways Camarines Sur* 1st *District Engineering Office* wishes to receive Bids for **Supply and Delivery of Various I.T Equipment for use in Various Sections for 2nd Quarter CY 2025 of DPWH** - **Camarines Sur 1st DEO** with identification number **25GFD0009**.

The Procurement Project (referred to herein as "Project") is composed of <u>*nine*(9)</u> items the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *GAA FY 2025* in the amount of *Php 3,353,200.00*.
- 2.2. The source of funding is:

NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall

have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

For the procurement of Non-Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and at its physical address at **DE/ADE's Conference Room, DPWH Camarines Sur** 1st **DEO**, as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *Five* (5) *Years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to

GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in Section VII (Technical Specifications).

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: **Philippine Pesos.**

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *Ninety (90) days* from the date of Bid Opening. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

| ITB Clause | |
|---------------|---|
| 5.3 | For this purpose, contracts similar to the Project shall be: |
| | a. Supply and Delivery of Various I.T. Equipment. |
| | b. completed within <i>Five (5) years</i> prior to the deadline for the submission and receipt of bids. |
| 7.1 | Subcontracting is not allowed. |
| 12 | No further instructions. |
| 14.1 | The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than Php 67,064.00 [two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Php 167,660.00 [five percent (5%) of ABC] if bid security is in Surety Bond. |
| 15 | Each Bidder shall submit one (1) original copy and two (2) duplicate copies of the first and second components of its Bid. |
| 19.3 | N/A |
| 20.2 | No further instructions |
| 21.2 | No further instructions |

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

| GCC Clause | |
|---------------|---|
| 1 | Delivery and Documents – |
| | For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: |
| | "The delivery terms applicable to this Contract are delivered <i>[indicate place of destination]</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." |
| | Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). |
| | For purposes of this Clause the Procuring Entity's Representative at the Project Site is DPWH Camarines Sur 1 st DEO . |
| | Packaging – |
| | The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. |
| | The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity. |
| | The outer packaging must be clearly marked on at least four (4) sides as follows: |
| | Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions |
| | Any special handling instructions Any relevant HAZCHEM classifications |

| | A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging. |
|-----|---|
| | Transportation – Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. |
| | Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price. |
| | Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. |
| | The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. |
| | Intellectual Property Rights – |
| | The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. |
| 2.2 | Partial payment is allowed. |
| 4 | The inspections and tests that will be conducted are: - Inspection Report |

Section VI. Schedule Requirements

Schedule Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item Number | Description | Quantity | Total | Delivered, Weeks/Months |
|----------------|---|----------|------------|--|
| Number 1 | Computer Laptop: (Application Use) Processor & Chipset: Core i5 - 13th Generation, or its equivalent, minimum of 10-cores and 4.60 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 16 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, Wireless LAN (auto detecting and auto sensing), and Gigabit Ethernet | 6 | 630,000.00 | Weeks/Months Within Ninety (90) calendar days upon receipt of the approved Notice to Proceed |
| | Weight: not more than 1.9 kg / 4.2 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines Accessories: Specification Mouse: Optical with mouse pad (same brand as the laptop) | | | |
| | Carry Case: Manufacturer's Standard Cable Adapter: Gigabit Ethernet Cable Adapter (for laptop models without Ethernet port) Headset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered laptop) Other Requirements: Brand and Model: The offered laptop must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. | | | |

| | A Manufacturer's Certificate is required. Components: All components must be the same | | | |
|---|--|---|------------|--|
| | brand as the laptop (except for the headset), | | | |
| | manufacturer installed and new. The Supplier is not | | | |
| | allowed to change or add components to the | | | |
| | equipment. | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star | | | |
| | Stamp) For Laptops that do not carry an Energy Star label, an appropriate means of proof of Energy | | | |
| | consumption levels shall be submitted such as a | | | |
| | technical dossier of the manufacturer or a test report | | | |
| | from a recognized body to demonstrate compliance | | | |
| | with this requirement. | | | |
| | Documentation and Media: All equipment shall be | | | |
| | supplied with standard manufacturer documentation, on any electronic storage media and hard copy | | | |
| | version where available. | | | |
| | Warranty, Maintenance & Technical Support: The | | | |
| | supplier must provide Three (3) years warranty on all | | | |
| | parts and associated software and onsite labor, One | | | |
| | (1) year on mouse and headset with microphone, from Date of the Inspection and Acceptance Report | | | |
| | (IAR). In any case that the laptop needs to be pullout | | | |
| | for servicing, the Supplier must return the unit within | | | |
| | two (2) weeks or a service unit with the same or | | | |
| | higher specifications must be issued. The local | | | |
| | technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | | |
| | (Monday - Friday) for problem resolution. Support | | | |
| | shall have a response time of next business day. | | | |
| | | | | |
| 2 | Computer Laptop: (Administrative Use) | 2 | 100 000 00 | |
| | | | | |
| 2 | | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency | 2 | 190,000.00 | |
| Z | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit | Z | 190,000.00 | |
| Z | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 | 2 | 190,000.00 | |
| Z | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD | 2 | 190,000.00 | |
| Z | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory | 2 | 190,000.00 | |
| Z | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN | 2 | 190,000.00 | |
| L | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard | 2 | 190,000.00 | |
| | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's | 2 | 190,000.00 | |
| | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com | 2 | 190,000.00 | |
| 2 | Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's | 2 | 190,000.00 | |

| | Destroy in the Dhilipping | | | [|
|---|--|---|------------|---|
| | Partner in the Philippines Accessories: Specification | | | |
| | Accessories: Specification Mouse: Optical with mouse pad (same brand as the | | | |
| | laptop) | | | |
| | Carry Case: Manufacturer's Standard | | | |
| | Cable Adapter: Gigabit Ethernet Cable Adapter (for laptop models without Ethernet port) | | | |
| | Headset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered laptop) | | | |
| | Other Requirements: | | | |
| | Brand and Model: The offered laptop must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. | | | |
| | Components: All components must be the same brand as the laptop (except for the headset), manufacturer installed and new. The Supplier is not allowed to change or add components to the equipment. | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Laptops that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance | | | |
| | with this requirement. | | | |
| | Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on mouse and headset with microphone, from Date of the Inspection and Acceptance Report (IAR). In any case that the laptop needs to be pullout for servicing, the Supplier must return the unit within two (2) weeks or a service unit with the same or higher specifications must be issued. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | |
| 3 | Computer Desktop: (Applications Use) | 5 | 575,000.00 | |
| | Processor: Core i5 - 13th Generation or its equivalent, minimum of 14-cores and 4.80 Ghz max turbo frequency Architecture: 64 bit | | | |
| | Memory: 16 GB DDR4 | | | |
| | Hard Drive: 1 TB 7200 RPM HDD + 512 GB SSD | | | |
| | Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide viewing angle IPS Display (same brand as CPU); Integrated Graphics Memory | | | |
| | Audio: Integrated Sound Card with internal/external speaker | | | |
| | Expansion Slots: 4 slots on board, at least 1 PCI Express slot | | | |
| | Optical Drive: DVD + RW (optional) IO Ports: Minumum of six (6) USB slots (at most 1 | | | |

| type C), HDMI/Display Port, Audio Port, Ethernet (RJ- 45) Port | |
|---|------|
| Network Interface: Integrated Gigabit Ethernet Casing: Minimum of Two (2) drive bays | |
| Software: Operating System | |
| Licensed OEM Windows 11 Professional 64-bit with | |
| media installer. Must be activated with Microsoft prior to delivery. | |
| Recovery Media: All drivers, utilities, and recovery | |
| media must be stored in any electronic storage media. It must be properly labelled and virus free. | |
| Office Software: Licensed Microsoft Office Standard | |
| (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and | |
| transferable. It must be licensed and named after | |
| the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com | |
| and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct | |
| Partner in the Philippines | |
| Accessories: Specification | |
| Keyboard: Manufacturer's Standard (same brand as the computer) | |
| Mouse: Optical with mouse pad (same brand as the computer) | |
| Webcam: 2MP FHD | |
| Headset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio | |
| jack/USB connections type. Must be compatible with the offered desktop) | |
| Power Supply: Manufacturer's Standard Cables and Connectors: All necessary cables and | |
| connectors; patch cord (CAT6, factory crimped withRJ-45 connector, 5 meters preferably color | |
| orange) | |
| Other Requirements: | |
| Brand and Model: The offered desktop must be from a globally recognized brand that has been marketed | |
| in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must | |
| not be end-of-life from the time of bidding until the | |
| expiration of the warranty period. A Manufacturer's Certificate is required. | |
| Components: All components must be the same | |
| brand as the computer (except for the webcam and headset) and manufacturer installed. The Supplier is | |
| not allowed to change or add any components to the | |
| equipment Regulatory: ENERGY STAR certified (with Energy Star | |
| Stamp) For Desktop Computers that do not carry an | |
| Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as | |
| a technical dossier of the manufacturer or a test report from a recognized body to demonstrate | |
| compliance with this requirement. | |
| Documentation and Media: All equipment shall be supplied with the standard manufacturer | |
| documentation, on any electronic storage media and hard copy version where available. | |
| Warranty, Maintenance & Technical Support: The | |
| supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One | |
| (1) year on keyboard, mouse, webcam and headset | |
| with microphone, from Date of the Inspection and Acceptance Report (IAR). The local technical support | |
| | |

| | shall include telephone and email, 8 hours per day | | | |
|---|--|---|------------|--|
| | (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a | | | |
| | response time of next business day. | | | |
| | UPS (bundled with Application Use desktop | 5 | | |
| | workstations): | 5 | | |
| | Power Ratings: 650VA/390W; Input Voltage - 230V/ | | | |
| | Output Voltage - 230V | | | |
| | Backup Power: 5 minutes back-up power at half | | | |
| | load, 8 hours recharge time | | | |
| | IO Ports: No IO Ports requirement | | | |
| | Outlets: 2 power output / connectors | | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (built-in) | | | |
| | Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement | | | |
| | Accessories: The supplier shall provide all necessary | | | |
| | cables and connectors, and power adapters. | | | |
| | Miscellaneous: | | | |
| | Other Requirements: | | | |
| | Brand and Model: The offered UPS must be from a | | | |
| | globally recognized brand that has been marketed in | | | |
| | the Philippines for at least the past 10 years. The model must be listed in the current catalog and must | | | |
| | not be end-of-life from the time of bidding until the | | | |
| | expiration of the warranty period. | | | |
| | A Manufacturer's Certificate is required. | | | |
| | Documentation and Media: The equipment shall be | | | |
| | supplied with the standard manufacturer | | | |
| | documentation, on any electronic storage media and | | | |
| | hard copy version where available. | | | |
| | Warranty, Maintenance & Technical Support: The | | | |
| | supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the | | | |
| | Inspection and Acceptance Report. The local | | | |
| | technical support shall include telephone and email, 8 | | | |
| | hours per day (8:00 am - 5:00 pm), 5 days a week | | | |
| | (Monday - Friday) for problem resolution. Support | | | |
| | shall have a response time of next business day. | | | |
| 4 | Computer Desktop: (Administrative Use) | 2 | 230,000.00 | |
| | Processor: Core i3 - 13th Generation or its | | - | |
| | equivalent, Minimum of 4-cores and 4.50 Ghz max turbo frequency | | | |
| | Architecture: 64 bit | | | |
| | Internal Memory: 8 GB DDR4 | | | |
| | Hard Drive: 512GB SSD | | | |
| | Monitor: 21 - inch Diagonal Full High-Definition Wide | | | |
| | Screen or Wide Viewing Angle IPS Display (same | | | |
| | brand as CPU) with Integrated graphics memory | | | |
| | Audio: Integrated Sound Card with internal/ external speaker | | | |
| | Expansion Slot: 4 slots on board, at least 1 PCI | | | |
| | Express slot | | | |
| | Optical Drive: DVD + RW (optional) | | | |
| | IO Ports: Minumum of 6 USB slots (at most | | | |
| | 1 type C), HDMI/Display Port, Audio Port, | | | |
| | Ethernet (RJ-45) Port | | | |
| | Network Interface: Integrated Gigabit Ethernet | | | |
| | Casing:Minimum of Two (2) drive bays | | | |
| 1 | Software: Operating System Licensed OEM | | | |

| resolution. Support shall have a response time of next business day. | | |
|---|--|--|
| resolution Support shall have a response time of | | |
| days a week (Monday - Friday) for problem | | |
| and email, 8 hours per day (8:00 am - 5:00 pm), 5 | | |
| The local technical support shall include telephone | | |
| Acceptance Report (IAR). | | |
| (1) year on keyboard, mouse, webcam and headset with microphone, from Date of the Inspection and | | |
| parts and associated software and onsite labor, One | | |
| supplier must provide Three (3) years warranty on all | | |
| Warranty, Maintenance & Technical Support: The | | |
| hard copy version where available. | | |
| supplied with the standard manufacturer documentation, on any electronic storage media and | | |
| Documentation and Media: All equipment shall be | | |
| compliance with this requirement. | | |
| report from a recognized body to demonstrate | | |
| Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test | | |
| Energy Star label, an appropriate means of proof of | | |
| Stamp) For Desktop Computers that do not carry an | | |
| Regulatory: ENERGY STAR certified (with Energy Star | | |
| not allowed to change or add any components to the equipment | | |
| headset) and manufacturer installed. The Supplier is | | |
| brand as the computer (except for the webcam and | | |
| Components: All components must be the same | | |
| expiration of the warranty period. A Manufacturer's Certificate is required. | | |
| not be end-of-life from the time of bidding until the | | |
| model must be listed in the current catalog and must | | |
| in the Philippines for at least the past 10 years. The | | |
| Brand and Model: The offered desktop must be from a globally recognized brand that has been marketed | | |
| Other Requirements: | | |
| | | |
| RJ-45 connector, 5 meters preferably color orange) | | |
| connectors; patch cord (CAT6, factory crimped with | | |
| Cables and Connectors: All necessary cables and | | |
| the offered desktop) Power Supply: Manufacturer's Standard | | |
| jack/USB connections type. Must be compatible with | | |
| length, with noise cancellation feature, audio | | |
| Headset: Headset with Microphone (1-meter cable | | |
| Webcam: 2MP FHD | | |
| Mouse: Optical with mouse pad (same brand as the computer) | | |
| the computer) Mouse: Optical with mouse pad (came brand as the | | |
| Keyboard: Manufacturer's Standard (same brand as | | |
| Accessories: Specification | | |
| Partner in the Philippines | | |
| must present a certificate as a Certified CSP Direct | | |
| and primary domain dpwh.gov.ph. The Supplier | | |
| existing tenant domain dpwhgovph.onmicrosoft.com | | |
| transferable. It must be licensed and named after the DPWH and can be added to the Department's | | |
| Agreement. The licenses must be perpetual and | | |
| (Latest Version) under Cloud Solution Provider (CSP) | | |
| Office Software: Licensed Microsoft Office Standard | | |
| media must be stored in any electronic storage media. It must be properly labelled and virus free. | | |
| Recovery Media: All drivers, utilities, and recovery | | |
| Must be activated with Microsoft prior to delivery. | | |
| Windows 11 Professional 64-bit with media installer. | | |

| workstations): Power Rating: 650V4/390W; Iput Voltage - 230V/ Output Voltage - 230V Backup Power: 5 minutes back-up power at half load, 8 hours recharge time ID Ports: 10 ID Port requirement Output Voltage - Call Automatic Self Test (built-in) Atam Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the explaiton of the warranty period. A Manufacturer's Certificate is required. Documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of IVPS from the date of the Inspection and Acceptance Report. The local Itechnical support shall include telephone and email, 8 hours per day (Riso) am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 | | ····· | | |
|---|---|--|---|------------|
| Output Voitage - 230V Backup Power: 5 minutes back-up power at half load, 8 hours recharge time ID Ports: No ID Port requirement Outlets: 2 power output / connectors Features: Built-in Automatic Voitage Regulator (AVR), Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been markted in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-file from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation, an any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The suppler must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (Roid On - 5:000 m), 5 days a week (Monday - Friday) for problem resolution. Support: shall have a response time of next business day. 5 Admin Server: The Concessor & Chippet : Intel Xeon Silver (latest version), or its equivalent, Minimum of &-cores and 3.60 fbr.max turb frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) JI 27 B (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 1 | | - | | |
| Backup Power: 5 minutes back-up power at half bad, 8 hours recharge time ID Ports: No ID Port requirement Outlets:: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (Duilt-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration on any electronic storage media and hard cony version where available. Documentation and Media: The equipment shall be supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 an - 5:00 ym), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 1 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Gisr max turbo frequency Memory: 16 GB DDR4 DIMM Storage Controller: 1206/s SXS (RAID 0/1) Expansion Sidt: Four (4) PCI Express slot 10 Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Neinderscer: Two (2) ports Integ | | | | |
| ID Ports: No ID Port requirement Outlets: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement: Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of biolog until the expiration or any electronic storage media and hard copy version where available. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. 1 Warranty, Maintenance & Technical Support: The supplier must provide Three (3) yeas warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local It technical support: shall include telephone and email, 8 hours per day (6:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ginz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Tow (2) L2 TB (2 X 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 120/ | | | | |
| Outlets: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Aurm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recorgoized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-o-file from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation and Acceptance Report. The local tars and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friddy) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1< | | load, 8 hours recharge time | | |
| Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 ym.) 5 days a weak (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset: 1: Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Giz max turbo frequency Memory: 16 GB DRH DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Tohre; Hot-swappable 1 Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Sidt: Four (4) PCI Express slot ID Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: T | | IO Ports: No IO Port requirement | | |
| Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsile labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DR4 DIM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12C SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/S SAS (RAID 0/1) Expansion Sict: Four (4) PCI Express sist ID Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same br | | | | |
| Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warenity on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 GHz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 126 SAS 10K RPM SFF Hard Drive; Hot-swapable Storage Controller: 126/bjs SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interfrace: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19- inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server | | | | |
| battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Modei: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 Memory: 16 GB DR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable 1 Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable 1 765,000.00 Vindows Server Standard Edition (Idtest version) 64-bi | | | | |
| Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Mainteance & Parchical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 an - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 7 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.6 lo GAP max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 126 SAS 10K RPM SFF Hard Drive; Hort-swappable Storage Controller: 126b/s SAS (RATD 0/1) Expansion Slot: Four (4) DEI Express soft 10 Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Defin | | | | |
| requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version Where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Descreen: 1 765,000.00 Processor & Chipset: Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Sid: Four (4) PCI Express slot 10 Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Montor: 19 - inc Diagonal High-Definition LCD/LED Wind Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must | | | | |
| cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The suppler must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 RPM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Tow (4) PCI Express slot IO Ports: Three (3) usb 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device (CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It musts be licensed and named after the DPWH and can | | | | |
| Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Frocessor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DR4 DIMM 1 765,000.00 Storage: Two (2) 12 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage controller: 12Cb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot 1 765,000.00 Rows: Thereface: Two (2) ports Integrated Gigabit Ethernet Casing: Towe (2) LSP (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Standard 5 Software: Operating System Windows Server Standard Edition (LCD/LED Wide Screen Display (same brand as CPU) Powers Supply: Manufacturer's St | | Accessories: The supplier shall provide all necessary | | |
| Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplier must provide Three available. Warranty, Maintenance & Technical Support: The suppler must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 1.2Gb/s SAS (RAID 0/1) Expansion Sio: Four (4) PCI Express slot Siot Four (4) PCI Express slot Software: 09- | | | | |
| globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion SId: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Maurfacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be licensed and named after the DPWH and can be added to the Department's existing license portal. Maurfacturer Certificate must be provided as proof that the Supplied software is authentic and can be lega | | | | |
| the Philippine's for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm). 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/S SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perptual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM 5FF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server's Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 765,000.00 Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 126J/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot 1 765,000.00 I 0 Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet 2 Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. 1 Core License with 5 device CALs. License Type: The license(s) must be perpetual, trans | | | | |
| Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 765,000.00 Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gl/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot 10 Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be adedd to the Departiment's existing license portal. Manufactu | | not be end-of-life from the time of bidding until the | | |
| Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TR (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable 1 Storage: Two (2) 1.2 TR (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) 1.2 TR (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) 1.2 TR (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) Drosts Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and name | | | | |
| supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 765,000.00 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 8 Network 10 (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable 9 Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot 10 10 Ports: Three (3) USB 2.0/3.0, WGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive | | | | |
| documentation, on any electronic storage media and hard copy version where available. Warranty, Mainteance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is a uthentic and can be legally distributed in the Philippines. | | | | |
| Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM 1 765,000.00 Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) 1.2 TB (2 x 1.2 CB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) NCR A Storage: Tour (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 765,000.00 Frocessor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 765,000.00 Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable 1 Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage: Two (2) Dorts Integrated Gigabit 1 Ethernet Casing: Tower with Eight (8) drive bays Nontior: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied Software is authentic and can be legally distributed in the Philippines. | | | | |
| parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: 1 7 Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/S SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to | | | | |
| (Monday - Friday) for problem resolution. Support shall have a response time of next business day. 1 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | technical support shall include telephone and email, 8 | | |
| Shall have a response time of next business day. 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency 1 Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot 1 IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable 1 Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet 1 Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | | | |
| Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license protal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | (Monday - Friday) for problem resolution. Support | | |
| version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | |
| 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license protal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: | 1 | 765,000.00 |
| Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest | 1 | 765,000.00 |
| Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and | 1 | 765,000.00 |
| RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency | 1 | 765,000.00 |
| Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM | 1 | 765,000.00 |
| IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K | 1 | 765,000.00 |
| Network Interface: Two (2) ports Integrated Gigabit EthernetCasing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion | 1 | 765,000.00 |
| Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot | 1 | 765,000.00 |
| Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA | 1 | 765,000.00 |
| Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit | 1 | 765,000.00 |
| Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet | 1 | 765,000.00 |
| Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays | 1 | 765,000.00 |
| Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) | 1 | 765,000.00 |
| bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard | 1 | 765,000.00 |
| License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System | 1 | 765,000.00 |
| transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- | 1 | 765,000.00 |
| Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. | 1 | 765,000.00 |
| Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64- bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, | 1 | 765,000.00 |
| Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and | 1 | 765,000.00 |
| supplied software is authentic and can be legally distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the | 1 | 765,000.00 |
| distributed in the Philippines. | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer | 1 | 765,000.00 |
| | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the | 1 | 765,000.00 |
| | 5 | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally | 1 | 765,000.00 |

| media must be stored in any electronic storage media. It must be properly labelled and virus free. | | |
|---|---|--|
| Accessories: Specification | | |
| Keyboard: Manufacturer's Standard (same brand as | | |
| the Server) | | |
| Mouse: Optical with mouse pad (same brand as the Server) | | |
| Cables and Connectors: All necessary cables and | | |
| connectors; patch cord (CAT6, factory crimped with RJ-45 connector, 5 meters preferably color orange) | | |
| Other Requirements: | | |
| Brand and Model: The offered server must be from a | | |
| globally recognized brand that has been marketed in | | |
| the Philippines for at least the past 10 years. The | | |
| model must be listed in the current catalog and must not be end-of-life from the time of bidding until the | | |
| expiration of the warranty period. A | | |
| Manufacturer's Certificate is required. | | |
| Components: All components must be the same | | |
| brand as the Server and factory installed and new. | | |
| The Supplier is not allowed to chage or add any | | |
| components to the equipment | | |
| Regulatory: ENERGY STAR certified (with Energy Star | | |
| Stamp) For Servers that do not carry an Energy Star | | |
| label, an appropriate means of proof of Energy | | |
| consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report | | |
| from a recognized body to demonstrate compliance | | |
| with this requirement. | | |
| Documentation and Media: All equipment shall be | | |
| supplied with the standard manufacturer | | |
| documentation, on any electronic storage media and hard copy version where available. | | |
| Warranty, Maintenance & Technical Support: The | | |
| supplier must provide Three (3) years warranty on all | | |
| parts and associated software and onsite labor, One | | |
| (1) year on mouse and keyboard from Date of the Inspection and Acceptance Report (IAR). The local | | |
| technical support shall include telephone and email, 8 | | |
| hours per day (8:00 am - 5:00 pm), 5 days a week | | |
| (Monday - Friday) for problem resolution. Support | | |
| shall have a response time of next business day. | | |
| UPS (bundled with Admin Server): Power | 1 | |
| Ratings: 1500VA/1200W; Input Voltage - 230V/ | - | |
| Output Voltage - 230V | | |
| Backup Power: 10 minutes back-up power at half | | |
| load, 8 hours recharge time | | |
| IO Ports: USB, RJ45 / SNMP Card Outlets: 4 power output / connectors | | |
| Features: Built-in Automatic Voltage Regulator (AVR), | | |
| Automatic Self-Test (built-in) | | |
| Alarm Indicators: Online, On battery, replacement battery and overload | | |
| Management Software: Built-in or with media | | |
| installer monitoring tool and/or diagnostic software | | |
| accessible via desktop application and/or web browser. | | |
| Accessories: Specification | | |
| Cables and Connectors: All necessary cables and | | |
| connectors; patch cord (CAT6, factory crimped with | | |
| | | |

| | RJ45 connector, 5 meters, preferably gray and | | | |
|---|---|---|------------|--|
| | adapters.) Other Requirements: | | | |
| | Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the | | | |
| | expiration of the warranty period. A Manufacturer's Certificate is required. | | | |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support | | | |
| | shall have a response time of next business day. | | | |
| 6 | Computer Printer: Multi-Function Inkjet Printer | 6 | 180,000.00 | |
| | Print Technology: Colored Inkjet | | | |
| | Functions: Print, Copy, Scan | | | |
| | Print Speed: Minimum speed of 30 ppm or 17 ipm; speed measured using A4/letter size paper) | | | |
| | Print Quality: 600 x 600 dpi | | | |
| | Copy Speed: Minimum speed of 11.5 cpm or 5.5 ipm; speed measured using A4/letter size paper | | | |
| | Scan Resolution: 1200 dpi | | | |
| | Scan Features: Multi-sheet scan to single PDF file; | | | |
| | Scan to Network Folder; Scan to USB/Memory Device | | | |
| | Scan Type: Flatbed and ADF | | | |
| | Duty Cycle: 5,000 pages per month | | | |
| | Memory: Manufacturer's Standard Ink/Toner System: Continuous Ink Supply System or | | | |
| | Ink Tank System (original or built-in) , Refill must be available nationwide. Certificate of Authenticity is required. | | | |
| | Network Interface: Fast ethernet | | | |
| | IO Ports:USB 2.0 (Type A), Ethernet (RJ-45) Power: 240 VAC | | | |
| | Duplex Printing:Automatic two-sided printing | | | |
| | Paper Trays: Two Trays; Standard input tray (250 | | | |
| | sheets), Multi-purpose tray (100 sheets) | | | |
| | Maximum Media Size: Legal (8.5 in x 14 in) Media Type: Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, photo, brochures. | | | |
| | Supported O.S: Windows 11,10 | | | |
| | Drivers: Original CD/DVD copy or in any electronic media storage. | | | |
| | Accessories: Specification | | | |
| | Ink: Pre-installed ink tanks with an additional Three (3) standard ink refill bottles per color | | | |
| | Cables and Connectors: All necessary cables and connectors, adapters; patch cable (CAT6, factory | | | |
| | crimped with RJ-45 connector, 5 meters, preferably color orange) | | | |

| | | | | 1 |
|---|---|---|------------|---|
| | Brand and Model: The offered printer must be from a globally recognized brand that has been marketed in | | | |
| | the Philippines for at least the past 10 years. The | | | |
| | model must be listed in the current catalog and must | | | |
| | not be end-of life from the time of bidding until the | | | |
| | expiration of the warranty period. | | | |
| | A Manufacturer's Certificate is required. | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star | | | |
| | Stamp) For printers that do not carry an Energy Star label, an appropriate means of proof of Energy | | | |
| | consumption levels shall be submitted such as a | | | |
| | technical dossier of the manufacturer or a test report | | | |
| | from a recognized body to demonstrate compliance | | | |
| | with this requirement. | | | |
| | Documentation and Media: The equipment shall be | | | |
| | supplied with the standard manufacturer | | | |
| | documentation, on any electronic storage media and hard copy version where available. | | | |
| | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty for | | | |
| | parts and onsite labor from Date of the Inspection | | | |
| | and Acceptance Report (IAR). The local technical | | | |
| | support shall include telephone and email, 8 hours | | | |
| | per day (8:00 am - 5:00 pm), 5 days a week | | | |
| | (Monday - Friday) for problem resolution. Support | | | |
| | shall have a response time of next business day. | | | |
| 7 | Document Scanner (Flatbed with ADF, A3) | 2 | 560,000.00 | |
| | Scan Technology: Flatbed with Automatic Document | 2 | 500,000.00 | |
| | Feeder(ADF) | | | |
| | Sensors: Charged Coupled Device (CCD) or Contact Image | | | |
| | Sensor (CIS); Ultrasonic sensor for multi-feed detection | | | |
| | Scan Speed: 30 ppm | | | |
| | Color Depth: 24-bit | | | |
| | Scan Resolution: 600 dpi | | | |
| | Document Processing Function: Optical Character Recognition (OCR) | | | |
| | Duty Cycle: 4,000 pages | | | |
| | File Format: PDF, searchable PDF, JPG, BMP, TIFF | | | |
| | File Destination: USB, Network Folder, Scan to | | | |
| | Management Software | | | |
| | Duplex Scanning: Automatic two-sided scanning | | | |
| | Network Interface: Gigabit Ethernet IO Ports: USB 2.0, Ethernet (RJ-45) Maximum Media Size: A3 (11.7 in x 17 in) | | | |
| | ADF Capacity: 100 sheets | | | |
| | Media Type: Paper (bond, light, heavy, plain, | | | |
| | recycled, rough), envelopes, labels, cardstock, photo, brochures. | | | |
| | Supported O.S: Windows 11,10 Management Software: Pre-installed scanning applications software | | | |
| | Drivers: Original CD/DVD copy or in any electronic media storage. | | | |
| | Accessories: Specification | | | |
| | Cables and Connectors: All necessary cables and | | | |
| | connectors, adapters; patch cable (CAT6, factory crimped with RJ-45 connector, 5 meters, preferably color orange) | | | |
| | Other Requirements: | | | |
| | Brand and Model: The offered document scanner | | | |
| | must be from a globally recognized brand that has | | 1 | |

| | been marketed in the Philippines for at least the past | | |
|---|--|----|------------|
| | 10 years. The model must be listed in the current catalog and must not be end-of life from the time of | | |
| | bidding until the expiration of the warranty period. A | | |
| | Manufacturer's Certificate is required. | | |
| | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star | | |
| | Stamp) For Scanner that do not carry an Energy Star | | |
| | label, an appropriate means of proof of Energy | | |
| | consumption levels shall be submitted such as a | | |
| | technical dossier of the manufacturer or a test report | | |
| | from a recognized body to demonstrate compliance | | |
| | with this requirement. | | |
| | Documentation and Media: The equipment shall be | | |
| | supplied with the standard manufacturer | | |
| | documentation, on any electronic storage media and | | |
| | hard copy version where available. | | |
| | Warranty, Maintenance & Technical Support: The | | |
| | supplier must provide Three (3) years warranty for | | |
| | parts and onsite labor from Date of the Inspection | | |
| | and Acceptance Report (IAR). The local technical | | |
| | support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | |
| | (Monday - Friday) for problem resolution. Support | | |
| | shall have a response time of next business day. | | |
| | | | |
| 8 | UPS (for desktop workstations): | 19 | 148,200.00 |
| | | | |
| | Power Ratings: 650VA/390W; Input Voltage - 230V/ | | |
| | Output Voltage - 230V | | |
| | Backup Power: 5 minutes back-up power at half | | |
| | load, 8 hours recharge time | | |
| | IO Ports: No IO Port requirement | | |
| | | | |
| | Outlets: 2 power output / connectors | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | |
| 9 | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support | 1 | 75,000.00 |

| | Php | 3,353,200.00 | 1 |
|--|-----|--------------|---|
| supplier must provide One (1) year warranty for parts and onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | |
| Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The | | | |
| Brand and Model: The offered projector must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. | | | |
| Laser Pointer: Same brand as projector (with PgUp/PgDn functions) Other Requirements: | | | |
| Lens Cap: Manufacturer's Standard Carrying Case: Manufacturer's Standard | | | |
| Remote Control: Manufacturer's Standard (with batteries) | | | |
| Accessories: Specification Cables and Connectors: All necessary cables and connectors | | | |
| Power: 220-240 VAC | | | |
| Lamp Life: 4,000 hours IO Ports: HDMI, VGA, USB | | | |
| Brightness (normal): 3,000 lumens | | | |
| Throw Distance: 1 meter | | | |
| Contrast ratio: 10,000:1 | | | |
| Resolution: WXGA (1280 x 800) Aspect ratio: 16:10 | | | |
| Technology: DLP/3LCD | | | |

(Signature Over Printed Name of Authorized Representative)

(Designation)

(Name of Bidder)

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Proposal

| Item | Specification | Statement of Compliance |
|----------------------|--|--|
| | omputer Laptop: (Application Use) | Bidders must state here either |
| | rocessor & Chipset: Core i5 - 13th Generation, or its equivalent, inimum of 10-cores and 4.60 Ghz max turbo frequency | "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding |
| A | rchitecture: 64 bit | performance parameter of the |
| In | ternal Memory: 16 GB DDR4 | equipment offered. <i>Statements of</i> " <i>Comply" or</i> " <i>Not Comply" must be</i> |
| | torage: 512 GB SSD | supported by evidence in a Bidders Bid |
| W | isplay: 14-inch Diagonal Full High-Definition Wide Screen Display ith Integrated graphics memory | and cross-referenced to that evidence. Evidence shall be in the form of |
| sp | udio: Integrated high definition audio support, integrated beakers and integrated digital microphone | manufacturer's un-amended sales literature, unconditional statements of |
| | /ebcam: Integrated widescreen HD | specification and compliance issued by the manufacturer, samples, |
| Au |) Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, udio Port, Ethernet (RJ-45) Port | independent test data etc., as appropriate. A statement that is not |
| au | etwork Interface: Bluetooth, Wireless LAN (auto detecting and uto sensing), and Gigabit Ethernet | supported by evidence or is subsequently found to be contradicted |
| | /eight: not more than 1.9 kg / 4.2 lbs | by the evidence presented will render |
| | oftware: Operating System censed OEM Windows 11 Professional 64-bit with media installer. | <i>the Bid under evaluation liable for</i> <i>rejection.</i> A statement either in the |
| М | ust be activated with Microsoft prior to delivery. | Bidders statement of compliance or the supporting evidence that is found to be |
| st | ecovery Media: All drivers and utilities, recovery media must be ored in any electronic storage media. It must be properly labelled nd virus free. | false either during Bid evaluation, post- qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or |
| ur be | ffice Software: Licensed Microsoft Office Standard (Latest Version) nder Cloud Solution Provider (CSP) Agreement. The licenses must e perpetual and transferable. It must be licensed and named | supplier liable for prosecution. |
| te dr | ter the DPWH and can be added to the Department's existing enant domain dpwhgovph.onmicrosoft.com and primary domain owh.gov.ph. The Supplier must present a certificate as a Certified SP Direct Partner in the Philippines | (Technical Specifications, which may include 1. Brochures/ Catalogues/ Flyers, 2. Production Delivery Schedule, 3. Manpower Requirements, 4. And/or |
| | ccessories: Specification | After-sales/Parts Warranty) |
| M | ouse: Optical with mouse pad (same brand as the laptop) | |
| | arry Case: Manufacturer's Standard | |
| W | able Adapter: Gigabit Ethernet Cable Adapter (for laptop models ithout Ethernet port) | |
| no | eadset: Headset with Microphone (1-meter cable length, with bise cancellation feature, audio jack/USB connections type. Must e compatible with the offered laptop) | |
| | ther Requirements: | |
| re le ca | rand and Model: The offered laptop must be from a globally ecognized brand that has been marketed in the Philippines for at ast the past 10 years. The model must be listed in the current atalog and must not be end-of-life from the time of bidding until e expiration of the warranty period. | |
| A | Manufacturer's Certificate is required. | |
| la Th | omponents: All components must be the same brand as the ptop (except for the headset), manufacturer installed and new. he Supplier is not allowed to change or add components to the quipment. | |
| La m su fro | egulatory: ENERGY STAR certified (with Energy Star Stamp) For aptops that do not carry an Energy Star label, an appropriate leans of proof of Energy consumption levels shall be submitted uch as a technical dossier of the manufacturer or a test report om a recognized body to demonstrate compliance with this equirement. | |
| | ocumentation and Media: All equipment shall be supplied with | |

| | standard manufacturer documentation, on any electronic storage media and hard copy version where available. |
|---|---|
| | Warranty, Maintenance & Technical Support: The supplier must |
| | provide Three (3) years warranty on all parts and associated |
| | software and onsite labor, One (1) year on mouse and headset with |
| | microphone, from Date of the Inspection and Acceptance Report |
| | (IAR). In any case that the laptop needs to be pullout for servicing, the Supplier must return the unit within two (2) weeks or a service |
| | unit with the same or higher specifications must be issued. The |
| | local technical support shall include telephone and email, 8 hours |
| | per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for |
| | problem resolution. Support shall have a response time of next business day. |
| | |
| 2 | Computer Laptop: (Administrative Use) |
| | Processor & Chipset: Core i3 - 13th Generation or its equivalent, |
| | minimum of 6-cores and 4.40 Ghz max turbo frequency |
| | Architecture: 64 bit |
| | Internal Memory: 8 GB DDR4 |
| | Storage: 512 GB SSD |
| | Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory |
| | Audio: Integrated high definition audio support, integrated |
| | speakers and integrated digital microphone |
| | Webcam: Integrated widescreen HD |
| | IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, |
| | Audio Port, Ethernet (RJ-45) Port |
| | Network Interface: Bluetooth, and Wireless LAN (auto detecting |
| | and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs |
| | Software: Operating System |
| | Licensed OEM Windows 11 Professional 64-bit with media installer. |
| | Must be activated with Microsoft prior to delivery. |
| | Recovery Media: All drivers and utilities, recovery media must be |
| | stored in any electronic storage media. It must be properly labelled |
| | and virus free. |
| | Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must |
| | be perpetual and transferable. It must be licensed and named |
| | after the DPWH and can be added to the Department's existing |
| | tenant domain dpwhgovph.onmicrosoft.com and primary domain |
| | dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines |
| | Accessories: Specification |
| | Mouse: Optical with mouse pad (same brand as the laptop) |
| | Carry Case: Manufacturer's Standard |
| | Cable Adapter: Gigabit Ethernet Cable Adapter (for laptop models |
| | without Ethernet port) |
| | Headset: Headset with Microphone (1-meter cable length, with |
| | noise cancellation feature, audio jack/USB connections type. Must |
| | be compatible with the offered laptop) Other Requirements: |
| | Brand and Model: The offered laptop must be from a globally |
| | recognized brand that has been marketed in the Philippines for at |
| | least the past 10 years. The model must be listed in the current |
| | catalog and must not be end-of-life from the time of bidding until |
| | the expiration of the warranty period. A Manufacturer's Certificate is required. |
| | Components: All components must be the same brand as the |
| | laptop (except for the headset), manufacturer installed and new. |
| | The Supplier is not allowed to change or add components to the |
| | equipment. |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Laptops that do not carry an Energy Star label, an appropriate |
| | I LARLORS LIAL UN HUL CALLY ALL EITELUY SLALIADEL, ALL ADDIODIALE |

| | means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. | |
|---|--|--|
| | Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on mouse and headset with microphone, from Date of the Inspection and Acceptance Report (IAR). In any case that the laptop needs to be pullout for servicing, the Supplier must return the unit within two (2) weeks or a service unit with the same or higher specifications must be issued. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | |
| 3 | Computer Desktop: (Applications Use) Processor: Core i5 - 13th Generation or its equivalent, minimum of | |
| | 14-cores and 4.80 Ghz max turbo frequency | |
| | Architecture: 64 bit Memory: 16 GB DDR4 | |
| | Hard Drive: 1 TB 7200 RPM HDD + 512 GB SSD | |
| | Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide viewing angle IPS Display (same brand as CPU); Integrated Graphics Memory | |
| | Audio: Integrated Sound Card with internal/external speaker | |
| | Expansion Slots: 4 slots on board, at least 1 PCI Express slot Optical Drive: DVD + RW (optional) | |
| | IO Ports: Minumum of six (6) USB slots (at most 1 type C), | |
| | HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Integrated Gigabit Ethernet | |
| | Casing: Minimum of Two (2) drive bays | |
| | Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. | |
| | Recovery Media: All drivers, utilities, and recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. | |
| | Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines | |
| | Accessories: Specification | |
| | Keyboard: Manufacturer's Standard (same brand as the computer) | |
| | Mouse: Optical with mouse pad (same brand as the computer) Webcam: 2MP FHD | |
| | Headset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered desktop) | |
| | Power Supply: Manufacturer's Standard | |
| | Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped withRJ-45 connector, 5 meters preferably color orange) | |
| | Other Requirements: | |
| | Brand and Model: The offered desktop must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current | |
| | catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate 40 | |

| | is required. |
|---|---|
| | Components: All components must be the same brand as the computer (except for the webcam and headset) and manufacturer |
| | installed. The Supplier is not allowed to change or add any |
| | components to the equipment |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For |
| | Desktop Computers that do not carry an Energy Star label, an |
| | appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test |
| | report from a recognized body to demonstrate compliance with this |
| | requirement. |
| | Documentation and Media: All equipment shall be supplied with the |
| | standard manufacturer documentation, on any electronic storage media and hard copy version where available. |
| | Warranty, Maintenance & Technical Support: The supplier must |
| | provide Three (3) years warranty on all parts and associated |
| | software and onsite labor, One (1) year on keyboard, mouse, webcam and headset with microphone, from Date of the Inspection |
| | and Acceptance Report (IAR). The local technical support shall |
| | include telephone and email, 8 hours per day (8:00 am - 5:00 pm), |
| | 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. |
| | UPS (bundled with Application Use desktop workstations): |
| | |
| | Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V |
| | Backup Power: 5 minutes back-up power at half load, 8 hours |
| | recharge time |
| | IO Ports: No IO Ports requirement |
| | Outlets: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic |
| | Self-Test (built-in) |
| | Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement |
| | Accessories: The supplier shall provide all necessary cables and |
| | connectors, and power adapters. |
| | Miscellaneous: |
| | Other Requirements: |
| | Brand and Model: The offered UPS must be from a globally |
| | recognized brand that has been marketed in the Philippines for at |
| | least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until |
| | the expiration of the warranty period. |
| | A Manufacturer's Certificate |
| | is required. |
| | Documentation and Media: The equipment shall be supplied with |
| | the standard manufacturer documentation, on any electronic storage media and hard copy version where available. |
| | Warranty, Maintenance & Technical Support: The supplier must |
| | provide Three (3) years warranty on all parts and onsite labor of |
| | UPS from the date of the Inspection and Acceptance Report. The |
| | local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for |
| | problem resolution. Support shall have a response time of next |
| | business day. |
| 4 | Computer Desktop: (Administrative Use) |
| | Processor: Core i3 - 13th Generation or its equivalent, Minimum of 4-cores and 4.50 Ghz max turbo frequency |
| | 4-cores and 4.50 Gnz max turbo frequency Architecture: 64 bit |
| | Internal Memory: 8 GB DDR4 |
| | Hard Drive: 512GB SSD |
| | |

| Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide Viewing Angle IPS Display (same brand as CPU) with | |
|--|--|
| Integrated graphics memory Audio: Integrated Sound Card with internal/ external speaker Expansion Slot: 4 slots on board, at least 1 PCI Express slot | |
| Optical Drive: DVD + RW (optional) | |
| IO Ports: Minumum of 6 USB slots (at most 1 type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port | |
| Network Interface: Integrated Gigabit Ethernet | |
| Casing: Minimum of Two (2) drive bays | |
| Software: Operating System Licensed OEM Windows 11 | |
| Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. | |
| Recovery Media: All drivers, utilities, and recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. | |
| Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines | |
| Accessories: Specification | |
| Keyboard: Manufacturer's Standard (same brand as the computer) | |
| Mouse: Optical with mouse pad (same brand as the computer) Webcam: 2MP FHD | |
| Headset: Headset with Microphone (1-meter cable length, with | |
| noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered desktop) | |
| Power Supply: Manufacturer's Standard | |
| Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped with RJ-45 connector, 5 meters | |
| preferably color orange) | |
| Other Requirements: | |
| Brand and Model: The offered desktop must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until | |
| the expiration of the warranty period. A Manufacturer's Certificate is required. | |
| Components: All components must be the same brand as the | |
| computer (except for the webcam and headset) and manufacturer installed. The Supplier is not allowed to change or add any components to the equipment | |
| Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Desktop Computers that do not carry an Energy Star label, an | |
| appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test | |
| report from a recognized body to demonstrate compliance with this requirement. | |
| Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | |
| Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on keyboard, mouse, | |
| webcam and headset with microphone, from Date of the Inspection and Acceptance Report (IAR). | |
| The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | |
| | |

| UPS (bundled with Application Use desktop workstations): Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V |
|--|
| Backup Power: 5 minutes back-up power at half load, 8 hours recharge time |
| IO Ports: No IO Port requirement |
| Outlets: 2 power output / connectors |
| Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) |
| Alarm Indicators: Online, On battery, replacement battery and overload |
| Management Software: No management software requirement |
| Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. |
| Other Requirements: |
| Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. |
| Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. |
| Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. |
| 5 Admin Server: |
| Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM |
| Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K |
| RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot |
| IO Ports: Three (3) USB 2.0/3.0, VGA |
| Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays |
| Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) |
| Power Supply: Manufacturer's Standard |
| Software: Operating System |
| Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. |
| License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. |
| Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. |
| Accessories: Specification |
| Keyboard: Manufacturer's Standard (same brand as the Server) |
| Mouse: Optical with mouse pad (same brand as the Server) |
| Cables and Connectors: All necessary cables and connectors; patch |

| | Other Dequirementer | |
|---|--|--|
| | Other Requirements: Brand and Model: The offered conver must be from a globally | |
| | Brand and Model: The offered server must be from a globally recognized brand that has been marketed in the Philippines for at | |
| | least the past 10 years. The model must be listed in the current | |
| | catalog and must not be end-of-life from the time of bidding until | |
| | the expiration of the warranty period. A Manufacturer's | |
| | Certificate is required. | |
| | Components: All components must be the same brand as the | |
| | Server and factory installed and new. | |
| | The Supplier is not allowed to chage or add any components to the equipment | |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For | |
| | Servers that do not carry an Energy Star label, an appropriate | |
| | means of proof of Energy consumption levels shall be submitted | |
| | such as a technical dossier of the manufacturer or a test report | |
| | from a recognized body to demonstrate compliance with this | |
| | requirement. | |
| | Documentation and Media: All equipment shall be supplied with the | |
| | standard manufacturer documentation, on any electronic storage | |
| | media and hard copy version where available. | |
| | Warranty, Maintenance & Technical Support: The supplier must | |
| | provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on mouse and keyboard | |
| | from Date of the Inspection and Acceptance Report (IAR). The local | |
| | technical support shall include telephone and email, 8 hours per | |
| | day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for | |
| | problem resolution. Support shall have a response time of next | |
| | business day. | |
| | UPS (bundled with Admin Server): Power Ratings: 1500VA/1200W; Input Voltage - 230V/ Output Voltage - 230V | |
| | Backup Power: 10 minutes back-up power at half load, 8 hours | |
| | recharge time | |
| | IO Ports: USB, RJ45 / SNMP Card | |
| | Outlets: 4 power output / connectors | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic | |
| | Self-Test (built-in) | |
| | Alarm Indicators: Online, On battery, replacement battery and | |
| | overload | |
| | Management Software: Built-in or with media installer monitoring | |
| | tool and/or diagnostic software accessible via desktop application | |
| | and/or web browser. | |
| | Accessories: Specification | |
| | Cables and Connectors: All necessary cables and connectors; patch | |
| | cord (CAT6, factory crimped with RJ45 connector, 5 meters, | |
| | preferably gray and adapters.) | |
| | Other Requirements: | |
| | Brand and Model: The offered UPS must be from a globally | |
| | recognized brand that has been marketed in the Philippines for at | |
| | least the past 10 years. The model must be listed in the current | |
| | catalog and must not be end-of-life from the time of bidding until | |
| | the expiration of the warranty period. A Manufacturer's | |
| | Certificate is required. | |
| | Documentation and Media: The equipment shall be supplied with | |
| | the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | |
| | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of | |
| | UPS from the date of the Inspection and Acceptance Report. The | |
| | local technical support shall include telephone and email, 8 hours | |
| | per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for | |
| | problem resolution. Support shall have a response time of next | |
| | business day. | |
| | | |
| 6 | Computer Printer: Multi-Function Inkjet Printer | |

| | Functions: Print, Copy, Scan |
|---|--|
| | Print Speed: Minimum speed of 30 ppm or 17 ipm; speed measured using A4/letter size paper) |
| | Print Quality: 600 x 600 dpi |
| | Copy Speed: Minimum speed of 11.5 cpm or 5.5 ipm; speed |
| | measured using A4/letter size paper |
| | Scan Resolution: 1200 dpi |
| | Scan Features: Multi-sheet scan to single PDF file; Scan to Network |
| | Folder; Scan to USB/Memory Device |
| | Scan Type: Flatbed and ADF |
| | Duty Cycle: 5,000 pages per month |
| | Memory: Manufacturer's Standard |
| | Ink/Toner System: Continuous Ink Supply System or Ink Tank System (original or built-in) , Refill must be available nationwide. Certificate of Authenticity is required. |
| | Network Interface: Fast ethernet |
| | IO Ports:USB 2.0 (Type A), Ethernet (RJ-45) |
| | Power: 240 VAC |
| | Duplex Printing:Automatic two-sided printing |
| | Paper Trays: Two Trays; Standard input tray (250 sheets), Multi- purpose tray (100 sheets) |
| | Maximum Media Size: Legal (8.5 in x 14 in) |
| | Media Type: Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, photo, brochures. |
| | Supported O.S: Windows 11,10 |
| | Drivers: Original CD/DVD copy or in any electronic media storage. Accessories: Specification |
| | Ink: Pre-installed ink tanks with an additional Three (3) standard ink refill bottles per color |
| | Cables and Connectors: All necessary cables and connectors, adapters; patch cable (CAT6, factory crimped with RJ-45 connector, 5 meters, preferably color orange) |
| | Brand and Model: The offered printer must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of life from the time of bidding until the expiration of the warranty period. |
| | A Manufacturer's Certificate is required. |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For printers that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard services where available |
| | storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty for parts and onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. |
| 7 | Document Scanner (Flatbed with ADF, A3) |
| | Scan Technology: Flatbed with Automatic Document Feeder(ADF) |
| | Sensors: Charged Coupled Device (CCD) or Contact Image |
| | Sensor (CIS); Ultrasonic sensor for multi-feed detection |
| | Scan Speed: 30 ppm |
| | Color Depth: 24-bit |
| | Scan Resolution: 600 dpi |
| | Document Processing Function: Optical Character Recognition |
| | |

| | (OCR) | |
|---|--|--|
| | Duty Cycle: 4,000 pages | |
| | File Format: PDF, searchable PDF, JPG, BMP, TIFF | |
| | File Destination: USB, Network Folder, Scan to Management Software | |
| | | |
| | Duplex Scanning: Automatic two-sided scanning | |
| | Network Interface: Gigabit Ethernet IO Ports: USB 2.0, Ethernet (RJ-45) Maximum Media Size: A3 (11.7 in x 17 in) ADF Capacity: 100 sheets | |
| | Media Type: Paper (bond, light, heavy, plain, recycled, rough), | |
| | envelopes, labels, cardstock, photo, brochures. Supported O.S: Windows 11,10 Management Software: Pre- | |
| | installed scanning applications software Drivers: Original CD/DVD copy or in any electronic media storage. | |
| | Accessories: Specification | |
| | Cables and Connectors: All necessary cables and connectors, adapters; patch cable (CAT6, factory crimped with RJ-45 connector, 5 meters, preferably color orange) | |
| | Other Requirements: | |
| | Brand and Model: The offered document scanner must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of life from the time of bidding until the expiration of the warranty period. A | |
| | Manufacturer's Certificate is required. Regulatory: ENERGY STAR certified (with Energy Star Stamp) For | |
| | Scanner that do not carry an Energy Star label, an appropriate | |
| | means of proof of Energy consumption levels shall be submitted | |
| | such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this | |
| | requirement. | |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. | |
| | Warranty, Maintenance & Technical Support: The supplier must | |
| | provide Three (3) years warranty for parts and onsite labor from | |
| | Date of the Inspection and Acceptance Report (IAR). The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next | |
| | business day. | |
| 8 | UPS (for desktop workstations): | |
| | Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V | |
| | Backup Power: 5 minutes back-up power at half load, 8 hours recharge time | |
| | IO Ports: No IO Port requirement | |
| | Outlets: 2 power output / connectors | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) | |
| | Alarm Indicators: Online, On battery, replacement battery and overload | |
| | Management Software: No management software requirement | |
| | Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. | |
| | Other Requirements: | |
| | • | |
| | Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's | |
| | Certificate is required. | |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic | |

| | storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | |
|---|--|------------------|
| 9 | PROJECTOR (Conference Room) Technology: DLP/3LCD Resolution: WXGA (1280 x 800) Aspect ratio: 16:10 Contrast ratio: 10,000:1 Throw Distance: 1 meter Brightness (normal): 3,000 lumens Lamp Life: 4,000 hours IO Ports: HDMI, VGA, USB Power: 220-240 VAC Accessories: Specification Cables and Connectors: All necessary cables and connectors Remote Control: Manufacturer's Standard (with batteries) Lens Cap: Manufacturer's Standard Carrying Case: Manufacturer's Standard Laser Pointer: Same brand as projector (with PgUp/PgDn functions) Other Requirements: Brand and Model: The offered projector must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacture documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide One (1) year warranty for parts and onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | Php 3,353,200.00 |

(Signature Over Printed Name of Authorized Representative)

(Designation)

(Name of Bidder)

Section VIII. Bidding Forms

Table of Contents

| 0 |
|---|
| 2 |
| 4 |
| 4 |
| |
| 6 |
| |
| 7 |
| |
| 8 |
| L |
| |

BID FORM

Date : _____ Project Identification No. : _____

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agentCurrencyCommission or gratuity

| (if none, state "None")] | |
|--------------------------|--|

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:_____

Legal capacity:

Signature:_____

Duly authorized to sign the Bid for and behalf of:

Date: _____

For Goods Offered From Within the Philippines

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|---|----------------------|----------|----------------------------|--|---|--|---|---|
| Item | Description | Country of Origin | Quantity | Unit price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+ 8) | Total Price delivered Final Destination (col 9) x (col 4) |
| 1 | Computer Laptop: (Application Use) | | | | | | | | |
| | Processor & Chipset: Core i5 - 13th Generation, or its equivalent, minimum of 10-cores and 4.60 | | | | | | | | |
| | Ghz max turbo frequency Architecture: 64 bit | | | | | | | | |
| | Internal Memory: 16 GB DDR4 | | | | | | | | |
| | Storage: 512 GB SSD | | | | | | | | |
| | Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics | | | | | | | | |
| | memory | | | | | | | | |
| | Audio: Integrated high definition audio support, integrated speakers and integrated digital | | | | | | | | |
| | microphone | | | | | | | | |
| | Webcam: Integrated widescreen HD | | | | | | | | |
| | IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port | | | | | | | | |
| | Network Interface: Bluetooth, Wireless LAN (auto detecting and auto sensing), and Gigabit | | | | | | | | |
| | Ethernet | | | | | | | | |
| | Weight: not more than 1.9 kg / 4.2 lbs Software: Operating System | | | | | | | | |
| | Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft | | | | | | | | |
| | prior to deliverv. | | | | | | | | |
| | Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage | | | | | | | | |
| | media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office | | | | | | | | |
| | Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be | | | | | | | | |
| | perpetual and transferable. It must be licensed and named after the DPWH and can be added to the | | | | | | | | |
| | Department's existing tenant domain dpwhgovph.onmicrosoft.com and primary domain | | | | | | | | |
| | dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the | | | | | | | | |
| | Philippines | | | | | | | | |
| | Accessories: Specification | | | | | | | | |
| | Mouse: Optical with mouse pad (same brand as the laptop) Carry Case: Manufacturer's Standard | | | | | | | | |
| | Cable Adapter: Gigabit Ethernet Cable Adapter (for laptop models without Ethernet port) Headset: | | | | | | | | |
| | Headset with Microphone (1-meter cable Adapter (10) laptop models without Editerret port) readset. | | | | | | | | |
| | connections type. Must be compatible with the offered laptop) | | | | | | | | |
| | Other Requirements: | | | | | | | | |
| | Brand and Model: The offered laptop must be from a globally recognized brand that has been | | | | | | | | |
| | marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | | | | | | | |
| | catalog and must not be end-of-life from the time of bidding until the expiration of the warranty | | | | | | | | |
| | period. | | | | | | | | |
| | | | | | | | | | |

Project ID No. 25GFD0009

| A Manufacturer's Certificate is required. Components: All components must be the same brand as the laptop (except for the headset), manufacturer installed and new. The Supplier is not allowed to change or add components to the equipment. Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Laptops that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. Documentation and Media: All equipment shall be supplied with standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on mouse and headset with microphone, from Date of the Inspection and Acceptance Report (IAR). In any case that the laptop needs to be pullout for servicing, the Supplier must return the unit within two (2) weeks or a service unit with the same or higher specifications must be issued. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | |
|---|--|--|--|
| 2 Computer Laptop: (Administrative Use) Processor & Chipset: Core i3 - 13th Generation or its equivalent, minimum of 6-cores and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Bluetooth, and Wireless LAN (auto detecting and auto sensing), Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines Accessories: Specification Mouse: Optical with Microphone (1-meter cable length, with noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered laptop) Other Requirements: Brand and Model: The offered laptop must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. | | | |

| | | | - | | |
|---|---|--|---|--|------|
| | Components: All components must be the same brand as the laptop (except for the headset), | | | | |
| | manufacturer installed and new. The Supplier is not allowed to change or add components to the | | | | |
| | equipment. | | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Laptops that do not carry an | | | | |
| | Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted | | | | |
| | such as a technical dossier of the manufacturer or a test report from a recognized body to | | | | |
| | demonstrate compliance with this requirement. | | | | |
| | Documentation and Media: All equipment shall be supplied with the standard manufacturer | | | | |
| | documentation, on any electronic storage media and hard copy version where available. | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on | | | | |
| | all parts and associated software and onsite labor, One (1) year on mouse and headset with | | | | |
| | microphone, from Date of the Inspection and Acceptance Report (IAR). In any case that the laptop | | | | |
| | needs to be pullout for servicing, the Supplier must return the unit within two (2) weeks or a service | | | | |
| | unit with the same or higher specifications must be issued. The local technical support shall include | | | | |
| | telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for | | | | |
| | problem resolution. Support shall have a response time of next business day. | | | | |
| | р | | | | |
| _ | | | | | |
| 3 | Computer Desktop: (Applications Use) | | | | |
| | Processor: Core i5 - 13th Generation or its equivalent, minimum of 14-cores and 4.80 Ghz max | | | | |
| | turbo frequency | | | | |
| | Architecture: 64 bit | | | | |
| | Memory: 16 GB DDR4 | | | | |
| | Hard Drive: 1 TB 7200 RPM HDD + 512 GB SSD | | | | |
| | Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide viewing angle IPS Display | | | | |
| | (same brand as CPU); Integrated Graphics Memory | | | | |
| | Audio: Integrated Sound Card with internal/external speaker | | | | |
| | Expansion Slots: 4 slots on board, at least 1 PCI Express slot | | | | |
| | Optical Drive: DVD + RW (optional) | | | | |
| | IO Ports: Minumum of six (6) USB slots (at most 1 type C), HDMI/Display Port, Audio Port, Ethernet | | | | |
| | (RJ-45) Port | | | | |
| | Network Interface: Integrated Gigabit Ethernet Casing: Minimum of Two (2) drive bays | | | | |
| | Software: Operating System | | | | |
| | Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft | | | | |
| | prior to delivery. | | | | |
| | Recovery Media: All drivers, utilities, and recovery media must be stored in any electronic storage | | | | |
| | media. It must be properly labelled and virus free. | | | | |
| | Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider | | | | |
| | (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain | | | | |
| | dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a | | | | |
| | certificate as a Certified CSP Direct Partner in the Philippines | | | | |
| | Accessories: Specification | | | | |
| | Keyboard: Manufacturer's Standard (same brand as the computer) | | | | |
| | Mouse: Optical with mouse pad (same brand as the computer) | | | | |
| | Webcam: 2MP FHD | | | | |
| | Headset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio | | | | |
| | jack/USB connections type. Must be compatible with the offered desktop) | | | | |
| | Power Supply: Manufacturer's Standard | | | | |
| | Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped | | | | |
| | withRJ-45 connector, 5 meters preferably color orange) Other Requirements: | | | | |
| | Brand and Model: The offered desktop must be from a globally recognized brand that has been | | | | |
| | marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | | | |
| | catalog and must not be end-of-life from the time of bidding until the expiration of the warranty | | | | |
| | period. A Manufacturer's Certificate is required. | | | | |
| | | | l | | |

| week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. UPS (bundled with Application Use desktop workstations): Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V Backup Power: 5 minutes back-up power at half load, 8 hours recharge time IO Ports: No IO Ports requirement Outlets: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Miscellaneous: Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local | | | | |
|--|--|--|--|--|
| Components: All components must be the same brand as the computer (except for the webcam and headset) and manufacturer installed. The Supplier is not allowed to change or add any components to the equipment Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Desktop Computers that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on keyboard, mouse, webcam and headset with microphone, from Date of the Inspection and Acceptance Report (IAR).The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business | | | | |

| | | | | | |
|---|---------------|---|------|------|------|
| 4 Computer Desktop: (Administrative Use) | | | | | |
| Processor: Core i3 - 13th Generation or its equivalent, Minimum of 4-cores and 4.50 Gh | z max turbo | | | | |
| frequency | | | | | |
| Architecture: 64 bit | | | | | |
| Internal Memory: 8 GB DDR4 | | | | | |
| Hard Drive: 512GB SSD | | | | | |
| Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide Viewing Angle IPS | Display | | | | |
| (same brand as CPU) with Integrated graphics memory | Display | | | | |
| | | | | | |
| Audio: Integrated Sound Card with internal/ external speaker | | | | | |
| Expansion Slot: 4 slots on board, at least 1 PCI Express slot | | | | | |
| Optical Drive: DVD + RW (optional) | | | | | |
| IO Ports: Minumum of 6 USB slots (at most 1 type C), HDMI/Display Port, Audio Port, | | | | | |
| Ethernet (RJ-45) Port | | | | | |
| Network Interface: Integrated Gigabit Ethernet | | | | | |
| Casing:Minimum of Two (2) drive bays | | | | | |
| Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media | installer. | | | | |
| Must be activated with Microsoft prior to delivery. | | | | | |
| Recovery Media: All drivers, utilities, and recovery media must be stored in any electron | ic storage | | | | |
| media. It must be properly labelled and virus free. | | | | | |
| Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution | n Provider | | | | |
| (CSP) Agreement. The licenses must be perpetual and transferable. It must be license | d and named | | | | |
| after the DPWH and can be added to the Department's existing tenant domain | | | | | |
| dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must pre- | ent a | | | | |
| certificate as a Certified CSP Direct Partner in the Philippines | | | | | |
| Accessories: Specification | | | | | |
| Keyboard: Manufacturer's Standard (same brand as the computer) | | | | | |
| Mouse: Optical with mouse pad (same brand as the computer) | | | | | |
| Webcam: 2MP FHD | | | | | |
| Headset: Headset with Microphone (1-meter cable length, with noise cancellation featur | e audio | | | | |
| jack/USB connections type. Must be compatible with the offered desktop) | e, addio | | | | |
| Power Supply: Manufacturer's Standard | | | | | |
| Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory | crimpod with | | | | |
| | chimped with | | | | |
| RJ-45 connector, 5 meters preferably color orange) | | | | | |
| | | | | | |
| Other Requirements: | | 1 | | | |
| Brand and Model: The offered desktop must be from a globally recognized brand that he | as been | | | | |
| marketed in the Philippines for at least the past 10 years. The model must be listed in t | | | | | |
| catalog and must not be end-of-life from the time of bidding until the expiration of the | | | | | |
| period. A Manufacturer's Certificate is required. | ianancy | | | | |
| Components: All components must be the same brand as the computer (except for the | webcam and | | | | |
| headset) and manufacturer installed. The Supplier is not allowed to change or add any | | | | | |
| to the equipment | Simportents | | | | |
| Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Desktop Computers th | at do not | | | | |
| carry an Energy Star label, an appropriate means of proof of Energy consumption levels | | | | | |
| submitted such as a technical dossier of the manufacturer or a test report from a recog | | | | | |
| demonstrate compliance with this requirement. | lized body to | | | | |
| | ror | | | | |
| Documentation and Media: All equipment shall be supplied with the standard manufactu | | | | | |
| documentation, on any electronic storage media and hard copy version where available. | | | | | |
| Maintenance & Technical Support: The supplier must provide Three (3) years warranty of | | | | | |
| and associated software and onsite labor, One (1) year on keyboard, mouse, webcam a | na neadset | | | | |
| with microphone, from Date of the Inspection and Acceptance Report (IAR). | | | | | |
| The local technical support shall include telephone and email, 8 hours per day (8:00 am | | | | | |
| 5 days a week (Monday - Friday) for problem resolution. Support shall have a response | time of next | | | | |
| business day. | | | | | |
| | | | | | |
| | | | | | |
| | • | 1 | | | |

| UPS (bundled with Application Use desktop workstations): Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V Backup Power: 5 minutes back-up power at half load, 8 hours recharge time IO Ports: No IO Port requirement Outlets: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expirationof the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | |
|---|--|--|--|
| 5 Admin Server: Processor & Chipset : Intel Xeon Silver (latest version), or its equivalent, Minimum of 8-cores and 3.60 Ghz max turbo frequency Memory: 16 GB DDR4 DIMM Storage: Two (2) 1.2 TB (2 x 1.2 TB) 12G SAS 10K RPM SFF Hard Drive; Hot-swappable Storage Controller: 12Gb/s SAS (RAID 0/1) Expansion Slot: Four (4) PCI Express slot IO Ports: Three (3) USB 2.0/3.0, VGA Network Interface: Two (2) ports Integrated Gigabit Ethernet Casing: Tower with Eight (8) drive bays Monitor: 19 - inch Diagonal High-Definition LCD/LED Wide Screen Display (same brand as CPU) Power Supply: Manufacturer's Standard Software: Operating System Windows Server Standard Edition (latest version) 64-bit, Core License with 5 device CALs. License Type: The license(s) must be perpetual, transferrable, and under the Microsoft Cloud Service Provider (CSP) Agreement. It must be licensed and named after the DPWH and can be added to the Department's existing license portal. Manufacturer Certificate must be provided as proof that the supplied software is authentic and can be legally distributed in the Philippines. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Accessories: Specification Keyboard: Manufacturer's Standard (same brand as the Server) Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped with RJ-45 connector, 5 meters preferably color orange) | | | |

| Other Requirements: | | | | | |
|---|--|--|--|---|--|
| Brand and Model: The offered server must be from a globally recognized brand that has been | | | | | |
| marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | | | | |
| catalog and must not be end-of-life from the time of bidding until the expirationof the warranty | | | | | |
| period. A Manufacturer's Certificate is required. | | | | | |
| Components: All components must be the same brand as the Server and factory installed and | | | | | |
| new. | | | | | |
| The Supplier is not allowed to chage or add any components to the equipment | | | | | |
| Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Servers that do not carry an | | | | | |
| Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted | | | | | |
| such as a technical dossier of the manufacturer or a test report from a recognized body to | | | | | |
| demonstrate compliance with this requirement. | | | | | |
| Documentation and Media: All equipment shall be supplied with the standard manufacturer | | | | | |
| documentation, on any electronic storage media and hard copy version where available. | | | | | |
| Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on | | | | | |
| all parts and associated software and onsite labor, One (1) year on mouse and keyboard from Date | | | | | |
| of the Inspection and Acceptance Report (IAR). The local technical support shall include telephone | | | | | |
| and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem | | | | | |
| resolution. Support shall have a response time of next business day. | | | | | |
| | | | | | |
| | | | | | |
| UPS (bundled with Admin Server): Power Ratings: 1500VA/1200W; Input Voltage - 230V/ | | | | | |
| Output Voltage - 230V | | | | | |
| Backup Power: 10 minutes back-up power at half load, 8 hours recharge time | | | | | |
| IO Ports: USB, RJ45 / SNMP Card | | | | | |
| Outlets: 4 power output / connectors | | | | | |
| Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) | | | | | |
| Alarm Indicators: Online, On battery, replacement battery and overload | | | | | |
| Management Software: Built-in or with media installer monitoring tool and/or diagnostic software | | | | | |
| accessible via desktop application and/or web browser. | | | | | |
| Accessories: Specification Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped | | | | | |
| with RJ45 connector, 5 meters, preferably gray and adapters.) | | | | | |
| Other Requirements: | | | | | |
| Brand and Model: The offered UPS must be from a globally recognized brand that has been | | | | | |
| marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | | | | |
| | | | | | |
| catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. | | | | | |
| Documentation and Media: The equipment shall be supplied with the standard manufacturer | | | | | |
| documentation, on any electronic storage media and hard copy version where available. | | | | | |
| Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on | | | | | |
| all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local | | | | | |
| technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a | | | | | |
| week (Monday - Friday) for problem resolution. Support shall have a response time of next business | | | | | |
| day. | | | | | |
| μαγ. | | | | | |
| | | | | • | |

| • | ter Printer: Multi-Function Inkjet Printer | | | | |
|-----------|---|--|--|--|--|
| | chnology: Colored Inkjet | | | | |
| | is: Print, Copy, Scan | | | | |
| Print Spe | eed: Minimum speed of 30 ppm or 17 ipm; speed measured using A4/letter size paper) | | | | |
| Print Qu | ality: 600 x 600 dpi | | | | |
| Copy Sp | eed: Minimum speed of 11.5 cpm or 5.5 ipm; speed measured using A4/letter size paper | | | | |
| Scan Re | solution: 1200 dpi | | | | |
| Scan Fea | atures: Multi-sheet scan to single PDF file; Scan to Network Folder; Scan to USB/Memory | | | | |
| Device | 3 , , , , , , | | | | |
| | pe: Flatbed and ADF | | | | |
| | cle: 5,000 pages per month | | | | |
| | : Manufacturer's Standard | | | | |
| | er System: Continuous Ink Supply System or Ink Tank System (original or built-in) , Refill | | | | |
| | available nationwide. Certificate of Authenticity is required. | | | | |
| | Interface: Fast ethernet | | | | |
| | :USB 2.0 (Type A), Ethernet (RJ-45) | | | | |
| Power: 2 | | | | | |
| | | | | | |
| | Printing:Automatic two-sided printing | | | | |
| | rays: Two Trays; Standard input tray (250 sheets), Multi-purpose tray (100 sheets) | | | | |
| | n Media Size: Legal (8.5 in x 14 in) | | | | |
| | ype: Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, photo, | | | | |
| brochure | | | | | |
| | ed O.S: Windows 11,10 | | | | |
| Drivers: | Original CD/DVD copy or in any electronic media storage. | | | | |
| | | | | | |
| Accesso | ries: Specification | | | | |
| | installed ink tanks with an additional Three (3) standard ink refill bottles per color | | | | |
| | nd Connectors: All necessary cables and connectors, adapters; patch cable (CAT6, factory | | | | |
| | with RJ-45 connector, 5 meters, preferably color orange) | | | | |
| | nd Model: The offered printer must be from a globally recognized brand that has been | | | | |
| | 5,5 | | | | |
| | d in the Philippines for at least the past 10 years. The model must be listed in the current | | | | |
| 5 | and must not be end-of life from the time of bidding until the expiration of the warranty | | | | |
| period. | | | | | |
| | acturer's Certificate is required. | | | | |
| | bry: ENERGY STAR certified (with Energy Star Stamp) For printers that do not carry an | | | | |
| | Star label, an appropriate means of proof of Energy consumption levels shall be submitted | | | | |
| | a technical dossier of the manufacturer or a test report from a recognized body to | | | | |
| | trate compliance with this requirement. | | | | |
| | ntation and Media: The equipment shall be supplied with the standard manufacturer | | | | |
| docume | ntation, on any electronic storage media and hard copy version where available. | | | | |
| Warrant | y, Maintenance & Technical Support: The supplier must provide Three (3) years warranty for | | | | |
| parts an | d onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical | | | | |
| support | shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | | | |
| (Monday | - Friday) for problem resolution. Support shall have a response time of next business day. | | | | |
| | | | | | |
| | | | | | |

| - | Document Scanner (Flatbed with ADF, A3) | | | | |
|---|---|--|--|--|--|
| / | Scan Technology: Flatbed with Automatic Document Feeder(ADF) | | | | |
| | Sensors: Charged Coupled Device (CCD) or Contact Image | | | | |
| | Sensor (CIS); Ultrasonic sensor for multi-feed detection | | | | |
| | Scan Speed: 30 ppm | | | | |
| | Color Depth: 24-bit | | | | |
| | Scan Resolution: 600 dpi | | | | |
| | | | | | |
| | Document Processing Function: Optical Character Recognition (OCR) | | | | |
| | Duty Cycle: 4,000 pages | | | | |
| | File Format: PDF, searchable PDF, JPG, BMP, TIFF | | | | |
| | File Destination: USB, Network Folder, Scan to ManagementSoftware | | | | |
| | Duplex Scanning: Automatic two-sided scanning | | | | |
| | Network Interface: Gigabit Ethernet IO Ports: USB 2.0, Ethernet (RJ-45) Maximum Media Size: A3 | | | | |
| | (11.7 in x 17 in) ADF Capacity: 100 sheets | | | | |
| | ADF Capacity: 100 sneets Media Type: Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, photo, | | | | |
| | brochures. | | | | |
| | | | | | |
| | Supported O.S: Windows 11,10 Management Software: Pre-installed scanning applications software Drivers: Original CD/DVD copy or in any electronic media storage. | | | | |
| | Drivers. Original CD/DVD copy of in any electronic media storage. | | | | |
| | Accessories: Specification | | | | |
| | Cables and Connectors: All necessary cables and connectors, adapters; patch cable (CAT6, factory | | | | |
| | crimped with RJ-45 connector, 5 meters, preferably color orange) | | | | |
| | Other Requirements: | | | | |
| | Brand and Model: The offered document scanner must be from a globally recognized brand that has | | | | |
| | been marketed in the Philippines for at least the past 10 years. The model must be listed in the | | | | |
| | current catalog and must not be end-of life from the time of bidding until the expiration of the | | | | |
| | warranty period. A Manufacturer's Certificate is required. | | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Scanner that do not carry an | | | | |
| | Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted | | | | |
| | such as a technical dossier of the manufacturer or a test report from a recognized body to | | | | |
| | demonstrate compliance with this requirement. | | | | |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer | | | | |
| | documentation, on any electronic storage media and hard copy version where available. | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty for | | | | |
| | parts and onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical | | | | |
| | support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | | | |
| | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | | |
| | | | | | |
| | | | | | |

| 8 | UPS (for desktop workstations): | | | | |
|---|--|--|---|--|--|
| | Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V | | | | |
| | Backup Power: 5 minutes back-up power at half load, 8 hours recharge time | | | | |
| | IO Ports: No IO Port requirement | | | | |
| | Outlets: 2 power output / connectors | | | | |
| | | | | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) | | | | |
| | Alarm Indicators: Online, On battery, replacement battery and overload | | | | |
| | Management Software: No management software requirement | | | | |
| | Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. | | | | |
| | Other Requirements: | | | | |
| | Brand and Model: The offered UPS must be from a globally recognized brand that has been | | | | |
| | marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | | | |
| | catalog and must not be end-of-life from the time of bidding until the expiration of the warranty | | | | |
| | period. A Manufacturer's Certificate is required. | | | | |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer | | | | |
| | | | | | |
| | documentation, on any electronic storage media and hard copy version where available. | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide One (1) years warranty on | | | | |
| | all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local | | | | |
| | technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a | | | | |
| | week (Monday - Friday) for problem resolution. Support shall have a response time of next business | | | | |
| | day. | | | | |
| | | | | | |
| | PROJECTOR (Conference Room) | | | | |
| | Technology: DLP/3LCD | | | | |
| | | | | | |
| | Resolution: WXGA (1280 x 800) | | | | |
| | Aspect ratio: 16:10 | | | | |
| | Contrast ratio: 10,000:1 | | | | |
| | Throw Distance: 1 meter | | | | |
| | Brightness (normal): 3,000 lumens | | | | |
| | Lamp Life: 4,000 hours | | | | |
| | IO Ports: HDMI, VGA, USB | | | | |
| | Power: 220-240 VAC | | | | |
| | Accessories: Specification | | | | |
| | Cables and Connectors: All necessary cables and connectors | | | | |
| | Remote Control: Manufacturer's Standard (with batteries) | | | | |
| | Lens Cap: Manufacturer's Standard | | | | |
| | Carrying Case: Manufacturer's Standard | | | | |
| | Laser Pointer: Same brand as projector (with PgUp/PgDn functions) | | | | |
| | Other Requirements: | | | | |
| | | | | | |
| | Brand and Model: The offered projector must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the | | | | |
| | | | | | |
| | currentcatalog and must not be end-of life from the time of bidding until the expiration of the | | | | |
| | warranty period. | | | | |
| | A Manufacturer's Certificate is required. | | | | |
| | Documentation and Media: The equipment shall be supplied with the standard manufacturer | | | | |
| | documentation, on any electronic storage media and hard copy version where available. | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide One (1) year warranty for | | | | |
| | parts and onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical | | | | |
| | support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week | | | | |
| | (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | | |
| | | | | | |
| | | | 1 | | |

Name:______

Legal Capacity: ______ Signature: ______ Duly authorized to sign for and behalf of: ______

Contract Agreement Form for the Procurement of Goods (Revised) [Not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____day of ____20__between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, *viz.*:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

- iii. Performance Security;
- iv. Notice of Award of Contract; and the Bidder's conforme thereto; and
- v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. <u>Winning</u> bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as

the Notice to Proceed. Variation Orders. and Warranty Security. shall likewise form part of the Contract.

- 3. In consideration for the sum of *[total contract price in words and figures]* or such other sums as may be ascertained, *[Named of the bidder]* agrees to *[state the object of the contract]* in accordance with his/her/its Bid.
- 4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

| [Insert Name and Signature] | [Insert Name and Signature] |
|-------------------------------------|-------------------------------------|
| [Insert Signatory's Legal Capacity] | [Insert Signatory's Legal Capacity] |
| for: | for: |
| [Insert Procuring Entity] | [Insert Name of Supplier] |

<u>Acknowledgment</u> [Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF_____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation. membership. association. affiliation. or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as

amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this _____day of __, 20_____at

____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat] [Format shall be based on the latest Rules on Notarial Practic

BID FORM (FINANCIAL PROPOSAL) PRICE SCHEDULE FOR GOODS OFFERED

Date of Bid Opening: June 30, 2025

| 1 | 2 | 3 | 4 | 1 | 5 | 6 | 7 |
|-------------|--|--------------------|-----|------|---------------------|------------|-------------------|
| Item No. | Description | ABC (Unit Cost) | Qty | Unit | Unit Cost (Peso) | Total Cost | Delivery Schedule |
| 1 | Computer Laptop: (Application Use) Processor & Chipset: Core i5 - 13th Generation, or its equivalent, minimum of 10-cores and 4.60 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 16 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Display with Integrated graphics memory Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Port, Audio Port, Ethernet (RJ- 45) Port Network Interface: Bluetooth, Wireless LAN (auto detecting and auto sensing), and Gigabit Ethernet Weight: not more than 1.9 kg / 4.2 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwlgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines Accessories: Specification Mouse: Optical with mouse pad (same brand as the laptop) Carry Case: Manufacturer's Standard Cable Adapter: Gigabit Ethernet Cable Adapter (for laptop models without Ethernet port) Headset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered laptop) Other Requirements: Brand and Model: The offered laptop must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must | 105,000.00 | 6 | unit | | | |

| A Monthester Contribute of earlier and the provide server of the server of the provide the server of the provide of the mark department of the provide the server of the server of the mark department of the provide the server of the server of the server of the mark department of the provide the server of th | _ | | | | | | |
|---|--|---|-----------|---|------|------|--|
| Processor & Cripset: Core 1: 12h Generation or its equivalent, minimum of 6-cores and 440 Chran stubic frequency. Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB S50 DDslags): 1-thich Diagonal Pull High-Definition Wide Screen Diaplay with Integrated graphics memory. Audio: Integrated high definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated wide definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated wigh definition wide Screen Diaplay with Integrated speakers and integrated digital microphone Integrate wide definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated wigh definition audio support, integrated speakers and integrated digital microphone Integrate wide definition audio support, integrated speakers and integrated digital microphone Webcam: Integrated wigh definition wide Screen Diaplay with Integrated speakers and integrated digital microphone with Microphone (Integrated Storeg) and auto sensing), Graphic Ethernet Integrated wigh definition audio support, integrated speakers and integrated digital microphone (Integrated Storeg) and auto sensing), Graphic Ethernet Integrated wigh definition audio support, integrated speakers and integrated digital microphone (Integrated Storeg) and (Integrated Microphone) Receiver Media: All Africes and utilities, a speaker and the definition with the definition with the comparison of the definition and the definition and the active and the definition and the active and the definition and the active addice and with the comparison of the definit | Components: All components must be the same brand as the laptop (ex manufacturer installed and new. The Supplier is not allowed to change of equipment. Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Laptop Star label, an appropriate means of proof of Energy consumption levels technical dossier of the manufacturer or a test report from a recognized compliance with this requirement. Documentation and Media: All equipment shall be supplied with standard documentation, on any electronic storage media and hard copy version of Warranty, Maintenance & Technical Support: The supplier must provide all parts and associated software and onsite labor, One (1) year on mou microphone, from Date of the Inspection and Acceptance Report (IAR). needs to be pullout for servicing, the Supplier must return the unit with unit with the same or higher specifications must be issued. The local tect telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a we | or add components to the ps that do not carry an Energy shall be submitted such as a l body to demonstrate d manufacturer where available. Three (3) years warranty on use and headset with In any case that the laptop n two (2) weeks or a service chnical support shall include eek (Monday - Friday) for | | | | | |
| | Processor & Chipset: Core i3 - 13th Generation or its equivale and 4.40 Ghz max turbo frequency Architecture: 64 bit Internal Memory: 8 GB DDR4 Storage: 512 GB SSD Display: 14-inch Diagonal Full High-Definition Wide Screen Dis graphics memory Audio: Integrated high definition audio support, integrated sp digital microphone Webcam: Integrated widescreen HD IO Ports: 3 USB (2 Type A and 1 Type C), HDMI/Display Por 45) Port Network Interface: Bluetooth, and Wireless LAN (auto detectin Gigabit Ethernet Weight: not more than 1.78 kg / 3.95 lbs Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media inst with Microsoft prior to delivery. Recovery Media: All drivers and utilities, recovery media must electronic storage media. It must be properly labelled and viru Office Software: Licensed Microsoft Office Standard (Latest Ve Solution Provider (CSP) Agreement. The licenses must be per It must be licensed and named after the DPWH and can be ad existing tenant domain dpwhgovph.onmicrosoft.com and prim The Supplier must present a certificate as a Certified CSP Dire Philippines Accessories: Specification Mouse: Optical with mouse pad (same brand as the laptop) Carry Case: Manufacturer's Standard Cable Adapter: Gigabit Ethernet Cable Adapter (for laptop mo port) Headset: Headset with Microphone (1-meter cable length, wit feature, audio jack/USB connections type. Must be compatible Other Requirements: Brand and Model: The offered laptop must be from a globally has been marketed in the Philippines for at least the past 10 y listed in the current catalog and must not be end-of-life from | splay with Integrated beakers and integrated t, Audio Port, Ethernet (RJ- ing and auto sensing), taller. Must be activated to be stored in any us free. ersion) under Cloud rpetual and transferable. dided to the Department's hary domain dpwh.gov.ph. ect Partner in the odels without Ethernet th noise cancellation e with the offered laptop) recognized brand that years. The model must be the time of bidding until | 95,000.00 | 2 | unit | | |

| Components: All components must be the same brand as the laptop (except for the headset), manufacturer installed and new. The Supplier is not allowed to change or add components to the equipment. Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Laptops that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on mouse and headset with microphone, from Date of the Inspection and Acceptance Report (IAR). In any case that the laptop needs to be pullout for servicing, the Supplier must return the unit within two (2) weeks or a service unit with the same or higher specifications must be issued. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | | | |
|--|------------|---|------|--|--|
| Computer Desktop: (Applications Use) Processor: Core i5 - 13th Generation or its equivalent, minimum of 14-cores and 4.80 Ghz max turbo frequency Architecture: 64 bit Memory: 16 GB DDR4 Hard Drive: 1 TB 7200 RPM HDD + 512 GB SSD Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide viewing angle IPS Display (same brand as CPU); Integrated Graphics Memory Audio: Integrated Sound Card with internal/external speaker Expansion Slots: 4 slots on board, at least 1 PCI Express slot Optical Drive: DVD + RW (Optional) ID Ports: Minumum of six (6) USB slots (at most 1 type C), HDMI/Display Port, Audio Port, Ethernet (RJ-45) Port Network Interface: Integrated Gigabit Ethernet Casing: Minimum of Two (2) drive bays Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media installer. Must be activated with Microsoft prior to delivery. Recovery Media: All drivers, utilities, and recovery media must be stored in any electronic storage media. It must be properly labelled and virus free. Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud Solution Provider (CSP) Agreement. The licensese must be perpetual and transferable. It must be licensed and named after the DPWH and can be added to the Department's existing tenant domain dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. The Supplier must present a certificate as a Certified CSP Direct Partner in the Philippines Accessories: Specification Keyboard: Manufacturer's Standard (same brand as the computer) Mouse: Optical with mouse pade (same brand as the computer) Medaset: Headset with Microphone (1-meter cable length, with noise cancellation feature, audio jack/USB connections type. Must be compatible with the offered desktop) Power Supply: Manufacturer's Standard Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped withRJ-45 connector, 5 meters preferably color orange) Other Requirements: Brand and Model: The offered desktop must | 115,000.00 | 5 | unit | | |

| Components: All components must be the same brand as the computer (except for the webcam and headset) and manufacturer installed. The Supplier is not allowed to change or add any components to the equipment Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Desktop Computers that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on keyboard, mouse, webcam and headset with microphone, from Date of the Inspection and Acceptance Report (IAR).The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | |
|---|---|--|--|
| UPS (bundled with Application Use desktop workstations): Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage - 230V Backup Power: 5 minutes back-up power at half load, 8 hours recharge time IO Ports: No IO Ports requirement Outlets: 2 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: No management software requirement Accessories: The supplier shall provide all necessary cables and connectors, and power adapters. Miscellaneous: Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The quipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | 5 | | |

| Computer Desktop: (Administrative Use) | 115 000 00 | 2 | | 1 | |
|--|------------|---|------|---|--|
| Processor: Core i3 - 13th Generation or its equivalent, Minimum of 4-cores and 4.50 | 115,000.00 | 2 | unit | | |
| Ghz max turbo frequency | | | | | |
| | | | | | |
| Architecture: 64 bit | | | | | |
| Internal Memory: 8 GB DDR4 | | | | | |
| Hard Drive: 512GB SSD | | | | | |
| Monitor: 21 - inch Diagonal Full High-Definition Wide Screen or Wide Viewing Angle IPS | | | | | |
| Display (same brand as CPU) with Integrated graphics memory | | | | | |
| Audio: Integrated Sound Card with internal/ external speaker | | | | | |
| Expansion Slot: 4 slots on board, at least 1 PCI Express slot | | | | | |
| Optical Drive: DVD + RW (optional) | | | | | |
| IO Ports: Minumum of 6 USB slots (at most 1 type C), HDMI/Display Port, Audio Port, | | | | | |
| Ethernet (RJ-45) Port | | | | | |
| Network Interface: Integrated Gigabit Ethernet | | | | | |
| Casing:Minimum of Two (2) drive bays | | | | | |
| Software: Operating System Licensed OEM Windows 11 Professional 64-bit with media | | | | | |
| installer. Must be activated with Microsoft prior to delivery. | | | | | |
| Recovery Media: All drivers, utilities, and recovery media must be stored in any | | | | | |
| electronic storage media. It must be properly labelled and virus free. | | | | | |
| Office Software: Licensed Microsoft Office Standard (Latest Version) under Cloud | | | | | |
| Solution Provider (CSP) Agreement. The licenses must be perpetual and transferable. | | | | | |
| | | | | | |
| It must be licensed and named after the DPWH and can be added to the Department's | | | | | |
| existing tenant domain dpwhgovph.onmicrosoft.com and primary domain dpwh.gov.ph. | | | | | |
| The Supplier must present a certificate as a Certified CSP Direct Partner in the | | | | | |
| Philippines | | | | | |
| Accessories: Specification | | | | | |
| Keyboard: Manufacturer's Standard (same brand as the computer) | | | | | |
| Mouse: Optical with mouse pad (same brand as the computer) | | | | | |
| Webcam: 2MP FHD | | | | | |
| Headset: Headset with Microphone (1-meter cable length, with noise cancellation | | | | | |
| feature, audio jack/USB connections type. Must be compatible with the offered | | | | | |
| desktop) | | | | | |
| Power Supply: Manufacturer's Standard | | | | | |
| Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory | | | | | |
| crimped with RJ-45 connector, 5 meters preferably color orange) | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | |
| Other Requirements: | | | | | |
| Brand and Model: The offered desktop must be from a globally recognized brand that has been | | | | | |
| marketed in the Philippines for at least the past 10 years. The model must be listed in the current | | | | | |
| catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. | | | | | |
| Components: All components must be the same brand as the computer (except for the webcam and | | | | | |
| headset) and manufacturer installed. The Supplier is not allowed to change or add any components to | | | | | |
| the equipment | | | | | |
| Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Desktop Computers that do not carry | | | | | |
| an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted | | | | | |
| such as a technical dossier of the manufacturer or a test report from a recognized body to | | | | | |
| demonstrate compliance with this requirement. | | | | | |
| Documentation and Media: All equipment shall be supplied with the standard manufacturer | | | | | |
| documentation, on any electronic storage media and hard copy version where available. Warranty, | | | | | |
| Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts | | | | | |
| and associated software and onsite labor, One (1) year on keyboard, mouse, webcam and headset | | | | | |
| with microphone, from Date of the Inspection and Acceptance Report (IAR). | | | | | |
| The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 | | | | | |
| days a week (Monday - Friday) for problem resolution. Support shall have a response time of next | | | | | |
| business day. | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | 2 | unit | | | |
|------------|------------|--------------|-------------------|-------------------|-------------------|
| | 2 | unit | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | - | | | | l |
| 765,000.00 | 1 | unit | | | |
| | | | | | |
| | | | | 1 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 70 | | | | | |
| | 765,000.00 | 765,000.00 1 | 765,000.00 1 unit | 765,000.00 1 unit | 765,000.00 1 unit |

| Other Requirements: Brand and Model: The offered server must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expirationof the warranty period. A Manufacturer's Certificate is required. Components: All components must be the same brand as the Server and factory installed and new. The Supplier is not allowed to chage or add any components to the equipment Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Servers that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. Documentation and Media: All equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and associated software and onsite labor, One (1) year on mouse and keyboard from Date of the Inspection and Acceptance Report (IAR). The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | | | | |
|--|---|------|--|--|
| UPS (bundled with Admin Server): Power Ratings: 1500VA/1200W; Input Voltage - 230V/ Output Voltage - 230V Backup Power: 10 minutes back-up power at half load, 8 hours recharge time IO Ports: USB, RJ45 / SNMP Card Outlets: 4 power output / connectors Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self-Test (built-in) Alarm Indicators: Online, On battery, replacement battery and overload Management Software: Built-in or with media installer monitoring tool and/or diagnostic software accessible via desktop application and/or web browser. Accessories: Specification Cables and Connectors: All necessary cables and connectors; patch cord (CAT6, factory crimped with RJ45 connector, 5 meters, preferably gray and adapters.) Other Requirements: Brand and Model: The offered UPS must be from a globally recognized brand that has been marketed in the Philippines for at least the past 10 years. The model must be listed in the current catalog and must not be end-of-life from the time of bidding until the expiration of the warranty period. A Manufacturer's Certificate is required. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media and hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty on all parts and onsite labor of UPS from the date of the Inspection and Acceptance Report. The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | 1 | unit | | |

| _ | | | | | | |
|---|---|-----------|---|------|--|--|
| 6 | Computer Printer: Multi-Function Inkjet Printer | 30,000.00 | 6 | unit | | |
| | Print Technology: Colored Inkjet | | | | | |
| | Functions: Print, Copy, Scan | | | | | |
| | Print Speed: Minimum speed of 30 ppm or 17 ipm; speed measured using A4/letter size | | | | | |
| | paper) | | | | | |
| | Print Quality: 600 x 600 dpi | | | | | |
| | Copy Speed: Minimum speed of 11.5 cpm or 5.5 ipm; speed measured using A4/letter | | | | | |
| | size paper | | | | | |
| | Scan Resolution: 1200 dpi | | | | | |
| | Scan Features: Multi-sheet scan to single PDF file; Scan to Network Folder; Scan to | | | | | |
| | USB/Memory Device | | | | | |
| | Scan Type: Flatbed and ADF | | | | | |
| | Duty Cycle: 5,000 pages per month | | | | | |
| | Memory: Manufacturer's Standard | | | | | |
| | Ink/Toner System: Continuous Ink Supply System or Ink Tank System (original or built- | | | | | |
| | in) , Refill must be available nationwide. Certificate of Authenticity is required. | | | | | |
| | Network Interface: Fast ethernet | | | | | |
| | | | | | | |
| | IO Ports:USB 2.0 (Type A), Ethernet (RJ-45) | | | | | |
| | Power: 240 VAC | | | | | |
| | Duplex Printing:Automatic two-sided printing | | | | | |
| | Paper Trays: Two Trays; Standard input tray (250 sheets), Multi-purpose tray (100 | | | | | |
| | sheets) | | | | | |
| | Maximum Media Size: Legal (8.5 in x 14 in) | | | | | |
| | Media Type: Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, | | | | | |
| | cardstock, photo, brochures. | | | | | |
| | Supported O.S: Windows 11,10 | | | | | |
| | Drivers: Original CD/DVD copy or in any electronic media storage. | | | | | |
| | Accessories: Specification | | | | | |
| | Ink: Pre-installed ink tanks with an additional Three (3) standard ink refill bottles per | | | | | |
| | color | | | | | |
| | Cables and Connectors: All necessary cables and connectors, adapters; patch cable | | | | | |
| | (CAT6, factory crimped with RJ-45 connector, 5 meters, preferably color orange) | | | | | |
| | Brand and Model: The offered printer must be from a globally recognized brand that | | | | | |
| | has been marketed in the Philippines for at least the past 10 years. The model must be | | | | | |
| | listed in the current catalog and must not be end-of life from the time of bidding until | | | | | |
| | the expiration of the warranty period. | | | | | |
| | A Manufacturer's Certificate is required. | | | | | |
| | Regulatory: ENERGY STAR certified (with Energy Star Stamp) For printers that do not | | | | | |
| | carry an Energy Star label, an appropriate means of proof of Energy consumption levels | | | | | |
| | shall be submitted such as a technical dossier of the manufacturer or a test report from | | | | | |
| | a recognized body to demonstrate compliance with this requirement. | | | | | |
| | Documentation and Media: The equipment shall be supplied with the standard | | | | | |
| | manufacturer documentation, on any electronic storage media and hard copy version | | | | | |
| | where available. | | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years | | | | | |
| | warranty for parts and onsite labor from Date of the Inspection and Acceptance Report | | | | | |
| | (IAR). The local technical support shall include telephone and email, 8 hours per day | | | | | |
| | (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem resolution. Support | | | | | |
| | | | | | | |
| | shall have a response time of next business day. | | | | | |
| | | | | | | |
| | | | | | | |

| Document Scanner (Flatbed with ADF, A3) Scan Technology: Flatbed with Automatic Document Feeder(ADF) Sensors: Charged Coupled Device (CCD) or Contact Image Sensor (CIS); Ultrasonic sensor for multi-feed detection Scan Speed: 30 ppm Color Depth: 24-bit Scan Resolution: 600 dpi Document Processing Function: Optical Character Recognition (OCR) Duty Cycle: 4,000 pages File Format: PDF, searchable PDF, JPG, BMP, TIFF File Destination: USB, Network Folder, Scan to ManagementSoftware Duplex Scanning: Automatic two-sided scanning Network Interface: Gigabit Ethernet IO Ports: USB 2.0, Ethernet (RJ-45) Maximum Media Size: A3 (11.7 in x 17 in) ADF Capacity: 100 sheets | 280,000.00 | 2 | unit | | |
|--|--|---|------|--|--|
| Media Type: Paper (bond, light, heavy, plain, recycled, rough), envelopes labels, cardstock, photo, brochures. Supported O.S: Windows 11,10 Management Software: Pre-installed scanning applications software Drivers: Original CD/DVD copy or in any electronic media storage. | 5, | | | | |
| Accessories: Specification Cables and Connectors: All necessary cables and connectors, adapters; p cable (CAT6, factory crimped with RJ-45 connector, 5 meters, preferably color orange) Other Requirements: Brand and Model: The offered document scanner must be from a globally recognized brand that has been marketed in the Philippines for at least th past 10 years. The model must be listed in the current catalog and must be end-of life from the time of bidding until the expiration of the warrant period. A Manufacturer's Certificate is required. Regulatory: ENERGY STAR certified (with Energy Star Stamp) For Scanner that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement. Documentation and Media: The equipment shall be supplied with the standard manufacturer documentation, on any electronic storage media a hard copy version where available. Warranty, Maintenance & Technical Support: The supplier must provide Three (3) years warranty for parts and onsite labor from Date of the Inspection and Acceptance Report (IAR). The local technical support shal include telephone and email, 8 hours per day (8:00 am - 5:00 pm), 5 day week (Monday - Friday) for problem resolution. Support shall have a response time of next business day. | v ne not y ar of and | | | | |

| 8 | UPS (for desktop workstations): | 7,800.00 | 19 | unit | | |
|---|--|----------|----|------|--|--|
| | Power Ratings: 650VA/390W; Input Voltage - 230V/ Output Voltage | , | _ | | | |
| | - 230V | | | | | |
| | Backup Power: 5 minutes back-up power at half load, 8 hours | | | | | |
| | recharge time | | | | | |
| | IO Ports: No IO Port requirement | | | | | |
| | Outlets: 2 power output / connectors | | | | | |
| | Features: Built-in Automatic Voltage Regulator (AVR), Automatic Self- | | | | | |
| | Test (built-in) | | | | | |
| | Alarm Indicators: Online, On battery, replacement battery and | | | | | |
| | overload | | | | | |
| | Management Software: No management software requirement | | | | | |
| | Accessories: The supplier shall provide all necessary cables and | | | | | |
| | connectors, and power adapters. | | | | | |
| | Other Requirements: | | | | | |
| | Brand and Model: The offered UPS must be from a globally | | | | | |
| | recognized brand that has been marketed in the Philippines for at | | | | | |
| | least the past 10 years. The model must be listed in the current | | | | | |
| | catalog and must not be end-of-life from the time of bidding until the expirationof the warranty period. A Manufacturer's Certificate | | | | | |
| | is required. | | | | | |
| | Documentation and Media: The equipment shall be supplied with | | | | | |
| | the standard manufacturer documentation, on any electronic | | | | | |
| | storage media and hard copy version where available. | | | | | |
| | Warranty, Maintenance & Technical Support: The supplier must | | | | | |
| | provide One (1) years warranty on all parts and onsite labor of UPS | | | | | |
| | from the date of the Inspection and Acceptance Report. The local | | | | | |
| | technical support shall include telephone and email, 8 hours per day | | | | | |
| | (8:00 am - 5:00 pm), 5 days a week (Monday - Friday) for problem | | | | | |
| | resolution. Support shall have a response time of next business day. | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| 9 PROJECTOR (Conference Room) | 75,000.00 | 1 | unit | | 1 | | | |
|---|--|------------|-------|--|---|-------------|--|--|
| Technology: DLP/3LCD | 75,000.00 | 1 | unic | | | | | |
| Resolution: WXGA (1280 x 800) | | | | | | | | |
| Aspect ratio: 16:10 | | | | | | | | |
| Contrast ratio: 10,000:1 | | | | | | | | |
| Throw Distance: 1 meter | | | | | | | | |
| Brightness (normal): 3,000 lumens | | | | | | | | |
| Lamp Life: 4,000 hours | | | | | | | | |
| IO Ports: HDMI, VGA, USB | | | | | | | | |
| Power: 220-240 VAC | | | | | | | | |
| Accessories: Specification | | | | | | | | |
| Cables and Connectors: All necessary cables and connectors | | | | | | | | |
| Remote Control: Manufacturer's Standard (with batteries) | | | | | | | | |
| Lens Cap: Manufacturer's Standard | | | | | | | | |
| Carrying Case: Manufacturer's Standard | | | | | | | | |
| Laser Pointer: Same brand as projector (with PgUp/PgDn functions) | | | | | | | | |
| Other Requirements: | | | | | | | | |
| Brand and Model: The offered projector must be from a globally recognized | | | | | | | | |
| brand that has been marketed in the Philippines for at least the past 10 | | | | | | | | |
| years. The model must be listed in the currentcatalog and must not be end- | | | | | | | | |
| of life from the time of bidding until the expiration of the warranty period. | | | | | | | | |
| A Manufacturer's Certificate is required. | | | | | | | | |
| Documentation and Media: The equipment shall be supplied with the | | | | | | | | |
| standard manufacturer documentation, on any electronic storage media and | | | | | | | | |
| hard copy version where available. | | | | | | | | |
| Warranty, Maintenance & Technical Support: The supplier must provide One | | | | | | | | |
| (1) year warranty for parts and onsite labor from Date of the Inspection and | | | | | | | | |
| Acceptance Report (IAR). The local technical support shall include telephone | | | | | | | | |
| and email, 8 hours per day (8:00 am - 5:00 pm), 5 days a week (Monday - | | | | | | | | |
| Friday) for problem resolution. Support shall have a response time of next | | | | | | | | |
| business day. | | | | | | | | |
| Total Amount of Bid: P | | | | | | | | |
| | | (in w | ords) | | - | (in figure) | | |
| /alidity: 90_days | Name and Signature of | of Bidder: | | | | | | |
| | | | | | | | | |
| | Address: Telephone/Mobile No.: Name of Representative: | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | Signature of Representative: | | | | | | | |
| | Signature of Represel | | | | | | | |

Bidders are required to include the cost of all taxes, such as, but not limited to: value added tax (VAT), income tax, local taxes, customs duties, freight, insurance, bank charges and other fiscal levies and duties. These shall be itemized in the bid form and reflected in the detailed estimates.

STATEMENT OF ALL GOVERNMENT AND PRIVATE CONTRACTS COMPLETED WHICH ARE SIMILAR IN NATURE

Business Name: Business Address:

| Name of Contract /Project Cost | a. Owner's Name | Nature of Work | Bidder's Role | | a. Amount at Award | a. Date Awarded |
|--------------------------------|-------------------|----------------|---------------|---|--------------------|-------------------------|
| | b. Address | | Description | % | b. Amount at | b. Contract Effectivity |
| | c. Telephone Nos. | | | | Completion | c. Date Completed |
| | | | | | c. Duration | |
| <u>Government</u> | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| <u>Private</u> | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Note: This statement shall be supported with:

1. Contract

2. Certificate of Completion

3. Certificate of Acceptance

Designation:

Date: _____

LIST OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

Business Name: Business Address:

| Name of Contract /Project Cost | a. Owner's Name | Nature of Work | Bidder's Ro | е | a. Date Awarded | te Awarded % of Accomplishment | | Value of |
|--------------------------------|-------------------|----------------|-------------|---|-----------------|--------------------------------|--------|-------------|
| | b. Address | | Description | % | b. Date Started | Planned | Actual | Outstanding |
| | c. Telephone Nos. | | | | c. Date of | | | Works/ |
| | | | | | Completion | | | Undelivered |
| Government | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Private | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | Total Cost | | |

Note: This statement shall be supported with:

1. Notice of Award and/or Contract

2. Notice to Proceed issued by owner

3. Certificate of Accomplishment signed by the owner or authorized representative

Designation: _____

Date: _____

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Eligibility, Technical and Financial Requirements for Bidders

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Documents</u>

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
 - (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
 - (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
 <u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- (e) Conformity with the Technical Specifications, which may include 1. Brochures/catalogues/flyers 2. production/delivery schedule, 3. manpower requirements, 4. and/or after-sales/parts or warranty, if applicable; <u>and</u>
- (f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

<u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; and
- (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
 - (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES) CITY OF_____) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]