

NUEVA VIZCAYA FIRST DISTRICT ENGINEERING OFFICE Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

Bayombong, Nueva Vizcaya REGIONAL OFFICE II

(P.R. No.): 024-04-058

Name of Procuring Entity: DPWH - NV 1st DEO

Standard Form/Title: Revised on: COMPANY NAME: REQUEST FOR QUOTATION Office/End-User: DPWH, NV1st DEO Date: 4/30/2024

TEL. NO./FAX NO.: ADDRESS:

in the return envelope attached herewith to the BAC Chairman, DPWH, NV 1st DEO. Condition stated below and submit your quotation duly signed by your representative not later than Please quote "legibly" your government price for the article(s) listed hereunder. Subject to the Terms and

TERMS AND CONDITIONS

- All entries must be typewritten or legibly written
- Delivery period within thirty (30) working days upon receipt of the approved funded Purchase Order (P.O.). Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA9184 shall be imposed for non-delivery without valid reason.
- w Warranty shall be for a minimum of 3 months for supplies & materials: one year for Equipment from date of acceptance by the End-user.

Chief, Planning and Design Section VALENTINO B. SARENO

(BAC-Chairperson)

- 4 2 Price validity shall be for a period of 30 calendar days
- the quotaiton G-EPS Registration Certificate of Registration shall be attached upon submission of
- 9 Bidders shall submit original brochures showing certification of the product if applicable
- 7 Please indicate the brand for each items being offered

8. The approve	8. The approved Budget for ceiling for this procurement is	P	829,700.00		
ITEM NO.	ITEMS & DESCRIPTION	QTY.	TINU	UNIT PRICE	F PRICE TOTAL PRICE
j k	Mixing Pan 32" x 32" x 5" G.I "Locally Fabricated"	Δı	pc		
-					

		13	12	11	10	9	œ	7	ത	ъ	4	ω	2	ш	TEM NO.	o. The approv
		Brass Sieve, "Dual" USA, 8"x2", sieve no. 8	Brass Sieve, "Dual" USA, 8"x2", sieve no. 4	Brass Sieve, "Dual" USA, 8"x2", sieve no. 3/8"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 1/2"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 3/4"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 1"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 1 1/2"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 2 1/2"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 2 1/2"	Brass Sieve, "Dual" USA, 8"x2", sieve no. 3"	Aluminum Scoop, Local 500ml Capacity	Mixing Pan 18" x 18" x 3" G.I "Locally Fabricated"	Mixing Pan 32" x 32" x 5" G.I "Locally Fabricated"	ITEMS & DESCRIPTION	5. The approved budget for coming for any procurements
		2	2	2	2	2	2	2	2	2	2	4	Уī	Δı	QTY.	-
		×	pc	×	ጽ	×	×	Þ	Þ		×	pc	Þ	þc	UNIT	023/100:00
S. Carol	page 1 of 3														UNIT PRICE	
	1 of 3														TOTAL PRICE	

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 of 3	Page 2				
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 1 for the verification of the calibration of the concrete I for the verification of the calibration of the concrete I fig the serion: \$\phi\$ 150 by 320mm ght: 16kg approx lei: C390 lei: C390 lei: C390 lei: C390 lei: C4, L capacity lei: C4, L capacity lei: Rubber coon 5mm Chisel Steel L Field can allet Rubber coop, Sand berized Plastic Basin 50L (CM-505)"Local" ng Pan 12"x12"x3" G.I "Locally Fabricated" tal Balance tal Balance lei: NL 7017 x/003N" NL Scientific acity and Readability:30000 g x1 g Dimension (L)x (W)mm:320x220 ler: 220 V.50/60Hz nless Bowl 500 ML Capacity "Local" Stainless Steel Funnel 10				-	Diameter: 7.5cm	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"			ρ	10	304 Stainless Steel Funnel	29
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 1 li for the verification of the callbration of the concrete 200 200 2 1 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 1 li for the verification of the callbration of the concrete 200 200 2 1 li for the verification of the callbration of the concrete 200 200 2 1 li for the verification of the callbration of the concrete 200 200 2 1 li for the verification of the callbration of the concrete 200 200 2 1 li for the verification of the callbration of the concrete 200 200 2 1 li for the verification of the callbration of the concrete 200 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			p	10	Stainless Bowl 500 ML Capacity "Local"	28
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 1 for the verification of the calibration of the concrete nmers Special steel alloy made tension: Ø 150 by 320mm ght: 16kg approx lel: C390 d Density Test Set, consisting of: and Density Cone tg Glass or Plastic, 4L capacity ensity Plate raight Edge boon Smm Chisel Steel L Field can allet Rubber soop, Sand berized Plastic Basin 50L (CM-505)"Local" ing Pan 12"x12"x3" G.I "Locally Fabricated" fing Pan 24"x24"x3" G.I "Locally Fabricated" fal Balance lel: NL 7017 x/003N" NL Scientific actly and Readability:30000 g x1 g Dimension (L)x (W)mm:320x220					Power: 220 V.50/60Hz	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 rfor the verification of the calibration of the concrete nension: Ø 150 by 320mm ght: 16kg approx fel: C390 d Density Test Set, consisting of: and Density Cone 15 diand Density Cone 16 diand Cone 17 diand Pastic Basin 50L (CM-505)"Local" 1 diand Density Plate 17 diand Plastic Basin 50L (CM-505)"Local" 1 diand Density Plate 2 2 diand Density Cone 2 2 diand Density Cone 3 diand CM-503" NL Scientific 2 2 diand Density Cone 3 diand Cone 2 diand Density Cone 3 diand Cone 2 diand					Pan Dimension (L)x (W)mm:320x220	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 for the verification of the calibration of the concrete tension: Ø 150 by 320mm ght: 16kg approx lel: C390 d Density Test Set, consisting of: 3and Density Cone 15mm Chisel Steel gGlass or Plastic, 4L capacity ensity Plate raight Edge 2000. 5mm Chisel Steel L Field can 24"x24"x3" G.I "Locally Fabricated" 5 fing Pan 12"x12"x3" G.I "Locally Fabricated" 5 tal Balance 2 lei: NL 7017 x/003N" NL Scientific					Capacity and Readability:30000 g x1 g	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 s Sieve, "Dual" USA, 8"x2", sieve no. 200 2 s Sieve, "Dual" USA, 8"x2", sieve no. 200 2 s Sieve, "Dual" USA, 8"x2", sieve no. 200 2 s Sieve, "Dual" USA, 8"x2", sieve no. 200 2 s Sieve, "Dual" USA, 8"x2", sieve no. 200 2 s Sieve, "Dual" USA, 8"x2", si					Model: NL 7017 x/003N" NL Scientific	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 later the verification of the calibration of the concrete partity Plate raight: 16kg approx lel: C390 d Density Cone g Glass or Plastic, 4L capacity ensity Plate raight Edge poon 5mm Chisel Steel L Field can allet Rubber poop, Sand berized Plastic Basin 50L (CM-505)"Local" ing Pan 12"x12"x3" G.I "Locally Fabricated" 5 ing Pan 24"x24"x3" G.I "Locally Fabricated" 5 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 2 2 2 2 2 2 2 2 3 4 5 6 7 1 1 1 1 1 1 1 1 1 1 1 1			mit	2	Digital Balance	27
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 l			72	Уı	Mixing Pan 24"x24"x3" G.I "Locally Fabricated"	26
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 1 for the verification of the calibration of the concrete unners Special steel alloy made tension: Ø 150 by 320mm ght: 16kg approx lei: C390 d Density Test Set, consisting of: and Density Cone g Glass or Plastic, 4L capacity ensity Plate traight Edge boon 5mm Chisel Steel L Field can allet Rubber coop, Sand berized Plastic Basin 50L (CM-505)"Local" 1			R	VI	Mixing Pan 12"x12"x3" G.I "Locally Fabricated"	25
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 1 for the verification of the calibration of the concrete lension: Ø 150 by 320mm ght: 16kg approx fel: C390 d Density Test Set, consisting of: and Density Cone gig Glass or Plastic, 4L capacity ensity Plate rraight Edge boon 55mm Chisel Steel 1. Field can allet Rubber boop, Sand			R	J ames	Rubberized Plastic Basin 50L (CM-505)"Local"	24
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 for the verification of the calibration of the concrete tension: Ø 150 by 320mm ght: 16kg approx lei: C390 d Density Test Set, consisting of: 31 and Density Cone 15 g Glass or Plastic, 4L capacity ensity Plate traight Edge 2000 55mm Chisel Steel L Field can allet Rubber					1-Scoop, Sand	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 1 for the verification of the calibration of the concrete 1 in the verification of the calibration of the concrete 1 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 3 in the verification of the calibration of the concrete 4 in the verification of the calibration of the concrete 5 in the verification of the calibration of the concrete 2 in the verification of the concrete 3 in the verification of the calibration of the concrete 4 in the verification of the concrete 5 in the verification of the calibration of the concrete 5 in the verification of the calibration of the concrete 1 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 4 in the verification of the calibration of the concrete 5 in the verification of the calibration of the concrete 1 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 2 in the verification of the calibration of the concrete 5 in the verification of the calibration of the concrete 1 in the verification of the calibration of the concrete 2 in the verification of the calibration of the cali					1-Mallet Rubber	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 ndard: EN 12504:2 1 for the verification of the calibration of the concrete pension: Ø 150 by 320mm ght: 16kg approx lel: C390 d Density Test Set, consisting of: and Density Cone g Glass or Plastic, 4L capacity ensity Plate raight Edge boon 5mm Chisel Steel					1- 4L Field can	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2					1- 25mm Chisel Steel	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 andard: EN 12504:2 1 for the verification of the calibration of the concrete lension: \$\phi\$ 150 by 320mm ght: 16kg approx lel: C390 d Density Test Set, consisting of: and Density Test Set, consisting of: g Glass or Plastic, 4L capacity ensity Plate raight Edge					1-Spoon	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 1					1-Straight Edge	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 80 1 for the verification of the calibration of the concrete tension: Ø 150 by 320mm ght: 16kg approx lel: C390 d Density Test Set, consisting of: and Density Test Set, consisting of: g Glass or Plastic, 4L capacity g Glass or Plastic, 4L capacity					1-Density Plate	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2"					1-Jug Glass or Plastic, 4L capacity	
2 ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 1 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"			,	ì	1- Sand Density Cone	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 1 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 1 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 <td></td> <td></td> <td>Sets</td> <td>7</td> <td>Field Density Test Set, consisting of:</td> <td>23</td>			Sets	7	Field Density Test Set, consisting of:	23
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 1 rodard: EN 12504:2 I for the verification of the calibration of the concrete eension: Ø 150 by 320mm aht: 16kg approx					Model: C390	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 1 for the verification of the calibration of the concrete ension: Ø 150 by 320mm					Weight: 16kg approx	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ndard: EN 12504:2 nmers Special steel alloy made					Dimension:ø 150 by 320mm	
ss Sieve, "Dual" USA, 8"x2", sieve no. 10 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 16 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 30 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 40 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 50 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 100 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ss Sieve, "Dual" USA, 8"x2", sieve no. 200 2 ndard: EN 12504:2 1 1 for the verification of the calibration of the concrete					Hammers Special steel alloy made	
0 2 2 2 2 1					Used for the verification of the calibration of the concrete test	
1 2 2 2 2 2 2			S.	-	Standard: EN 12504:2	22
"Dual" USA, 8"x2", sieve no. 10 2 "Dual" USA, 8"x2", sieve no. 16 2 "Dual" USA, 8"x2", sieve no. 30 2 "Dual" USA, 8"x2", sieve no. 40 2 "Dual" USA, 8"x2", sieve no. 50 2 "Dual" USA, 8"x2", sieve no. 100 2 "Dual" USA, 8"x2", sieve no. 200 2			8	1-4	Brass Sieve, "Dual" USA, 8"x2", sieve no. 80	21
"Dual" USA, 8"x2", sieve no. 10 2 "Dual" USA, 8"x2", sieve no. 16 2 "Dual" USA, 8"x2", sieve no. 30 2 "Dual" USA, 8"x2", sieve no. 40 2 "Dual" USA, 8"x2", sieve no. 50 2 "Dual" USA, 8"x2", sieve no. 50 2			R	2	Brass Sieve, "Dual" USA, 8"x2", sieve no. 200	20
N N N N			72	2	"Dual" USA, 8"x2", sieve no.	19
2 2 2 2			72	2	Brass Sieve, "Dual" USA, 8"x2", sieve no. 50	18
N N N			þ	2	Brass Sieve, "Dual" USA, 8"x2", sieve no. 40	17
"Dual" USA, 8"x2", sieve no. 10 2 "Dual" USA, 8"x2", sieve no. 16 2			R	2	Brass Sieve, "Dual" USA, 8"x2", sieve no. 30	16
"Dual" USA, 8"x2", sieve no. 10 2			p	2	Brass Sieve, "Dual" USA, 8"x2", sieve no. 16	15
			pc	2	Brass Sieve, "Dual" USA, 8"x2", sieve no. 10	14

I C Daw	i illited ivanie/orginatale/ Pare	111111		RO2.13.5
re/Date	d Name/Sionatu	Print		at price note above.
tem(s)	uote you on the item(s)	ndition, I/We q	eneral Cor	After having carefully read and accepted your General Condition, I/We quote y
	7	Price Validity:		Brand and Model:
C 10 C	page	W		
of 3				
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
				For 6 samples," Locally Fabricated"
		78	2	Capping Retainer with Neoprene Pad
		Þ	 	Pocelaine Casserole Dish with Handle, 60ml 42 "Local"
		þ	ω	41 Brass Pan & Cover "Dual" 8"x2"Height
		R	2	40 Graduated Cylinder 10ml Capacity
		unit	4	39 Dial Indicator, reading to 0.25mm for penetration
		þ	σ	38 Crucible Tong "Local" Stainless
		78	ω	37 Brush Sieve, Wire
		R	2	24 07
		ጆ	2	
				36 Rubberized Mallet "Local"
				Dimension: 2"x2"x2"
		R	10	35 Three Gang Cube Mold "Locally Fabricated"
				Model: E072-01
		pack		Contact Points stainless steel, spare for E072 and E073 moulds
				Model: E072
				Complete with 4 steel inserts, Weights: 6kg approx
				TWO GANG PRISM MOULD TO produce 25x25x250mm specimen for expansion test in autoclave
		R	2	33 Standard: ASTM C490
		78	2	4" Long
		78	2	8" Long
				32 Spatula, Local
		PC	υı	31 Porcelaine Dish, 125 ML Capacity "Local"
		set	 4	30 Mortar and Pestle, Local PORCELAINE
		9		Diameter: 4.5 cm
			, ,	Diameter:5.5 cm