

## Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS MASBATE 3<sup>RD</sup> DISTRICT ENGINEERING OFFICE

Dimasalang, Masbate, Region V



November 29, 2024

## NOTICE OF ALTERNATIVE METHODS OF PROCUREMENT

Notice is hereby given that this office will conduct **Small Value Procurement** in accordance with Section 53.9 of the Revised Implementing Rules and Regulations of RA 9184. Contractors/Suppliers/ Consultants of known qualification and of good standing, upon receipt of letter from this office are hereby requested to submit their <u>price quotation</u>/ proposals on the following:

Purchase Request No.: 2024-11-061

Name: Purchase of Minor Tools and/or Equipments for replacements and

use of Carriageway and Roadside Maintenance

Location: Masbate 3<sup>rd</sup> District Engineering Office

Description of Project/Scope of works:

1	unit	Portable Generator Set, 8.5 kVA, Silent type
		Specification:
		Voltage/ Frequency: 220V/ 60 Hz Prime/ Surge Power: 7.5/ 8.5 kVa
		Engine Speed: 3600 rpm
		Noise Level: 72 – 74
		Excitation Mode: 100% Copper
		Displacement Ratio: 520
		Power Factor: 1
		Phase: Single Phase
		Starting System: Electric Start
		Phase: Single Phase
		Engine Model: SH - 198F
		Engine Type: Diesel Engine, 4-Stroke Air Cooled, Direct Injection
		Max Output Power: 18 hp
		Rotation Direction: Clockwise
		Dry Weight: 160 kg
1	unit	Welding Generator, Heavy Duty
		Specification:
		200 amps
		3kW Max with battery for Electric Start
1	unit	Portable Jackhammer, Heavy Duty
		Specification:
		Rated input power*: 2,000 W
		Impact energy*: 62 J
		Impact rate at rated speed: 1.000 bpm
		Weight*: 29.5 kg
		Tool holder: 28 mm internal hexagon
		Vibration emission value ah: 8.5 m/s²
6	unit	Brush Cutter ( Heavy Duty)
		Specification:
		Cutting Attachments:
		Type: 2-teeth blade cutter
		Diameter: 305 mm
		Maximum Engine Speed: 5,250 rpm
		Engine:
		Type: 4-stroke, OHC, Single Cylinder
		Displacement: 35.8 cm ( 2.18 cu. in)
		Bore x Stroke: 39 x 30 mm (1.5 x 1.2 in)
		Net Power: 1 KW (1.4 PS) @ 7,000 rpm

Net Power: 1 KW (1.4 PS) @ 7,000 rpm

Maximum Net Toque: 1.6 N-m (0.16kgf-m, 1.2 lbf-ft) @ 5,500 rpm

Compression Ratio: 8:1

Fuel Consumption: 360 g/kWh (265 g/ HPh, 0.584 lb/ HPh)

Lubrication System: Oil Mist

Oil Capacity: 0.1 (3.4 US oz, 3.5 Imp oz)

Starting System: Recoil Starter Air Cleaner: Semi-dry type

Fuel Used: Gasoline with a Pump Octane

Rating of 86 or Higher

Fuel Tank Capacity: 0.65 (0.17 US gal)

Dimensions (LxWxH): 1,928 x 637 x 444 mm)(75.9 x 25.1 x 17.5 in)

Weight: 7.49 kg (16.5 lbs)

2 unit Chain Saw

Specification:

Bar Length: 36 inches Weight: 10.7 kg

Displacement: 105.7 cm Power Output: 4.8/6.5 kW/hp

Revolutions per minute: 7,500 rpm (MAX) Revolutions per minute: 2,000 rpm (idle) Power-to-weight Ratio: 2.2 kg/kW

3 unit Multipurpose Ladder, Heavy Duty

Specifications:

Number of Steps: 12 Material: Aluminum Alloy

3 unit Digital Asphalt Thermometer with 8" Stainless

**Steel Probe** 

Approved Budget for the Contract (ABC): **Php757,228.50**Source of Fund: **FY 2024 ROUTINE MAINTENANCE** 

For the particular of the project, please coordinate with the BAC of this office. The contract will be awarded to the firm who submitted a price quotation which is found to be the most advantageous price to the government.

Approved:

HILARIO A. MANLANGIT BAC Vice - Chairperson

Date of Advertisement: November 30, 2024 – December 2, 2024





## Republic of the Philippines

## DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS MASBATE 3<sup>RD</sup> DISTRICT ENGINEERING OFFICE



Dimasalang, Masbate, Region V **BAGONG PILIPINAS** Name of Procuring Entity: Purchase Request No.: 2024-11-061 DPWH Masbate 3rd District Engineering Office Dimasalang, Masbate Revised on: Date: November 25, 2024 Standard Form/Title: Office/End-User: **REQUEST FOR QUOTATION** Maintenance Section **COMPANY NAME**; ADDRESS: TEL. NO./FAX NO.: TIN No. Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 10:00 A.M. of December 3, 2024 in the return envelope attached herewith, to the BAC Secretariat of this office. TERMS and CONDITIONS: 1. All entries must be typewritten or legibly written. 2. Delivery period within 30 calendar days upon receipt of the approved funded Purchase Order (P.O.). Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason. 3. Warranty shall be for a minimum of three (3) months for supplies & materials; One (1) year for equipment from date of acceptance by the end-user. BAC Vice-Chairperson 4. Price validity shall be for a period of sixty (60) calendar days. 5. PhilGEPS Registration Certificate, Latest Annual Income Tax Return, Updated Mayor's Permit, Notarized Omnibus Sworn Statement shall be attached upon submission of the quotation. 6. Bidders shall submit original brochures showing certifications of the product, if applicable. 7. Please indicate the brand of each items being offered. 8. The approved budget ceiling for this procurement is Php757,228.50 Item ITEMS & DESCRIPTION OTY. UNIT PRICE UNIT **TOTAL PRICE** 

No.	TIEFIS & DESCRIPTION	QII.	ONLI	ONIT PRICE	IOIAL PRICE
1	Portable Generator Set, 8.5 kVA, Silent type Specification: Voltage/ Frequency: 220V/ 60 Hz Engine Speed: 3600 rpm Noise Level: 72 – 74 Excitation Mode: 100% Copper Displacement Ratio: 520 Power Factor: 1 Phase: Single Phase Starting System: Electric Start Phase: Single Phase Engine Model: SH - 198F Engine Type: Diesel Engine, 4-Stroke Air Cooled, Direct Injection Max Output Power: 18 hp Rotation Direction: Clockwise Dry Weight: 160 kg  Brand:	1	unit		
2	Welding Generator, Heavy Duty Specification: 200 amps 3kW Max with battery for Electric Start Brand:	1	unit		



3	Portable Jackhammer, Heavy Duty Specification: Rated input power*: 2,000 W Impact energy*: 62 J Impact rate at rated speed: 1.000 bpm Weight*: 29.5 kg Tool holder: 28 mm internal hexagon Vibration emission value ah: 8.5 m/s² Brand:	1	unit		
Item No.	ITEMS & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
4	Brush Cutter ( Heavy Duty)  Specification: Cutting Attachments: Type: 2-teeth blade cutter Diameter: 305 mm  Maximum Engine Speed: 5,250 rpm Engine: Type: 4-stroke, OHC, Single Cylinder Displacement: 35.8 cm ( 2.18 cu. in) Bore x Stroke: 39 x 30 mm (1.5 x 1.2 in) Net Power: 1 KW (1.4 PS) @ 7,000 rpm Net Power: 1 KW (1.4 PS) @ 7,000 rpm Maximum Net Torque: 1.6 N-m (0.6kgf-m, 1.2 lbf-ft) @ 5,500 rpm Compression Ratio: 8:1 Fuel Consumption: 360 g/kWh (265 g/ HPh, 0.584 lb/ HPh) Lubrication System: Oil Mist Oil Capacity: 0.1 (3.4 US oz, 3.5 lmp oz) Starting System: Recoil Starter Air Cleaner: Semi-dry type Fuel Used: Gasoline with a Pump Octane Rating of 86 or Higher Fuel Tank Capacity: 0.65 (0.17 US gal) Dimensions (LxWxH): 1,928 x 637 x 444 mm) (75.9 x 25.1 x 17.5 in) Weight: 7.49 kg ( 16.5 lbs) Brand:	6	Unit		
5. 6.	Chain Saw Specification: Bar Length: 36 inches Weight: 10.7 kg Displacement: 105.7 cm Power Output: 4.8/6.5 kW/hp Revolutions per minute: 7,500 rpm (MAX) Revolutions per minute: 2,000 rpm (idle) Power-to-weight Ratio: 2.2 kg/kW Brand: Multipurpose Ladder Hoavy Duty	2	Unit		
	Multipurpose Ladder, Heavy Duty Specifications: Number of Steps: 12 Material: Aluminum Alloy Brand:	3	Unit		
7	Digital Asphalt Thermometer with 8" Stainless Steel Probe Brand:	3	Unit		
<b>Purpose:</b> Minor Tools and/or Equipments for replacements and use of Carriageway and Roadside Maintenance					



Brand and Model: Delivery Period:		Warranty:  Price Validity:
		ditions, I/We quote you on the item(s) at prices note above. If the space for Delivery that I concur with the Terms $\&$ Conditions specified by DPWH
	<b>■</b> S	The awarding for the this RFQ will be on a lump sum basis. Prospective Suppliers must quote for all of the items. Otherwise they will be subjected for disqualification
		Printed Name/Signature/Date Tel. No./Cellphone No./E-mail Address

