

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS **REGIONAL OFFICE II**

Chief, QAH Div

BAC Chairpersor

Dalan na Pavvurulun, RGC, Carig Sur, Tuguegarao City, Cagayan

BAGONG PILIPINAS

Procuring Entity		DPWH – Regional Office II	RFQ No.	: 20	024-11-108
Standard Form/Title	:	REQUEST FOR QUOTATION	Date	: No	ovember 29, 2024
Revised on	;		Office/End User Unit	: Ec	quipment Management Division
COMPANY NAME	:				
ADDRESS	:				
CONTACT NUMBER	:				
T.I.N.	:				
signed by your rep	rese	st price on all the items listed, subject to tentative not later than 10:00 A.M. on, Tuguegarao City, Cagayan and will be op	Dec 3,2024 , in a seale	ed er	nvelope to the Procurement Staff,

TERMS and CONDITIONS:

- 1. All entries must be type written or legibly written.
 2. Delivery period within 30 calendar days upon receipt of the approved funded Purchase Order. Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA9184 shall be imposed for nondelivery without valid reason.
- 3. Warranty shall be for a minimum of three (3) months for supplies and materials; One (1) year for Equipment from date of acceptance by the end user.

4. Price Validity shall be for a period of 30 calendar days

5. Documentary Requirements shall be attached upon submission of the quotation.

6. All items shall be procured as "One Lot"

7. Liquidated Damages pursuant to Sec. 68 of the Revised IRR-RA9184 shall be imposed for nondelivery without valid reason. 8. Performance Bond: Yes____

; No

9. Incomplete quotation shall be declared non-responsive. 10. You may submit your Quotation and Requirements through casem.hilario@dpwh.gov.ph/procurement.dpwhro2@gmail.com

Approved Budget Ceiling: P333,398.00

Mode of Procurement: Small Value Procurement

Documentary Requirements							
Mayor's Permit :	1	PhilGEPS Reg. No. or Reg. Certificate :	/				
DTI/SEC:	1	Income/ Business Tax Return :	/				
Tax Clearance Certificate :	1	Omnibus Sworn Statement :	/				

Item No.	Item Description	Brand & Model	Quantity	Unit	Unit Cost	Total Cost
1	Hard hat with DPWH Logo		11 /	pcs		
2 .	Safety Shoes, Oil Resistant, Water Resistant (Heavy Duty)		11 /	pcs		
3 /	Fishing Hat/ Sun Hat (see TOR Item 9.3)		8 /	pcs		
4 /	Reflectorized Vest with DPWH Logo		10	pcs		
5 /	Safety Gloves (see TOR Item 9.5)		99 -	pairs		
6 /	Rain Coat with DPWH Logo		11 /	pcs		
7	Two-way Radio (see TOR Item 9.7)		5 /	pcs		
8 /	Search Light/Flash Light (See TOR Item 9.8)		5 -	pcs		
9 /	Lock-Out/Tag-Out (see TOR Item 9.9)		11 /	pcs		
10 /	Fire Extinguisher (10lbs)		3	pcs		
11 ,	First Aid Kit (see TOR Item 9.11)		3 /	lot		
12 /	Lashing Belt with Hook, 3" (Heavy Duty), 15 meters		3 /	pcs		
13 /	Turn Buckle Hook and Eye, 1/2" (Stainless Steel)		3	pcs		
14	Mooring Rope, 2"		3	rolls		

RFQ No. 224-10-108

Page 2 of 2

Date: November 29, 2024

Office/End User Unit : EMD

Name & Signature of Supplier :

Date :

Contact Number :

No.	Item Description	Brand & Model	Quantity	Unit	Unit Cost	Total Cost
15	Chains with Hook both ends, 1/2" (5m) (Heavy Duty)		6 /	pcs		
16	Warning Signages (Safety Traffic Cone)		20 /	pcs		
17	Caution Tape (3"x250m)		10 /	pcs		
	X-X-X-X					
	Procurement of Personal Protective Equipment (PPE) for Personnel assigned to Apayao-Abulug River Mouth Dredging Project to be charged to Sub-Allotment No. SR2024-03-013142 dated March 12, 2024 in the total amount of Three Million Five Hundred Eighty-Six Thousand Seven Hundred Seventy-Six Pesos and Forty Centavos (\$\mathbf{P}\$3,586,776.40)	1				*
					TOTAL	
	Period :		Price Va			

TECHNICAL REQUIREMENTS/SPECIFICATIONS

Item No.	Description	Specifications
1	Hard Hat with DPWH LOGO	Color White with DPWH Logo, Type 1, Class E, with head protection material of Polyethylene
2	Safety Shoes, oil resistant, water resistant (heavy duty)	Wear-resistant, anti-slip, waterproof, anti- perforation, impact-resistant, anti-cut, chemical protection, oil-resistant, heat-resistant, cold weather, and anti-static. Made of nitrile rubber and polymer.
3	Fishing Hat/Sun Hat	Color: Khaki, Beige, Light Gray Water-resistant Closure Type: Snap Fabric Material: Cotton Blend Weaving Method: Non-textile materials
4	Reflectorized Vest with DPWH LOGO	Color: Orange Material: 100% Polyester Assorted Size
5	Safety Gloves	ANSI Cut Resistant Level: 3 Material: Nylon + Nitrile Rubber Color: Gray or Black Free Size
6	Rain Coat with DPWH LOGO	Bottom-up Drawstring Hooded Raincoat Composition: 100% EVA Material: EVA Details: Drawstring Patterned: Solid color Fabric: Non-Stretch Collar Style: Hooded Style: Casual Fit Type: Loose Weaving Method: Non-textile materials Assorted Size
7	Two-way Radio	Frequency range: 462.5625-467.7125MHz Channel number: 22CH Channel interval: 12.5KHz Standby current: less than or equal to 20mA Antenna impedance: 50 ohms

8	Search Light/Flash Light	Rated voltage: 3.7V RF power: high: 2W low: 0.5W Audio distortion: less than 5% Frequency stability: +/-2.5ppm Frequency deviation: less than or equal to 5KHz/2.5KHz TYPE-C charging interface Light Bulb Type: LED Input Voltage: 5V Equipped with a micro-USB charging port Brushless DC motor Longer life span and quiet operation Charging and full charge indicators. Material: Aluminum alloy + nylon + stainless steel
9	Lock-Out / Tag - Out	Diameter and Length: Padlock Shackle Diameter Approx. 6mm/0.24in Length Approx. 38mm/1.5in Package List: 1 x Safety Lockout Hasp, 1 x Padlock, 2 x Key With tamper-proof locking tabs and a reusable write- on safety label, it accepts pencils, pens, or markers for repeated use.
10	Fire Extinguisher	10lbs, Refillable
11	First Aid Kit	Case Material: Fabric First Aid Kit Mounting Type: Portable Height: 5 in Width: 7 in Depth: 9 in (attached is the Content of the First Aid Kit)
12	Lashing belt with hook	3" (Heavy Duty), 15 meters
13	Turn Buckle hook and eye	1/2" (stainless steel)
14	Mooring Rope	2", 200 meters Materials: Twisted polypropylene rope with splice
15	Chains with hooks on both ends	1/2" (5m) Heavy Duty
16	Warning Signages (Safety Traffic Cone)	Height: 30 inches with base STAYS UPRIGHT: High-density, weighted 2.5kg base ensures traffic cone won't knock over or blow away; flexible, semi-soft material rebounds from impacts to remain upright HIGH VISIBILITY: Bright fluorescent orange traffic cone color is highly visible for safety; UV stabilization ensures safety cone color won't fade despite extended sun exposure TOUGH & WEATHER-RESISTANT: Premium quality polymer ensures safety cones are durable and long-lasting; designed to resist cracking and chipping in cold weather
17	Caution Tape	3" x 250m (Heavy Duty)