

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS OFFICE OF THE SECRETARY

Manila

March 30, 2023

MEMORANDUM

5

TO

KHADAFFY D. TANGGOL Regional Director DPWH-CAR Engineer's Hill, Baguio City

Transmitted herewith are the **<u>APPROVED</u>** requests for the **modification** of hereunder stated projects:

- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide – Secondary Roads Gov. Bado Dangwa National Road, K0286+750 - K0286+900, Kapangan, Benguet - -P140,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Banaue-Mayoyao-Alfonso Lista-Isabela Bndry Rd, K0361 + 090 - K0361 + 380, Banaue, Ifugao - - P120,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction ofRoads with Slips, Slope Collapse, and Landslide - Secondary Roads Baguio-Bontoc Rd - K0359 + 610 - K0359 + 693 - - P100,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Banaue-Mayoyao-Alfonso Lista-Isabela Bndry Rd, K0346 + 880 - K0347 + 130, Banaue, Ifugao - -P100,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Benguet-Nueva Vizcaya Rd - K0278 + 250 - K0278 + 320,K0278 + 685 - K0278 + 725 - - -P150,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Cong. Andres AcopCosalan Rd - K0321 + 250 - K0321 + 515 - - - P200,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Tertiary Roads Gov. BadoDangwa National Road, K0328+844 - K0329+000, Kibungan, Benguet - P200,000,000.00
- Convergence and Special Support Program Sustainable Infrastructure Projects Alleviating Gaps (SIPAG) - Flood Mitigation Structures protecting Public Infrastructures/Facilities Construction of Barren River (Downstream) Flood Control within Chico River Basin, Sta. 37+995 - Sta. 39+300 (R/S), Conner, Apayao - - P120,000,000.00
- OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Baguio-Bontoc Rd - K0359 + 510 - K0359 + 580 - - - P150,000,000.00
- 10. OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide Primary Roads Kennon Rd K0232 + 535 K0232 + 580 - P48,000,000.00
- 11. OO1: Ensure Safe and Reliable National Road System Asset Preservation Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide Secondary Roads Benguet-Nueva Vizcaya Rd K0292 + 100 K0292 + 350 - P150,000,000.00

Please be reminded that all approved modifications **shall be posted in the DPWH website within five (5) days** from its approval. Failure to comply with this requirement shall be dealt with accordingly.

ADOR G. CANLAS

Assistant Secretary for Regional Operations in CAR, Regions I, II, IX, X, XI, XII, and XIII

2.3 mksa/AVS/AGC/ERP

CAR-023

14/16

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS **CENTRAL OFFICE** Manila

Programming Division Evalua	tion Sheet	
Name of Project:	Project ID:	P00715115LZ
Cong. Andres Acop Cosalan Rd - K0321 + 290 - K0321 + 390	Appropriation:	200,000,000
mplementing Office: Regional Office CAR	Date:	03/24/2023
A. <u>TYPE OF REQUEST</u> A.1 Change in Implementing Office/Operating Unit	due to	
A.1.1 Geographical Jurisdiction		a como
A.1.2 Approval of Authority to Bid/Implement		I-OSEC
A.2 PROJECT MODIFICATION/ADJUSTMENTS	Decr	SIVEP
A.2.1 Typographical Error/s	MAD 3	0.0000
A.2.2 Change in Location (for non-existent locations	s only)	8 2023
A.2.3 Change in Station Limits	By:	T:
A.2.4 Addition/Deletion of Word/s	Control No.: 27	-D5080
A.2.5 Change in Project Component/s Details	IDTS No. 0	4935
A.2.5.1 Change in Targets		
A.2.5.2 Change in Scope of Work from		
		-
A.2.5.3 Change in Component Amount	(amagagat)	
A.2.5.4 Addition of Component (incl. EXC C A.2.5.5 Deletion of Component	omponenc)	
A.2.5.6 Movement of Funds between Comp	onents	
B. EVALUATION	Unches	
B.1 \checkmark ALLOWED as per the GAA Provisions		
B.2 NOT ALLOWED as per the GAA Provisions		
C. FUND SOURCE FY 2023 GAA, R.A. 11936		
C.1 ✓ for issuance of SARO (SReleased □Unrele	eased) Amount:	200,000,000
C.2 released thru GAAAO		
D. IMPACT:		
D.1 Condition/s: - % decrease in unit of	cost	
40.91 % increase in unit c	ost	
29.03 % decrease in physi	ical target	
% increase in physic	cal target	
D.2 Addition A Project Component		
D.3 Certificate of Cost Reasonableness by RD		
D.4 Remarks:		191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191 - 191
D.4 Remarks.		
	A US at a SAU-	
E. Approving Authority as per D.O. 13, s. 2023, Guidelines on under the GAA	Modification of Allotment	
E.1 Undersecretary for Operations		
E.2 Secretary		$ \Lambda $
		108 m/3
valuated By: Noted By:	Chell	
ALEXIS. BOTE	CONSTANTE A. LLANES Assistant Secretary, Pla	
ACTION SLIP	Data	
roject ID: P00715115LZ FOR: USEC FOR OPERATIONS RRB ERP	Date: _	
Reviewed by Planning Service		
Recommended for Approval Remarks:		
	• •	

MARIA CATALINA E. CABRAL, CESO I, Ph.D. Undersecretary for Planning and PPP Services



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS OFFICE OF THE SECRETARY

Manila

March 22, 2023

MEMORANDUM

.

FOR

MANUEL M. BONOAN Secretary This Department

This refers to the memorandum dated 20 March 2023 of **DPWH CAR Regional Director KHADAFFY D. TANGGOL,** requesting for the **modification** of the project under FY 2023 GAA, to wit;

As	per GAA/Origina	1		As Modified		
		Project D	escription			
UACS No.: 31010810 Project ID: P007151						
OO1: Ensure Safe and Reliable National Road System - Asset Preservation - Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Cong. Andres Acop Cosalan Rd - K0321 + 290 - K0321 + 390		OO1: Ensure Safe and Reliable National Road System - Asset Preservation - Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads Cong. Andres Acop Cosalan Rd - K0321 + 250 - K0321 + 515				
Type of Work/ Physical Target	Unit Cost	Allocation	Type of Work/ Physical Target	Unit Cost	Estimated Cost	
CW1- Construction of Road Slope Protection Structure / 11,111.11 sq.m.	₱ 17,370.00/ sq.m.	₱ 193,000,000.00	CW1- Construction of Road Slope Protection Structure / 7,885 sq.m.	₱ 24,476.85 / sq.m.	₱ 193,000,000.00	
EAO		₱ 7,000,000.00	EAO	-	₱ 7,000,000.00	
				Total:	₱ 200,000,000.00	

Change in Station Limits in the Project Description and Decrease in physical target for CW1 - Construction of Road Slope Protection Structure from 11,111.11 Square Meters 7,885 Square Meters due to the following:

- The change in station limits was deemed necessary to address the critical areas along the road section requiring immediate slope intervention.
- The decrease in the physical target/ increase in unit cost for CW1 is due to the design length of 5-meter permanent ground anchors as recommended in the design analysis. The project utilized the Erosion Control Mat (Type 4), Permanent Ground Anchor, Hydroseeding and Active Wire Mesh System (High Tensile) which contributed to the increase in unit cost thereon causing a deduction in the target area of the proposed slope protection.
- The derived unit cost is based on the approved Program of Work (POW) with Detailed Unit Price Analysis (DUPA).

Attached are the following supporting documents: Approved Program of Works (POW) with Detailed Unit Price Analysis (DUPA), Detailed Engineering Design (DED), Certificate of Availability of Funds (CAF), BP 202, Geotagged photos, Certificate of Reasonableness, Evaluation of the Bureau of Construction on the unit cost of the similar type projects, RSM Forms and GIS Map.

14

Page 2 of 2

Based on our evaluation, the submitted request for modification of the said project is in order; hence, approval hereof is recommended.

ADOR G. CANLAS

Assistant Secretary for Regional Operations in CAR, Regions I, II, IX, X, XI, XII, and XIII

RECOMMENDING APPROVAL:

MARIA CATALINA E. CABRAL, Ph.D., CESO I EUGENIO B. Undersecretary for Planning and Public-Private Partnership Services

Undersecretary for Regional Operations in CAR, Regions I, II, IX, X, XI, XII, and XIII

APPROVED/DISAPPROVED:



2.3 mksa/MLS/AVS/AGC/ERP





Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CORDILLERA ADMINISTRATIVE REGION Engineer's Hill, Baguio City

March 20, 2023

MEMORANDUM

FOR

: MANUEL M. BONOAN Secretary

- **THRU** : EUGENIO R. PIPO, JR. Undersecretary for Regional Operations CAR, Regions I, II, IX, X, XI, XII and XIII
- SUBJECT : Request for the Modification of the Project: ORGANIZATIONAL OUTCOME 1 : Ensure Safe and Reliable National Road System -Asset Preservation Program - Rehabilitation/ Reconstruction of Roads with Slips, Slope Collapse, and Landslide - Secondary Roads - Cong. Andres Acop Cosalan Rd - K0321 + 290 - K0321 + 390

We are respectfully submitting the modification of the above project in the amount of **Two Hundred Million Pesos (Php 200,000,000.00)**, as indicated below:

ad set	As per GAA/Original	As Modified
Project ID	P00715115LZ	
UACS	310108101307000	1
Project Title	Cong. Andres Acop Cosalan Rd - K0321 + 290 - K0321 + 390	Cong. Andres Acop Cosalan Rd - K0321 + 250 - K0321 + 515
Physical Target	11,111.110 Square meters	7,885.000 Square meters

The supporting documents based on D.O. No. 23, series of 2023 are attached for your ready reference.

For the consideration of the Secretary.

TANGGOL **KHADA** Regiona

CAR.1 CSCE/EFD/JWC/ABM

		A. (GENERAL				
1. REGION Cordillera Adminis		2. DEO Benguet First Distr	3. LEGISLATIVE DISTRIC strict Engineering Office BENGUET (LONE DISTRIC				
E	8. ORIGINAL PROJECT		C. P	ROPOSED REV	SED PROJ	IECT	
4. UACS (Unified A 310108101307000	ccount Code Structur	e as defined in GAA	N)				
5. Project Id P00715115LZ							
6. Project Category OO1: Ensure Safe a	nd Reliable National I	Road System					
7. Sub-Program (P/ Asset Preservation	'A/P) - Rehabilitation/ Reco	onstruction of Road	s with Slips, Slope Co	llapse, and Lan	dslide - Se	condary Roads	
8. Operating Unit Central Office			18. Operating Unit Central Office	(Change subjec	t to DBM	approval)	
9. Type of Work (E	nter Details for all Co	mponents below)	19. Type of Work (E	inter Details fo	r all Comp	oonents below)	
Component ID	Type of Work		Component ID	Type of W	Type of Work		
CW1	CW1 Construction of Road Slope Protection Structure		CW1	Constructi Structure	Construction of Road Slope Protection Structure		
	RIPTION (as recorded Cosalan Rd - K0321 +		20. PROJECT DESCR Cong. Andres Acop				
11. ALLOTMENT (P 200,000	'000) (as recorded in	GAA)	21. REVISED ESTIMATED COST (P'000) (Equal to, or lower than GAA allotment)22. CAF (To be ob from Financial Management officient200,000□YES			nancial	
12. PHYSICAL TARG	GET (Enter Details for	all Components	23. PHYSICAL TARG	ET (Enter Deta	ils for all (Components below)	
Component ID	Target	Target Unit	Component ID	Target		Target Unit	
CW1	11,111.110	Square Meters (m2)	CW1	7,885.000	/	Square Meters (m2)	
13. UNIT COST (En	ter Details for all Con	nponents below)	24. UNIT COST (Ent	er Details for a	ll Compoi	nents below)	
Component ID	Component Cost (P'000)	Target Unit Cost (P'000/Target Unit)	Component ID	Compone (P'000)	nt Cost	Target Unit Cost (P'000/Target Unit)	
CW1	193,000.000	17.370	CW1	193,000.0	00	24.47685	
EAO	7,000.000		EAO	7,000.000			

	D. ATTACH	MENTS & JUSTIFICATIONS			
		29. OVERLAP?	30. UNDER WARRANTY? ⊠ NO □ YES		
Planned Start Date 05/21/2023	Planned End Date 04/14/2024	Planned Start Date 05/21/2023	Planned End Date 04/14/2024		
17. PROJECT IMPLE	MENTATION PLAN (PIP)	28. PROJECT IMPLEME	NTATION PLAN (PIP)		
16. IMPLEMENTING Office of the origin Cordillera Administ		27. IMPLEMENTING OF the proposed revised p Cordillera Administrativ			
15. ROAD CLASSIFI Secondary Road	CATION (if applicable)	26. ROAD CLASSIFICAT Secondary Road	ION (if applicable)		
Start Y	End Y	Start Y	End Y		
Start X	End X	Start X	End X		
14. PROJECT WORK accordance with DU Click here to enter		25. PROJECT WORK LOCATION (Must be defined in strict accordance with DO 65 Series 2014. Also complete "ANNEX A" for National Road projects under OO-1) Click here to enter text.			

32. TECHNICAL JUSTIFICATION (Explain in detail in Bullet point format; minimum of 2 points)

Change in Station Limits in the Project Description and Decrease in physical target for CW1 - Construction of Road Slope Protection Structure from 11,111.11 Square Meters 7,885 Square Meters due to the following:

- The change in station limits was deemed necessary to address the critical areas along the road section requiring immediate slope intervention.
- The decrease in the physical target/ increase in unit cost for CW1 is due to the design length of 5-meter permanent ground anchors as recommended in the design analysis. The project utilized the Erosion Control Mat (Type 4), Permanent Ground Anchor, Hydroseeding and Active Wire Mesh System (High Tensile) which contributed to the increase in unit cost thereon causing a deduction in the target area of the proposed slope protection.
- The derived unit cost is based on the approved Program of Work (POW) with Detailed Unit Price Analysis (DUPA).

Attached are the following supporting documents: Approved Program of Works (POW) with Detailed Unit Price Analysis (DUPA), Detailed Engineering Design (DED), Certificate of Availability of Funds (CAF), BP 202, Geotagged photos, Certificate of Reasonableness, Evaluation of the Bureau of Construction on the unit cost of the similar type projects, RSM Forms and GIS Map.

33. PHOTOS SUBMITTED

□NO ⊠YES

34. A MAP OF THE PROPOSED PROJECT WORK LOCATION SUBMITTED

□NO ⊠YES

	35. P	REPARED BY	
Name:	ERLINDA F. DOLIENTE	Position:	Chief, Planning Section
Office:	Planning and Design Division	Date:	
36. REVIEWE	D BY DISTRICT OFFICE (If Required)		38. REVIEWED BY REGIONAL OFFICE
Name:		Name:	ANGELITAR, MABITAZAN
Position:		Position:	Chief, Planning and Design Division
Date:		Date:	
37. RECOMMEN	IDED BY DISTRICT OFFICE (If Required)		39. RECOMMENDED BY REGIONAL OFFICE
Name:		Name:	KHADAFAY D. TANGGOL
Position:		Position:	Regional Director
Date:		Date:	

UACS (Unified Account Code Structure as defined in GAA) 310108101307000

Project Id

P00715115LZ

	40. DPWH OFFIC	E OF THE UNDERSEC	ETARIES FOR OPERAT	TIONS
Primary Reason fo	r Request (based on Catego	ory of Modification): (choose one)	
Category A	Category B	Category C	Category D	Impact
error on Project Description		 No such Barangay No such City or Municipality 	 Change in (IO), requiring a change in the (OU) 	 No change or decrease in unit cost 20% or less increase in unit cost > 20% increase in unit cost
	Reviewed by	Office of the Unders	ecretary for Operation	ns
Name:	Engr. MANUEL L. SINGSON	I	Engr. ANTONIO	V. SOBREVIÑAS, JR.
Signature			M	26
Position:	Project Manager I		Project Manager	3/22/23
Date:	3/2/23			3/22/23
		41. DPWH PLANNIN	G SERVICE	
Category of Modif (please check the	ication □ Categorian appropriate) □ Categorian	ry D – Change in Opera		3M approval)
		Reviewed by Planni	ng Service	
Name:	ANNA ANDREA M. NOCH	E Name:	PETER PAUL R. C	CORTEZ
Signature	Kodur	Signatu	ire: fail	/
Position:	Regional Coordinator	Positio	n: OIC - Chief of Pro	ogramming Division
Date:	3/24/23	Date:		

ANNEX A: Project Work Location Details for National Roads

Component ID	Section ID	Start Limit LRP + Disp	End Limit LRP + Disp	Start Chainage	End Chainage	Length (m)	Type of Work	Detail Scope of Work	Target Unit	Physical Target
P00715115LZ - CW1	S00379LZ	K0321 + 250	K0321 + 515	3799	4064	265	Construction of Road Slope Protection Structure	Active Wire Mesh System (High Tensile) (R/S), Breastwall (R/S)	Square Meters	7885



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE Manila

July 27, 2022

MEMORANDUM

FOR

: Assistant Secretary ADOR G. CANLAS. For Regional Operations in REGIONS I, II, CAR, IX, X, XI, XII & XIII

Subject : 001: Ensure Safe and Reliable National Roads with Slips Slope Collapse and Landslide – Secondary Roads, Rehabilitation/ Reconstruction of National Roads Banaue – Mayoyao A Lista – Isabela Bdry. Road P85,905,000.00 and three (3) others.

Forwarded herewith are the result of evaluation for the above-mentioned projects which were referred to this office.

PROJECT NO. 1

The amount of Eighty Five Million Nine Hundred Five Thousand Pesos (**P85,905,000.00**) for **3,140.50** m² of Slope Protection Structures as submitted was found to be reasonable as evaluated based on the items of work involved and its quantities as reflected in the submitted Program of Works and design plans duly approved by Regional Director, DPWH-CAR.

ITEM NO.	DESCRIPTION		OUNT al Cost)	PERCENT Weight (%)	
Part A	Facilities for the Engineer	P	203,439.60	0.25%	
Part B	Other General Requirements	Р	1,532,726.30	1.85%	
Part C	Earthworks	P	223,796.35	0.27%	
Part G	Drainage & Slope Protection Structures	P	80,769,413.00	97.43%	
Part H	Miscellaneous Structures	Р	168,028.00	0.20%	
	GRAND TOTAL	P	82,897,403.25	100.00%	

SCOPE OF WORK

Cost of slope protection per m²

P82,897,403,25 3,140.00 m²

=

=

P26,400.45/ m²

Cost per kilometer of Road (Exclude Part A, B, C & H) P80,769,413.00 3,140.00 m² P25,722.74/ m²

The estimated cost of **P26,400.45** per square meter of slope protection structures for the Rehabilitation/Reconstruction of National Roads with Slips Slope Collapse and Landslide - Secondary Roads – Banaue - Mayoyao A Lista – Isabela Bdry. Road at 3,140.00 square meter is due to design requirements which mainly involved Erosion Control Mat (Type 4), Permanent Ground Anchor, Hydroseeding and Active Wire Mesh System (High Tensile) at **97.43%** of the total project cost coupled with recent price escalation of construction materials and fuel and it is 394.50 km away to project site.

Part A, B, C & G are excluded)

If Facilities for the Engineer, Other General Requirements, Earthworks, and Miscellaneous Structures along the stations as reflected in K0350+650 – K0350+760 per approved plans and location map of the proposed new road alignment are excluded in the computation the resulting cost is only **P25,722.74** per square meter, hence it is considered reasonable as the Unit Costs of the items of work involved are within the range of the prevailing cost of the Department.

PROJECT NO. 2

The amount of Three Hundred Million Pesos (**P300,000,000.00**) for **11,394.00** m² of Slope Protection Structures as submitted was found to be reasonable as evaluated based on the items of work involved and its quantities as reflected in the submitted Program of Works and design plans duly approved by Regional Director, DPWH-CAR.

ITEM DESCRIPTION		AMOUNT (Total Cost)		PERCENT Weight (%)	
Part A	Facilities for the Engineer	P	375,580.80	0.13%	
Part B	Other General Requirements	P	2,559,573.20	0.88%	
Part C	Earthworks	Р	474,665.97	0.16%	
Part D	Subbase and Base Course	Р	158,117.45	0.05%	
Part E	Surface Course	P	1,407,120.60	0.49%	
Part F	Bridge Construction	Р	120,689.44	0.04%	
Part G	Drainage & Slope Protection Structures	P	284,252,869.60	98.19%	
Part H	Miscellaneous Structures	P	147,484.80	0.05%	
	GRAND TOTAL	P	289,496,101.86	100.00%	

SCOPE OF WORK

Cost of slope protection per m ²	=	<u>P289,496,101.86</u> 11,394.00 m ²	=	P25,407.77/m²
Cost per kilometer of Road (Exclude Part A, B, C, D, E, F & H)) =	P284,252,869.60 11,394.00 m ²	=	P24,947.59/m ²

The estimated cost of **P25,407.77** per square meter of slope protection structures for the Rehabilitation/Reconstruction of National Roads with Slips Slope Collapse and Landslide - Secondary Roads – Mt. Province – Cagayan via Tabuk – Enrile Road at 11,394.00 square meter is due to design requirements which mainly involved Erosion Control Mat (Type 4), Permanent Ground Anchor, Hydroseeding and Active Wire Mesh System (High Tensile) at **98.19%** of the total project cost coupled with recent price escalation of construction materials and fuel and it is 422.48 km away to project site.

(Part A, B, C, D, E, F & H are excluded)

If Facilities for the Engineer, Other General Requirements, Earthworks, Subbase Course, Surface Course, Bridge Construction and Miscellaneous along the stations as reflected in K0406+453 – K0406+692 per approved plans and location map of the proposed new road alignment are excluded in the computation the resulting cost is only **P24,947.59** per square meter, hence it is considered reasonable as the Unit Costs of the items of work involved are within the range of the prevailing cost of the Department.

ROJECT NO. 3

The amount of Sixty Nine Million Pesos (**P69,000,000.00**) for **2,507.00** m² of Slope Protection Structures as submitted was found to be reasonable as evaluated based on the items of work involved and its quantities as reflected in the submitted Program of Works and design plans duly approved by Regional Director, DPWH-CAR.

SCOPE OF WORK

ITEM NO.	DESCRIPTION		DUNT tal Cost)	PERCENT Weight (%)	
Part A	Facilities for the Engineer	P	203,439.60	0.31%	
Part B	Other General Requirements	P	1,511,469.80	2.27%	
Part C	Earthworks	Р	228,436.93	0.34%	
Part G	Drainage & Slope Protection Structures	P	64,640,950.30	97.08%	
	GRAND TOTAL	P	66,584,296.63	100.00%	

Cost of slope protection per m ²	=	2,507.00 m ²	_	P20,559.35/M ²	
Cost per kilometer of Road (Exclude Part A, B & C)	=	P64,640,950.30 2,507.00 m ²	=	P25,784.18 m ²	

DCC F04 20C 02

C PPA API

The estimated cost of **P26,559.35** per square meter of slope protection structures for the Rehabilitation/Reconstruction of National Roads with Slips Slope Collapse and Landslide - Secondary Roads – Banaue - Mayoyao A Lista – Isabela Bdry. Road at 2,507.00 square meter is due to design requirements which mainly involved Erosion Control Mat (Type 4), Permanent Ground Anchor, Hydroseeding and Active Wire Mesh System (High Tensile) at **97.08%** of the total project cost coupled with recent price escalation of construction materials and fuel and it is 402.80 km away to project site.

(Part A, B & C are excluded)

Test of slave westerstan and and

If **Facilities for the Engineer, Other General Requirements and Earthworks,** along the stations as reflected in K0358+842 – K0359+047 per approved plans and location map of the proposed new road alignment are excluded in the computation the resulting cost is only **P25,784.18** per square meter, hence it is considered reasonable as the Unit Costs of the items of work involved are within the range of the prevailing cost of the Department.

PROJECT NO. 4

The amount of One Hundred Fifty Million Five Hundred Fifty Thousand Pesos (**P150,550,000.00**) for **5,853.04** m² of Slope Protection Structures as submitted was found to be reasonable as evaluated based on the items of work involved and its quantities as reflected in the submitted Program of Works and design plans duly approved by Regional Director, DPWH-CAR.

SCOPE OF WORK

ITEM NO.			OUNT tal Cost)	PERCENT Weight (%)	
Part A	Facilities for the Engineer	P	281,685.60	0.19%	
Part B	Other General Requirements	P	1,787,292.50	1.23%	
Part C	Earthworks	Ρ	417,767.82	0.29%	
Part F	Bridge Construction	Ρ	6,171,515.37	4.25%	
Part G Drainage & Slope Prot GRAND TOTAL	Drainage & Slope Protection Structures	Ρ	136,619,434.98	94.04%	
	GRAND TOTAL	P	145,277,696.27	100.00%	

Cost of slope protection per m²

P145,277,696.27
5,853.04 m²=P24,820.90/m²P136,619,434.98=P23,341.62/m²

Cost per kilometer of Road (Exclude Part A, B, C & F)

The estimated cost of **P24,820.90** per square meter of slope protection structures for the Rehabilitation/Reconstruction of Roads with Slips Slope Collapse and Landslide - Secondary Roads - Baguio - Bontoc Road, Sabangan, Mt. Province at 5,853.04 square meter is due to design requirements which mainly involved Erosion Control Mat (Type 4), Permanent Ground Anchor, Hydroseeding and Active Wire Mesh System (High Tensile) at **94.04%** of the total project cost coupled with recent price escalation of construction materials and fuel and it is 385.30 km away to project site.

5,853.04 m²

(Part A, B & C are excluded)

If **Facilities for the Engineer, Other General Requirements, Earthworks and Bridge Construction** along the stations as reflected in K0374+120 – K0374+285 per approved plans and location map of the proposed new road alignment are excluded in the computation the resulting cost is only **P23,341.62** per square meter, hence it is considered reasonable as the Unit Costs of the items of work involved are within the range of the prevailing cost of the Department.

ARISTARCO M. DOROY OIC - Director, Bureau of Construction

Cc: Undersecretary MAXIMO L. CARVAJAL for Technical Services

6.1.1 JAM/CBC/GEC Desktop reasonableness CAR Ref. No.: 6.1-405-5550/358-02